

B860M-PRO GAMING内存支持列表 (2026.8.13)

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	4000	4000	AD5U400016G-B	Micron	N/A	16GB	SS	32-32-32-64	1.1	●	●	
ADATA	U-DIMM	4000	4000	AD5U400016G-S	Micron	N/A	16GB	SS	32-32-32-64	1.1	●	●	
Kingston	U-DIMM	4800	4800	KF548C38BB-16	Micron	XMP	16GB	SS	40-40-40-77	1.1	●	●	
Kingston	U-DIMM	4800	4800	KF548C38BBK2-32	Micron	XMP	2x 16GB	SS	40-40-40-77	1.1	●	●	
Asgard	U-DIMM	4800	4800	VMA5AEUA-MMAFR2L1	Micron	N/A	16GB	SS	40-40-40-77	1.1	●	●	
Netac	U-DIMM	4800	4800	NCGXU1BD5164800UM8SP	Micron	N/A	16GB	SS	40-40-40-77	1.1	●	●	
Colorful	U-DIMM	4800	4800	CDPC16G4800D5N8	Micron	N/A	16GB	SS	40-40-40-77	1.1	●	●	
Lexar	U-DIMM	4800	4800	LD5DU016G-H4800CNM2G8ST	Micron Y32A	N/A	16GB	SS	40-40-40-77	1.1	●	●	
Crucial	U-DIMM	4800	4800	CT8G48C40U5.M4A1	Micron	XMP	8GB	SS	40-39-39-77	1.1	●	●	
Kimtigo	U-DIMM	4800	4800	KTFGU5MA8-M	Micron	N/A	16GB	SS	40-40-40-77	1.1	●	●	
KINGSTON	U-DIMM	4800	4800	KVR48U40BS8K2-32	Hynix-M die	N/A	2x 16GB	SS	40-39-39-77	1.1	●	●	
KINGSTON	U-DIMM	4800	4800	KVR48U40BS8-16	Hynix-M die	N/A	16GB	SS	40-39-39-77	1.1	●	●	
Asgard	U-DIMM	4800	4800	VMA5AEUA-MMAFRAV4	Micron	N/A	16GB	SS	40-40-40-77	1.1	●	●	
Crucial	U-DIMM	4800	4800	CT16G48C40U5.M8A1	Micron	XMP	16GB	SS	40-39-39-77	1.1	●	●	
GALAX	U-DIMM	4800	4800	GAM5DJL4BME4800S40WH322C	Micron	N/A	2x 16GB	SS	40-40-40-77	1.1	●	●	
Crucial	U-DIMM	4800	4800	CT32G48C40U5.M16A1	Micron	XMP	32GB	DS	40-39-39-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	FLBD516G4800HC36BK	MICRON A	XMP	16GB	SS	36-36-36-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	FLRD532G4800HC36DC01	MICRON A	XMP	2x 16GB	SS	36-36-36-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	FLBD532G4800HC36DC01	MICRON A	XMP	2x 16GB	SS	36-36-36-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TED516G4800C40BK	MICRON A	N/A	16GB	SS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TED532G4800C40DC01	MICRON A	N/A	2x 16GB	SS	40-40-40-77	1.1	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
KINGSTON	U-DIMM	4800	4800	KF548C38BBK2-16	Micron-A die	XMP	2x 8GB	SS	38-38-38-70	1.1	●	●	
KINGSTON	U-DIMM	4800	4800	KF548C38BB-8	Micron-A die	XMP	8GB	SS	38-38-38-70	1.1	●	●	
KINGSTON	U-DIMM	4800	4800	KF548C38BBK2-64	Micron-A die	XMP	2x 32GB	DS	38-38-38-70	1.1	●	●	
KINGSTON	U-DIMM	4800	4800	KF548C38BB-32	Micron-A die	XMP	32GB	DS	38-38-38-70	1.1	●	●	
ADATA	U-DIMM	4800	4800	AD5U480016G-B	Spectek Y32A	N/A	16GB	SS	40-40-40-77	1.1	●	●	
ADATA	U-DIMM	4800	4800	AD5U480016G-S	Spectek Y32A	N/A	16GB	SS	40-40-40-77	1.1	●	●	
ADATA	U-DIMM	4800	4800	AD5U480016G-R	Spectek Y32A	N/A	16GB	SS	40-40-40-77	1.1	●	●	
ADATA	U-DIMM	4800	4800	AD5U480016G-DT	Spectek Y32A	N/A	16GB	SS	40-40-40-77	1.1	●	●	
KINGSTON	U-DIMM	4800	4800	KF548C38BBAK2-64	Micron	XMP	2x 32GB	DS	38-38-38-70	1.1	●	●	
KINGSTON	U-DIMM	4800	4800	KF548C38BBA-32	Micron	XMP	32GB	DS	38-38-38-70	1.1	●	●	
KINGSTON	U-DIMM	4800	4800	KF548C38BBAK2-16	Micron	XMP	2x 8GB	SS	38-38-38-70	1.1	●	●	
KINGSTON	U-DIMM	4800	4800	KF548C38BBA-8	Micron	XMP	8GB	SS	38-38-38-70	1.1	●	●	
OLOY	U-DIMM	4800	4800	MD5U1648400BRLDE	Micron	N/A	2x 16GB	SS	40-40-40-77	1.1	●	●	
OLOY	U-DIMM	4800	4800	ND5U1648400BRLDE	Micron	N/A	16GB	SS	40-40-40-77	1.1	●	●	
Transcend	U-DIMM	4800	4800	TS4800ALE-16G	Samsung	N/A	16GB	SS	40-39-39-77	1.1	●	●	
Transcend	U-DIMM	4800	4800	TS4800ALE-32G	Samsung	N/A	32GB	DS	40-39-39-77	1.1	●	●	
mushkin	U-DIMM	4800	4800	MES5U480FD16GX2	Micron	N/A	2x 16GB	SS	40-39-39-77	1.1	●	●	
KINGSTON	U-DIMM	4800	4800	KF548C38BBAK2-32	Micron	XMP	2x 16GB	SS	38-38-38-70	1.1	●	●	
KINGSTON	U-DIMM	4800	4800	KF548C38BBA-16	Micron	XMP	16GB	SS	38-38-38-70	1.1	●	●	
KINGBANK	U-DIMM	4800	4800	M323R2GA3BB0-CQKOD	Samsung	N/A	16GB	SS	40-39-39-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TED58G4800C40BK6	Micron A	N/A	8GB	SS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TED58G4800C40016	Micron A	N/A	8GB	SS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TPBD58G4800C40016	Micron A	N/A	8GB	SS	40-40-40-77	1.1	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	4800	4800	TPSD58G4800C40016	Micron A	N/A	8GB	SS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TED516G4800C40DC016	Micron A	N/A	2x 8GB	SS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TPBD516G4800C40DC016	Micron A	N/A	2x 8GB	SS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TPSD516G4800C40DC016	Micron A	N/A	2x 8GB	SS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TED58G4800C40BK6	Samsung B	N/A	8GB	SS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TED58G4800C40016	Samsung B	N/A	8GB	SS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TPBD58G4800C40016	Samsung B	N/A	8GB	SS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TPSD58G4800C40016	Samsung B	N/A	8GB	SS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TED516G4800C40DC016	Samsung B	N/A	2x 8GB	SS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TPBD516G4800C40DC016	Samsung B	N/A	2x 8GB	SS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TPSD516G4800C40DC016	Samsung B	N/A	2x 8GB	SS	40-40-40-77	1.1	●	●	
KINGSTON	U-DIMM	4800	4800	KVR48U40BD8L-32-SP	HYNIX M	N/A	32GB	DS	40-39-39-77	1.1	●	●	
KINGSTON	U-DIMM	4800	4800	KVR48U40BD8L-32-SP	Micron A	N/A	32GB	DS	40-39-39-77	1.1	●	●	
KINGSTON	U-DIMM	4800	4800	KVR48U40BD8K2-64	Spectek B	N/A	32GB	DS	40-39-39-77	1.1	●	●	
Samsung	U-DIMM	4800	4800	M323R4GA3BB0-CQKOL	Samsung	N/A	32GB	DS	40-39-39-77	1.1	●	●	
GOLDKEY	U-DIMM	4800	4800	NMUD532F82-4800JA20	SK Hynix	N/A	32GB	DS	40-40-40-77	1.1	●	●	
GOLDKEY	U-DIMM	4800	4800	NMUD516F82-4800JA20	SK Hynix	N/A	16GB	SS	40-40-40-77	1.1	●	●	
GOLDKEY	U-DIMM	4800	4800	NMUD580EA2-4800JA20	SK Hynix	N/A	8GB	SS	40-40-40-77	1.1	●	●	
Asgard	U-DIMM	4800	4800	VAM5UX48C40AG-SFRES	Micron	N/A	16GB	SS	40-40-40-77	1.1	●	●	
Asgard	U-DIMM	4800	4800	VMA5AEU8-AMBDR2T3	Samsung	N/A	8GB	SS	40-40-40-77	1.1	●	●	
Asgard	U-DIMM	4800	4800	VMA5AEU8-MMADR2T3	Micron	N/A	8GB	SS	40-40-40-77	1.1	●	●	
Asgard	U-DIMM	4800	4800	VMA5AEU8-MMADR2L1	Mircon	N/A	8GB	SS	40-40-40-77	1.1	●	●	
Asgard	U-DIMM	4800	4800	VMA5AEU8-AMBDR2L1	Samsung	N/A	8GB	SS	40-40-40-77	1.1	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
OCPC	U-DIMM	4800	4800	MMPT2K16GD548C40T	Micron	N/A	8GB	SS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TED532G4800C4001	Hynix A-die	N/A	32GB	DS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TPBD532G4800HC4001	Hynix A-die	N/A	32GB	DS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TPSD532G4800HC4001	Hynix A-die	N/A	32GB	DS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TED564G4800C40DC01	Hynix A-die	N/A	2x 32GB	DS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TPBD564G4800HC40DC01	Hynix A-die	N/A	2x 32GB	DS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TPSD564G4800HC40DC01	Hynix A-die	N/A	2x 32GB	DS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TED516G4800C4001	Hynix	N/A	16GB	SS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TPBD516G4800HC4001	Hynix	N/A	16GB	SS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TPSD516G4800HC4001	Hynix	N/A	16GB	SS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TED532G4800C40DC01	Hynix	N/A	2x 16GB	SS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TPBD532G4800HC40DC01	Hynix	N/A	2x 16GB	SS	40-40-40-77	1.1	●	●	
Team Group	U-DIMM	4800	4800	TPSD532G4800HC40DC01	Hynix	N/A	2x 16GB	SS	40-40-40-77	1.1	●	●	
Neo Forza	U-DIMM	4800	4800	NMUD516F84-4800JA00	Samsung B-die	N/A	16GB	SS	40-40-40-77	1.1	●	●	
Neo Forza	U-DIMM	4800	4800	NMUD532F81-4800JA00	Hynix M-die	N/A	32GB	DS	40-40-40-77	1.1	●	●	
Kingston	U-DIMM	5200	5200	KF552C40BB-16	Micron	XMP	16GB	SS	40-40-40-80	1.25	●	●	
Kingston	U-DIMM	5200	5200	KF552C40BBK2-32	Micron	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
CORSAIR	U-DIMM	5200	5200	CMK32GX5M2B5200C38 ver 3.43.01	Micron	XMP	2x 16GB	SS	38-38-38-74	1.25	●	●	
CORSAIR	U-DIMM	5200	5200	CMT64GX5M2X5200C38 Ver 3.43.01	Micron	XMP	2x 32GB	DS	38-38-38-84	1.25	●	●	
CORSAIR	U-DIMM	5200	5200	CMT32GX5M2X5200C38 Ver 3.43.01	Micron	XMP	2x 16GB	SS	38-38-38-84	1.25	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J3636C16GX2-TZ5RS	Samsung	XMP	2x 16GB	SS	36-36-36-83	1.2	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J3636C16GX2-TZ5RK	Samsung	XMP	2x 16GB	SS	36-36-36-83	1.2	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J3636C16GX2-RS5K	Samsung	XMP	2x 16GB	SS	36-36-36-83	1.2	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
G.SKILL	U-DIMM	5200	5200	F5-5200J3636C16GX2-RS5W	Samsung	XMP	2x 16GB	SS	36-36-36-83	1.2	●	●	
Apacer	U-DIMM	5200	5200	AH5U32G52C502MBAA-2	MICRON	XMP	2x 16GB	SS	38-38-38-84	1.25	●	●	
Team Group	U-DIMM	5200	5200	FLBD516G5200HC40CBK	MICRON A	XMP	16GB	SS	40-40-40-76	1.25	●	●	
Team Group	U-DIMM	5200	5200	FLRD532G5200HC40CDC01	MICRON A	XMP	2x 16GB	SS	40-40-40-76	1.25	●	●	
Team Group	U-DIMM	5200	5200	FLBD532G5200HC40CDC01	MICRON A	XMP	2x 16GB	SS	40-40-40-76	1.25	●	●	
Team Group	U-DIMM	5200	5200	FF5D532G5200HC40CDC01	MICRON A	XMP	2x 16GB	SS	40-40-40-76	1.25	●	●	
Team Group	U-DIMM	5200	5200	FLRD516G5200HC38BK	MICRON A	XMP	16GB	SS	38-38-38-84	1.2	●	●	
Team Group	U-DIMM	5200	5200	FLRD532G5200HC38DC01	MICRON A	XMP	2x 16GB	SS	38-38-38-84	1.2	●	●	
Team Group	U-DIMM	5200	5200	FLBD532G5200HC38DC01	MICRON A	XMP	2x 16GB	SS	38-38-38-84	1.2	●	●	
Thermaltake	U-DIMM	5200	5200	RA50D516GX2-5200C38A	Hynix	XMP	2x 16GB	SS	38-38-38-76	1.15	●	●	
Thermaltake	U-DIMM	5200	5200	RG30D516GX2-5200C38A	Hynix	XMP	2x 16GB	SS	38-38-38-76	1.15	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BBK2-16	Micron-A die	XMP	2x 8GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BB-8	Micron-A die	XMP	8GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BBK2-64	Hynix-M die	XMP	2x 32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BB-32	Hynix-M die	XMP	32GB	DS	40-40-40-80	1.25	●	●	
Asgard	U-DIMM	5200	5200	VMA5BCU8-AMBDR2T3	Samsung	XMP	8GB	SS	36-36-36-77	1.25	●	●	
Team Group	U-DIMM	5200	5200	FF5D516G5200HC40CBK	MICRON A	XMP	16GB	SS	40-40-40-76	1.25	●	●	
CORSAIR	U-DIMM	5200	5200	CMT64GX5M2B5200C40 Ver 3.43.01	Micron	XMP	2x 32GB	DS	40-40-40-77	1.25	●	●	
ADATA	U-DIMM	5200	5200	AX5U5200C3816G-DCLARBK	Spectek Y32A	XMP	2x 16GB	SS	38-38-38-76	1.25	●	●	
ADATA	U-DIMM	5200	5200	AX5U5200C3816G-CLARBK	Spectek Y32A	XMP	2x 16GB	SS	38-38-38-76	1.25	●	●	
ADATA	U-DIMM	5200	5200	AX5U5200C3816G-DCLABK	Spectek Y32A	XMP	2x 16GB	SS	38-38-38-76	1.25	●	●	
ADATA	U-DIMM	5200	5200	AX5U5200C3816G-CLABK	Spectek Y32A	XMP	2x 16GB	SS	38-38-38-76	1.25	●	●	
ADATA	U-DIMM	5200	5200	AX5U5200C3816G-BLABK	Spectek Y32A	XMP	2x 16GB	SS	38-38-38-76	1.25	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
KINGSTON	U-DIMM	5200	5200	KF552C40BBAK2-16	Micron	XMP	2x 8GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BBA-8	Micron	XMP	8GB	SS	40-40-40-80	1.25	●	●	
OLOY	U-DIMM	5200	5200	MD5U1652361BRKDE	Micron	XMP	2x 16GB	SS	36-38-38-74	1.25	●	●	
OLOY	U-DIMM	5200	5200	ND5U1652361BRKDE	Micron	XMP	16GB	SS	36-38-38-74	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BBAK2-64	Micron	XMP	2x 32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BBA-32	Micron	XMP	32GB	DS	40-40-40-80	1.25	●	●	
PREDATOR	U-DIMM	5200	5200	BL.9BWWR.316	Micron	XMP	16GB	SS	38-38-38-76	1.25	●	●	
AORUS	U-DIMM	5200	5200	GP-ARS32G52D5	Spectek	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
OLOY	U-DIMM	5200	5200	MD5U1652361BRSDE	Micron	XMP	16GB	SS	36-38-38-74	1.25	●	●	
OLOY	U-DIMM	5200	5200	ND5U1652361BRSDE	Micron	XMP	16GB	SS	36-38-38-74	1.25	●	●	
CORSAIR	U-DIMM	5200	5200	CMT32GX5M2B5200C40 Ver 3.43.01	Micron	XMP	2x 16GB	SS	40-40-40-77	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BBAK2-32	Micron	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BBA-16	Micron	XMP	16GB	SS	40-40-40-80	1.25	●	●	
Asgard	U-DIMM	5200	5200	VAM5UX52C40AG-CFRES	Micron	XMP	16GB	SS	40-40-40-77	1.25	●	●	
Team Group	U-DIMM	5200	5200	FLBD532G5200HC40CBK	Micron A	XMP	32GB	DS	40-40-40-76	1.25	●	●	
Team Group	U-DIMM	5200	5200	FLRD532G5200HC40C01	Micron A	XMP	32GB	DS	40-40-40-76	1.25	●	●	
Team Group	U-DIMM	5200	5200	FLBD532G5200HC40C01	Micron A	XMP	32GB	DS	40-40-40-76	1.25	●	●	
Team Group	U-DIMM	5200	5200	FLRD564G5200HC40CDC01	Micron A	XMP	2x 32GB	DS	40-40-40-76	1.25	●	●	
Team Group	U-DIMM	5200	5200	FLBD564G5200HC40CDC01	Micron A	XMP	2x 32GB	DS	40-40-40-76	1.25	●	●	
ADATA	U-DIMM	5200	5200	AX5U5200C388G-SHTBK	Micron Y32A	XMP/EXPO	8GB	SS	38-38-38-76	1.25	●	●	
ADATA	U-DIMM	5200	5200	AX5U5200C388G-BHTBK	Micron Y32A	XMP/EXPO	8GB	SS	38-38-38-76	1.25	●	●	
ADATA	U-DIMM	5200	5200	AX5U5200C3816G-DCLARWH	Samsung B	XMP/EXPO	2x 16GB	SS	38-38-38-76	1.25	●	●	
ADATA	U-DIMM	5200	5200	AX5U5200C3816G-CLARWH	Samsung B	XMP/EXPO	16GB	SS	38-38-38-76	1.25	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	5200	5200	AX5U5200C3816G-DCLARBK	Samsung B	XMP/EXPO	2x 16GB	SS	38-38-38-76	1.25	●	●	
ADATA	U-DIMM	5200	5200	AX5U5200C3816G-CLARBK	Samsung B	XMP/EXPO	16GB	SS	38-38-38-76	1.25	●	●	
ADATA	U-DIMM	5200	5200	AX5U5200C3816G-DWROG	Samsung B	XMP/EXPO	2x 16GB	SS	38-38-38-76	1.25	●	●	
ADATA	U-DIMM	5200	5200	AX5U5200C3816G-SHTBK	Samsung B	XMP/EXPO	16GB	SS	38-38-38-76	1.25	●	●	
ADATA	U-DIMM	5200	5200	AX5U5200C3816G-BHTBK	Samsung B	XMP/EXPO	16GB	SS	38-38-38-76	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C36BBEAK2-32	Micron A	XMP/EXPO	2x 16GB	SS	36-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C36BBEA-16	Micron A	XMP/EXPO	16GB	SS	36-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C36BBEK2-32	Micron A	XMP/EXPO	2x 16GB	SS	36-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C36BBE-16	Micron A	XMP/EXPO	16GB	SS	36-40-40-80	1.25	●	●	
Apacer	U-DIMM	5200	5200	AU16GHB52CUBBGH	Micron A	N/A	16GB	SS	42-42-42-84	1.1	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C36BBEK2-16	HYNIX A	XMP/EXPO	2x 8GB	SS	36-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C36BBE-8	HYNIX A	XMP/EXPO	8GB	SS	36-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C36BBEAK2-16	HYNIX A	XMP/EXPO	2x 8GB	SS	36-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C36BBEA-8	HYNIX A	XMP/EXPO	8GB	SS	36-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C36BBEK2-64	Micron A	XMP/EXPO	2x 32GB	DS	36-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C36BBE-32	Micron A	XMP/EXPO	32GB	DS	36-40-40-80	1.25	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J4040A16GX2-RS5K	Samsung	XMP	2x 16GB	SS	40-40-40-83	1.1	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J4040A16GX2-TZ5RK	Samsung	XMP	2x 16GB	SS	40-40-40-83	1.1	●	●	
KINGSTON	U-DIMM	5200	5200	KVR52U42BS8K2-32	SK Hynix	N/A	2x 16GB	SS	42-42-42-84	1.1	●	●	
KINGSTON	U-DIMM	5200	5200	KVR52U42BS8-16	SK Hynix	N/A	16GB	SS	42-42-42-84	1.1	●	●	
KINGSTON	U-DIMM	5200	5200	KVR52U42BS6K2-16	SK Hynix	N/A	2x 8GB	SS	42-42-42-84	1.1	●	●	
KINGSTON	U-DIMM	5200	5200	KVR52U42BS6-8	SK Hynix	N/A	8GB	SS	42-42-42-84	1.1	●	●	
CORSAIR	U-DIMM	5200	5200	CMH192GX5M4B5200C38 Ver 3.53.02	Spectek B	XMP	4x 48GB	DS	38-38-38-84	1.25	●	●	●

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
CORSAIR	U-DIMM	5200	5200	CMK192GX5M4B5200C38 Ver 3.53.02	Spectek B	XMP	4x 48GB	DS	38-38-38-84	1.25	●	●	●
CORSAIR	U-DIMM	5200	5200	CMH32GX5M2B5200C40 Ver4.43.02	Samsung	XMP	2x 16GB	SS	40-40-40-77	1.25	●	●	
CORSAIR	U-DIMM	5200	5200	CMK64GX5M2B5200C40 Ver 3.43.01	Spectek	XMP	2x 32GB	DS	40-40-40-77	1.25	●	●	
CORSAIR	U-DIMM	5200	5200	CMH64GX5M2B5200Z40K Ver 3.43.01	Spectek	EXPO	2x 32GB	DS	40-40-40-77	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C36BWEK2-32	SK Hynix	XMP/EXPO	2x 16GB	SS	36-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C36BWE-16	SK Hynix	XMP/EXPO	16GB	SS	36-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C36BWEAK2-32	SK Hynix	XMP/EXPO	2x 16GB	SS	36-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C36BWEA-16	SK Hynix	XMP/EXPO	16GB	SS	36-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BWK2-32	SK Hynix	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BW-16	SK Hynix	XMP	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BWAK2-32	SK Hynix	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BWA-16	SK Hynix	XMP	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BWK2-64	SK Hynix	XMP	2x 32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BW-32	SK Hynix	XMP	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BWAK2-64	SK Hynix	XMP	2x 32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BWA-32	SK Hynix	XMP	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C36BWEK2-64	SK Hynix	XMP/EXPO	2x 32GB	DS	36-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C36BWE-32	SK Hynix	XMP/EXPO	32GB	DS	36-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BBK4-64	HYNIX A	XMP	4x 16GB	SS	40-40-40-80	1.25	●	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBK2-32	HYNIX A	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BB-16	HYNIX A	XMP	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BBK4-128	HYNIX A	XMP	4x 32GB	DS	40-40-40-80	1.25	●	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBK2-64	HYNIX A	XMP	2x 32GB	DS	40-40-40-80	1.25	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
KINGSTON	U-DIMM	5200	5200	KF552C40BB-32	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BWK4-64	HYNIX A	XMP	4x 16GB	SS	40-40-40-80	1.25	●	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BWK2-32	HYNIX A	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BW-16	HYNIX A	XMP	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BWK4-128	HYNIX A	XMP	4x 32GB	DS	40-40-40-80	1.25	●	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BWK2-64	HYNIX A	XMP	2x 32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BW-32	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BBAK4-64	HYNIX A	XMP	4x 16GB	SS	40-40-40-80	1.25	●	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBAK2-32	HYNIX A	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BBA-16	HYNIX A	XMP	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BBAK4-128	HYNIX A	XMP	4x 32GB	DS	40-40-40-80	1.25	●	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBAK2-64	HYNIX A	XMP	2x 32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BBA-32	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BWAK4-64	HYNIX A	XMP	4x 16GB	SS	40-40-40-80	1.25	●	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BWAK2-32	HYNIX A	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BWA-16	HYNIX A	XMP	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BWAK4-128	HYNIX A	XMP	4x 32GB	DS	40-40-40-80	1.25	●	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BWAK2-64	HYNIX A	XMP	2x 32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BWA-32	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●	
Kingston	U-DIMM	5200	5200	KF552C36BBEAK2-64	Micron-D	XMP/EXPO	2x 32GB	DS	36-40-40-80	1.25	●	●	
Kingston	U-DIMM	5200	5200	KF552C36BBEA-32	Micron-D	XMP/EXPO	32GB	DS	36-40-40-80	1.25	●	●	
Kingston	U-DIMM	5200	5200	KF552C36BWEA-32	Micron-D	XMP/EXPO	32GB	DS	36-40-40-80	1.25	●	●	
Kingston	U-DIMM	5200	5200	KF552C36BWEAK2-64	Micron-D	XMP/EXPO	2x 32GB	DS	36-40-40-80	1.25	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Kingston	U-DIMM	5200	5200	KF552C36BBEAK2-16	Micron-D	XMP/EXPO	2x 8GB	SS	36-40-40-80	1.25	●	●	
Kingston	U-DIMM	5200	5200	KF552C36BBEA-8	Micron-D	XMP/EXPO	8GB	SS	36-40-40-80	1.25	●	●	
CORSAIR	U-DIMM	5200	5200	CMH64GX5M2B5200C40 Ver 3.43.04	Micron	XMP	2x 32GB	DS	40-40-40-77	1.25	●	●	
CORSAIR	U-DIMM	5200	5200	CMH32GX5M2B5200C40W Ver 3.43.01	Micron	XMP	2x 16GB	SS	40-40-40-77	1.25	●	●	
CORSAIR	U-DIMM	5200	5200	CMH32GX5M2B5200C40 Ver 3.43.01	Micron	XMP	2x 16GB	SS	40-40-40-77	1.25	●	●	
CORSAIR	U-DIMM	5200	5200	CMK64GX5M2B5200C40 Ver 3.43.02	Spectek	XMP	2x 32GB	DS	40-40-40-77	1.25	●	●	
CORSAIR	U-DIMM	5200	5200	CMH192GX5M4B5200C38 Ver 5.53.13	SK Hynix	XMP	4x 48GB	DS	38-38-38-84	1.25	●	●	●
GLOWAY	U-DIMM	5200	5200	VGM5UX52C40AG-STACW	Samsung	XMP/EXPO	2x 16GB	DS	40-40-40-77	1.25	●	●	
GLOWAY	U-DIMM	5200	5200	VGM5UX52C40AG-DTACW	Samsung	XMP/EXPO	16GB	DS	40-40-40-77	1.25	●	●	
GEIL	U-DIMM	5200	5200	GVSG532GB5200C34ADC	SK Hynix	XMP/EXPO	16GB	SS	34-38-38-78	1.25	●	●	
Team Group	U-DIMM	5200	5200	TED532G5200C4201	Hynix M-Die	N/A	32GB	DS	42-42-42-84	1.1	●	●	
Team Group	U-DIMM	5200	5200	TPBD532G5200HC4201	Hynix M-Die	N/A	32GB	DS	42-42-42-84	1.1	●	●	
Team Group	U-DIMM	5200	5200	TPSD532G5200HC4201	Hynix M-Die	N/A	32GB	DS	42-42-42-84	1.1	●	●	
Team Group	U-DIMM	5200	5200	TED564G5200C42DC01	Hynix M-Die	N/A	2x 32GB	DS	42-42-42-84	1.1	●	●	
Team Group	U-DIMM	5200	5200	TPBD564G5200HC42DC01	Hynix M-Die	N/A	2x 32GB	DS	42-42-42-84	1.1	●	●	
Team Group	U-DIMM	5200	5200	TPSD564G5200HC42DC01	Hynix M-Die	N/A	2x 32GB	DS	42-42-42-84	1.1	●	●	
Team Group	U-DIMM	5200	5200	TED516G5200C4201	Micron-S	N/A	16GB	SS	42-42-42-84	1.1	●	●	
Team Group	U-DIMM	5200	5200	TPBD516G5200HC4201	Micron-S	N/A	16GB	SS	42-42-42-84	1.1	●	●	
Team Group	U-DIMM	5200	5200	TPSD516G5200HC4201	Micron-S	N/A	16GB	SS	42-42-42-84	1.1	●	●	
Team Group	U-DIMM	5200	5200	TED532G5200C42DC01	Micron-S	N/A	2x 16GB	SS	42-42-42-84	1.1	●	●	
Team Group	U-DIMM	5200	5200	TPBD532G5200HC42DC01	Micron-S	N/A	2x 16GB	SS	42-42-42-84	1.1	●	●	
Team Group	U-DIMM	5200	5200	TPSD532G5200HC42DC01	Micron-S	N/A	2x 16GB	SS	42-42-42-84	1.1	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J4040A48GX2-RM5RK	Samsung	XMP/EXPO	2x 48GB	DS	40-40-40-83	1.1	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
G.SKILL	U-DIMM	5200	5200	F5-5200J4040A48GX2-RS5K	Samsung	XMP/EXPO	2x 48GB	DS	40-40-40-83	1.1	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J4040A48GX2-RS5W	Samsung	XMP/EXPO	2x 48GB	DS	40-40-40-83	1.1	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J4040A48GX2-FX5	Samsung	XMP/EXPO	2x 48GB	DS	40-40-40-83	1.1	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J4040A48GX2-RM5RW	Samsung	XMP/EXPO	2x 48GB	DS	40-40-40-83	1.1	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J3636D32GX2-FX5	Samsung	XMP/EXPO	2x 32GB	DS	36-36-36-83	1.25	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J3636D32GX2-RS5W	Samsung	XMP/EXPO	2x 32GB	DS	36-36-36-83	1.25	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J3636D32GX2-RS5K	Samsung	XMP/EXPO	2x 32GB	DS	36-36-36-83	1.25	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J3636D32GA2-RS5W	Samsung	XMP/EXPO	2x 32GB	DS	36-36-36-83	1.25	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J3636D32GA2-RS5K	Samsung	XMP/EXPO	2x 32GB	DS	36-36-36-83	1.25	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J3636D32GX2-RM5RK	Samsung	XMP/EXPO	2x 32GB	DS	36-36-36-83	1.25	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J3636D32GX2-RM5RW	Samsung	XMP/EXPO	2x 32GB	DS	36-36-36-83	1.25	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J4040A32GX2-RM5RK	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-83	1.1	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J4040A32GX2-RS5K	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-83	1.1	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J4040A32GX2-RM5RW	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-83	1.1	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J4040A24GX2-RM5RK	Samsung	XMP/EXPO	2x 24GB	SS	40-40-40-83	1.1	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J4040A24GX2-RS5K	Samsung	XMP/EXPO	2x 24GB	SS	40-40-40-83	1.1	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J4040A24GX2-RS5W	Samsung	XMP/EXPO	2x 24GB	SS	40-40-40-83	1.1	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J4040A24GX2-FX5	Samsung	XMP/EXPO	2x 24GB	SS	40-40-40-83	1.1	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J4040A24GX2-RM5RW	Samsung	XMP/EXPO	2x 24GB	SS	40-40-40-83	1.1	●	●	
G.SKILL	U-DIMM	5200	5200	F5-5200J3636C16GX2-FX5	Samsung	XMP/EXPO	2x 16GB	SS	36-36-36-83	1.2	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BB2AK2-64	Samsung M-die	XMP/EXPO	32GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BB2A-32	Samsung M-die	XMP/EXPO	32GB	SS	40-40-40-80	1.25	●	●	
CORSAIR	U-DIMM	5200	5200	CMK192GX5M4B5200C38 Ver 3.53.02	SpecTek	XMP	4x 48GB	DS	38-38-38-84	1.25	●	●	●

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
KINGSTON	U-DIMM	5200	5200	KF552C40BB-16WP	CXSH-A	XMP	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BBAK2-32WP	CXSH-A	XMP	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BBA-16WP	CXSH-A	XMP	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BBK2-32WP	CXSH-A	XMP	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BBAK2-32	Nanya-A	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BBA-16	Nanya-A	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BB2A-32	Samsung-Q	XMP/EXPO	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BB2AK2-64	Samsung-Q	XMP/EXPO	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BB2-32	Samsung-Q	XMP/EXPO	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BB2K2-64	Samsung-Q	XMP/EXPO	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BBA-16	Samsung-Q	XMP/EXPO	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BBAK2-32	Samsung-Q	XMP/EXPO	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BB-16	Samsung-Q	XMP/EXPO	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5200	5200	KF552C40BBK2-32	Samsung-Q	XMP/EXPO	16GB	SS	40-40-40-80	1.25	●	●	
Kingston	U-DIMM	5600	5600	KF556C40BBK2-32	Hynix-M die	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
Kingston	U-DIMM	5600	5600	KF556C40BB-16	Hynix-M die	XMP	16GB	SS	40-40-40-80	1.25	●	●	
CORSAIR	U-DIMM	5600	5600	CMK32GX5M2B5600C36 Ver 4.43.02	Samsung	XMP	2x 16GB	SS	36-36-36-76	1.25	●	●	
Thermaltake	U-DIMM	5600	5600	RA50D516GX2-5600C36A	Hynix	XMP	2x 16GB	SS	36-36-36-76	1.25	●	●	
Thermaltake	U-DIMM	5600	5600	RG30D516GX2-5600C36A	Hynix	XMP	2x 16GB	SS	36-36-36-76	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBK2-16	Hynix-M die	XMP	2x 8GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BB-8	Hynix-M die	XMP	8GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBK2-64	Hynix-M die	XMP	2x 32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BB-32	Hynix-M die	XMP	32GB	DS	40-40-40-80	1.25	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
CORSAIR	U-DIMM	5600	5600	CMK32GX5M2B5600C40 Ver 4.43.02	Samsung	XMP	2x 16GB	SS	40-40-40-77	1.25	●	●	
G.SKILL	U-DIMM	5600	5600	F5-5600J4040C16GX2-TZ5RS	Samsung	XMP	2x 16GB	SS	40-40-40-89	1.2	●	●	
G.SKILL	U-DIMM	5600	5600	F5-5600J4040C16GX2-RS5K	Samsung	XMP	2x 16GB	SS	40-40-40-89	1.2	●	●	
G.SKILL	U-DIMM	5600	5600	F5-5600J4040C16GX2-RS5W	Samsung	XMP	2x 16GB	SS	40-40-40-89	1.2	●	●	
G.SKILL	U-DIMM	5600	5600	F5-5600J4040C16GX2-TZ5S	Samsung	XMP	2x 16GB	SS	40-40-40-89	1.2	●	●	
G.SKILL	U-DIMM	5600	5600	F5-5600J4040C16GX2-TZ5K	Samsung	XMP	2x 16GB	SS	40-40-40-89	1.2	●	●	
G.SKILL	U-DIMM	5600	5600	F5-5600J4040C16GX2-TZ5RK	Samsung	XMP	2x 16GB	SS	40-40-40-89	1.2	●	●	
G.SKILL	U-DIMM	5600	5600	F5-5600J4040C16GA2-RS5K	Samsung	XMP	2x 16GB	SS	40-40-40-89	1.2	●	●	
G.SKILL	U-DIMM	5600	5600	F5-5600J4040C16GA2-RS5W	Samsung	XMP	2x 16GB	SS	40-40-40-89	1.2	●	●	
G.SKILL	U-DIMM	5600	5600	F5-5600J4040C16GA2-TZ5S	Samsung	XMP	2x 16GB	SS	40-40-40-89	1.2	●	●	
G.SKILL	U-DIMM	5600	5600	F5-5600J4040C16GA2-TZ5K	Samsung	XMP	2x 16GB	SS	40-40-40-89	1.2	●	●	
G.SKILL	U-DIMM	5600	5600	F5-5600J4040C16GA2-TZ5RS	Samsung	XMP	2x 16GB	SS	40-40-40-89	1.2	●	●	
G.SKILL	U-DIMM	5600	5600	F5-5600J4040C16GA2-TZ5RK	Samsung	XMP	2x 16GB	SS	40-40-40-89	1.2	●	●	
GALAX	U-DIMM	5600	5600	GAM5DJL4BSE5600B36DJ162C	Samsung	XMP	2x 8GB	SS	36-38-38-76	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBAK2-16	SK Hynix	XMP	2x 8GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBA-8	SK Hynix	XMP	8GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBAK2-64	SK Hynix	XMP	2x 32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBA-32	SK Hynix	XMP	32GB	DS	40-40-40-80	1.25	●	●	
Thermaltake	U-DIMM	5600	5600	RG34D516GX2-5600C36B	SK Hynix	XMP	16GB	SS	36-36-36-76	1.25	●	●	
V-COLOR	U-DIMM	5600	5600	TMXPL1656836WWK	SK Hynix	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●	
V-COLOR	U-DIMM	5600	5600	TMXPL1656836KW-DK	SK Hynix	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●	
CORSAIR	U-DIMM	5600	5600	CMK32GX5M2X5600C32 Ver 4.43.02	Samsung	XMP	2x 16GB	SS	32-36-36-76	1.35	●	●	
CORSAIR	U-DIMM	5600	5600	CMT64GX5M2X5600C40 Ver 5.43.13	SK Hynix	XMP	2x 32GB	DS	40-40-40-77	1.25	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
CORSAIR	U-DIMM	5600	5600	CMT32GX5M2B5600C36 Ver 4.43.02	Samsung	XMP	2x 16GB	SS	36-36-36-76	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBAK2-32	SK Hynix	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBA-16	SK Hynix	XMP	16GB	SS	40-40-40-80	1.25	●	●	
CORSAIR	U-DIMM	5600	5600	CMH32GX5M2B5600C40 Ver 4.43.02	Samsung	XMP	2x 16GB	SS	40-40-40-77	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBEK2-32	SK Hynix	XMP/EXPO	2x 16GB	SS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBE-16	SK Hynix	XMP/EXPO	16GB	SS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBEAK2-32	SK Hynix	XMP/EXPO	2x 16GB	SS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBEA-16	SK Hynix	XMP/EXPO	16GB	SS	36-38-38-80	1.25	●	●	
Thermaltake	U-DIMM	5600	5600	RG33D516GX2-5600C36B	SK Hynix	XMP/EXPO	16GB	SS	36-36-36-76	1.25	●	●	
Team Group	U-DIMM	5600	5600	TED516G5600C46BK	HYNIX M	N/A	16GB	SS	46-46-46-90	1.1	●	●	
Team Group	U-DIMM	5600	5600	TED516G5600C4601	HYNIX M	N/A	16GB	SS	46-46-46-90	1.1	●	●	
Team Group	U-DIMM	5600	5600	TPBD516G5600C4601	HYNIX M	N/A	16GB	SS	46-46-46-90	1.1	●	●	
Team Group	U-DIMM	5600	5600	TPSD516G5600C4601	HYNIX M	N/A	16GB	SS	46-46-46-90	1.1	●	●	
Team Group	U-DIMM	5600	5600	TED532G5600C46DC01	HYNIX M	N/A	2x 16GB	SS	46-46-46-90	1.1	●	●	
Team Group	U-DIMM	5600	5600	TPBD532G5600C46DC01	HYNIX M	N/A	2x 16GB	SS	46-46-46-90	1.1	●	●	
Team Group	U-DIMM	5600	5600	TPSD532G5600C46DC01	HYNIX M	N/A	2x 16GB	SS	46-46-46-90	1.1	●	●	
Team Group	U-DIMM	5600	5600	FF3D516G5600HC32BK	HYNIX M	XMP	16GB	SS	32-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FLRD516G5600HC3201	HYNIX M	XMP	16GB	SS	32-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FLBD516G5600HC3201	HYNIX M	XMP	16GB	SS	32-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FF3D516G5600HC3201	HYNIX M	XMP	16GB	SS	32-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FF4D516G5600HC3201	HYNIX M	XMP	16GB	SS	32-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FLRD532G5600HC32DC01	HYNIX M	XMP	2x 16GB	SS	32-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FLBD532G5600HC32DC01	HYNIX M	XMP	2x 16GB	SS	32-36-36-76	1.2	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	5600	5600	FF3D532G5600HC32DC01	HYNIX M	XMP	2x 16GB	SS	32-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FF4D532G5600HC32DC01	HYNIX M	XMP	2x 16GB	SS	32-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FF3D516G5600HC36BBK	Samsung B	XMP	16GB	SS	36-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FLRD516G5600HC36B01	Samsung B	XMP	16GB	SS	36-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FLBD516G5600HC36B01	Samsung B	XMP	16GB	SS	36-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FF3D516G5600HC36B01	Samsung B	XMP	16GB	SS	36-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FF4D516G5600HC36B01	Samsung B	XMP	16GB	SS	36-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FLRD532G5600HC36BDC01	Samsung B	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FLBD532G5600HC36BDC01	Samsung B	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FF3D532G5600HC36BDC01	Samsung B	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FF4D532G5600HC36BDC01	Samsung B	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FF3D516G5600HC36BBK	HYNIX M	XMP	16GB	SS	36-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FLRD516G5600HC36B01	HYNIX M	XMP	16GB	SS	36-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FLBD516G5600HC36B01	HYNIX M	XMP	16GB	SS	36-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FF3D516G5600HC36B01	HYNIX M	XMP	16GB	SS	36-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FF4D516G5600HC36B01	HYNIX M	XMP	16GB	SS	36-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FLRD532G5600HC36BDC01	HYNIX M	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FLBD532G5600HC36BDC01	HYNIX M	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FF3D532G5600HC36BDC01	HYNIX M	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●	
Team Group	U-DIMM	5600	5600	FF4D532G5600HC36BDC01	HYNIX M	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●	
ADATA	U-DIMM	5600	5600	AX5U5600C3616G-DCLARBK	Samsung B	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.25	●	●	
ADATA	U-DIMM	5600	5600	AX5U5600C3616G-CLARBK	Samsung B	XMP/EXPO	16GB	SS	36-36-36-76	1.25	●	●	
ADATA	U-DIMM	5600	5600	AX5U5600C3616G-CCARGY	Samsung B	XMP/EXPO	16GB	SS	36-36-36-76	1.25	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	5600	5600	AX5U5600C3616G-DCCARGY	Samsung B	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.25	●	●	
ADATA	U-DIMM	5600	5600	AX5U5600C3616G-DWROG	Samsung B	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.25	●	●	
ADATA	U-DIMM	5600	5600	AX5U5600C3616G-CLABK	Samsung B	XMP/EXPO	16GB	SS	36-36-36-76	1.25	●	●	
ADATA	U-DIMM	5600	5600	AX5U5600C3616G-DCLABK	Samsung B	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.25	●	●	
ADATA	U-DIMM	5600	5600	AX5U5600C3616G-CCAGY	Samsung B	XMP/EXPO	16GB	SS	36-36-36-76	1.25	●	●	
ADATA	U-DIMM	5600	5600	AX5U5600C3616G-DCCAGY	Samsung B	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.25	●	●	
Thermaltake	U-DIMM	5600	5600	RG31D516GX2-5600C36P	SK Hynix	XMP	16GB	SS	36-36-36-76	1.25	●	●	
Thermaltake	U-DIMM	5600	5600	RG32D516GX2-5600C36P	SK Hynix	XMP	16GB	SS	36-36-36-76	1.25	●	●	
Thermaltake	U-DIMM	5600	5600	RG31D516GX2-5600C36A	SK Hynix	XMP/EXPO	16GB	SS	36-36-36-76	1.25	●	●	
Thermaltake	U-DIMM	5600	5600	RG32D516GX2-5600C36A	SK Hynix	XMP/EXPO	16GB	SS	36-36-36-76	1.25	●	●	
Galaxy	U-DIMM	5600	5600	HOF5CXL4BSD5600B36CK322C	Samsung	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.25	●	●	
Galaxy	U-DIMM	5600	5600	HOF5TJL4BSD5600B36CK322C	Samsung	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBEK2-64	HYNIX A	XMP/EXPO	2x 32GB	DS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBE-32	HYNIX A	XMP/EXPO	32GB	DS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBEAK2-64	HYNIX M	XMP/EXPO	2x 32GB	DS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBEA-32	HYNIX M	XMP/EXPO	32GB	DS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBEK2-16	HYNIX A	XMP/EXPO	2x 8GB	SS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBE-8	HYNIX A	XMP/EXPO	8GB	SS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBEAK2-16	HYNIX A	XMP/EXPO	2x 8GB	SS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBEA-8	HYNIX A	XMP/EXPO	8GB	SS	36-38-38-80	1.25	●	●	
Hynix	U-DIMM	5600	5600	HMCG78AGBUA081N	SK Hynix	N/A	16GB	SS	46-45-45-90	1.1	●	●	
CORSAIR	U-DIMM	5600	5600	CMH64GX5M4B5600C36 Ver 4.43.02	Samsung	XMP	4x 16GB	SS	36-36-36-76	1.25	●	●	●
CORSAIR	U-DIMM	5600	5600	CMT64GX5M4B5600C36 Ver 4.43.02	Samsung	XMP	4x 16GB	SS	36-36-36-76	1.25	●	●	●

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
KINGSTON	U-DIMM	5600	5600	KVR56U46BS8K2-32	SK Hynix	N/A	2x 16GB	SS	46-45-45-90	1.1	●	●	
KINGSTON	U-DIMM	5600	5600	KVR56U46BS8-16	SK Hynix	N/A	16GB	SS	46-45-45-90	1.1	●	●	
KINGSTON	U-DIMM	5600	5600	KVR56U46BS6K2-16	SK Hynix	N/A	2x 8GB	SS	46-45-45-90	1.1	●	●	
KINGSTON	U-DIMM	5600	5600	KVR56U46BS6-8	SK Hynix	N/A	8GB	SS	46-45-45-90	1.1	●	●	
CORSAIR	U-DIMM	5600	5600	CMH48GX5M2B5600C40 Ver 3.53.02	Micron	XMP	2x 24GB	SS	40-40-40-77	1.25	●	●	
CORSAIR	U-DIMM	5600	5600	CMK48GX5M2B5600C40 Ver 3.53.02	Micron	XMP	2x 24GB	SS	40-40-40-77	1.25	●	●	
CORSAIR	U-DIMM	5600	5600	CMH48GX5M2B5600C40K Ver 3.53.02	Spectek	XMP	2x 24GB	SS	40-40-40-77	1.25	●	●	
CORSAIR	U-DIMM	5600	5600	CMH64GX5M2B5600Z36K Ver 5.43.13	SK Hynix	EXPO	2x 32GB	DS	36-36-36-76	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BWK2-32	SK Hynix	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BW-16	SK Hynix	XMP	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BWK2-64	SK Hynix	XMP	2x 32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BW-32	SK Hynix	XMP	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BWEK2-32	SK Hynix	XMP/EXPO	2x 16GB	SS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BWE-16	SK Hynix	XMP/EXPO	16GB	SS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BWAK2-32	SK Hynix	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BWA-16	SK Hynix	XMP	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BWAK2-64	SK Hynix	XMP	2x 32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BWA-32	SK Hynix	XMP	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BWEAK2-32	SK Hynix	XMP/EXPO	2x 16GB	SS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BWEA-16	SK Hynix	XMP/EXPO	16GB	SS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BWEAK2-64	SK Hynix	XMP/EXPO	2x 32GB	DS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BWEA-32	SK Hynix	XMP/EXPO	32GB	DS	36-38-38-80	1.25	●	●	
KLEVV	U-DIMM	5600	5600	KD5BGUA80-56G4600	SK Hynix	N/A	32GB	DS	46-46-46-90	1.1	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
KINGSTON	U-DIMM	5600	5600	KF556C40BBK4-64	HYNIX A	XMP	4x 16GB	SS	40-40-40-80	1.25	●	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BBK2-32	HYNIX A	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BB-16	HYNIX A	XMP	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BWK4-64	HYNIX A	XMP	4x 16GB	SS	40-40-40-80	1.25	●	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BWK2-32	HYNIX A	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BW-16	HYNIX A	XMP	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBAK4-64	HYNIX A	XMP	4x 16GB	SS	40-40-40-80	1.25	●	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BBAK2-32	HYNIX A	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBA-16	HYNIX A	XMP	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BWAK4-64	HYNIX A	XMP	4x 16GB	SS	40-40-40-80	1.25	●	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BWAK2-32	HYNIX A	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BWA-16	HYNIX A	XMP	16GB	SS	40-40-40-80	1.25	●	●	
ADATA	U-DIMM	5600	5600	AD5U560016G-B	Hynix M	N/A	16GB	SS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AD5U560016G-S	Hynix A	N/A	16GB	SS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AD5U560016G-DT	Hynix A	N/A	2x 16GB	SS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AD5U56008G-B	Hynix A	N/A	8GB	SS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AD5U56008G-S	Hynix A	N/A	8GB	SS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AD5U56008G-DT	Hynix A	N/A	2x 8GB	SS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AD5U560032G-B	Hynix A	N/A	32GB	DS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AD5U560032G-S	Hynix A	N/A	32GB	DS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AD5U560032G-DT	Hynix A	N/A	2x 32GB	DS	46-45-45-90	1.1	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BWK4-128	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BW-32	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
KINGSTON	U-DIMM	5600	5600	KF556C40BWK2-64	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBK4-128	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBK2-64	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BB-32	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BWAK4-128	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BWA-32	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BWAK2-64	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBAK4-128	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBA-32	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBAK2-64	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KVR56U46BD8L-32-SP	HYNIX A	N/A	32GB	DS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AD5U560024G-B	Spectek	N/A	24GB	SS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AD5U560024G-S	Spectek	N/A	24GB	SS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AD5U560024G-DT	Spectek	N/A	2x 24GB	SS	46-45-45-90	1.1	●	●	
SK Hynix	U-DIMM	5600	5600	HMCG66AGBUA084N BA	SK Hynix	N/A	8GB	SS	46-45-45-90	1.1	●	●	
SK Hynix	U-DIMM	5600	5600	HMCG78AGBUA084N BA	SK Hynix	N/A	16GB	SS	46-45-45-90	1.1	●	●	
Samsung	U-DIMM	5600	5600	M323R1GB4DB0-CWMOD	Samsung	N/A	8GB	SS	46-45-45-90	1.1	●	●	
Crucial	U-DIMM	5600	5600	CP16G56C46U5.M8G1	Spectek	XMP/EXPO	16GB	SS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AX5U5600C4616G-SLABBK	Hynix A	N/A	16GB	SS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AX5U5600C4616G-DTLABBK	Hynix A	N/A	2x 16GB	SS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AX5U5600C4616G-SLABWH	Hynix A	N/A	16GB	SS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AX5U5600C4616G-DTLABWH	Hynix A	N/A	2x 16GB	SS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AD5U560024G-B	Hynix M-Die	N/A	24GB	SS	46-45-45-90	1.1	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	5600	5600	AD5U560024G-S	Hynix M-Die	N/A	24GB	SS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AD5U560024G-DT	Hynix M-Die	N/A	2x 24GB	SS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AD5U560048G-B	Hynix M-Die	N/A	48GB	DS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AD5U560048G-S	Hynix M-Die	N/A	48GB	DS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AD5U560048G-DT	Hynix M-Die	N/A	2x 48GB	DS	46-45-45-90	1.1	●	●	
V-color	U-DIMM	5600	5600	GTMXPL1656836KWK	SK Hynix	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●	
GOLDKEY	U-DIMM	5600	5600	NMGD532F82-5600EI20	SK Hynix	XMP/EXPO	32GB	DS	40-40-40-77	1.2	●	●	
GOLDKEY	U-DIMM	5600	5600	NMGD516F82-5600EI20	SK Hynix	XMP/EXPO	16GB	SS	40-40-40-77	1.2	●	●	
GOLDKEY	U-DIMM	5600	5600	NMUD532F82-5600EI20	SK Hynix	XMP/EXPO	32GB	DS	40-40-40-77	1.2	●	●	
CORSAIR	U-DIMM	5600	5600	CMK64GX5M2B5600C40 Ver 3.43.02	Micron	XMP	2x 32GB	DS	40-40-40-77	1.25	●	●	
Kingston	U-DIMM	5600	5600	KF556C40BBAK2-64	Micron-D	XMP	2x 32GB	DS	40-40-40-80	1.25	●	●	
Kingston	U-DIMM	5600	5600	KF556C40BBA-32	Micron-D	XMP	32GB	DS	40-40-40-80	1.25	●	●	
Kingston	U-DIMM	5600	5600	KF556C40BWA-32	Micron-D	XMP	32GB	DS	40-40-40-80	1.25	●	●	
Kingston	U-DIMM	5600	5600	KF556C40BWAK2-64	Micron-D	XMP	2x 32GB	DS	40-40-40-80	1.25	●	●	
Kingston	U-DIMM	5600	5600	KF556C40BBAK2-16	Micron-D	XMP	2x 8GB	SS	40-40-40-80	1.25	●	●	
Kingston	U-DIMM	5600	5600	KF556C40BBA-8	Micron-D	XMP	8GB	SS	40-40-40-80	1.25	●	●	
Kingston	U-DIMM	5600	5600	KF556C40BBAK2-32	Micron-D	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
Kingston	U-DIMM	5600	5600	KF556C40BBA-16	Micron-D	XMP	16GB	SS	40-40-40-80	1.25	●	●	
Kingston	U-DIMM	5600	5600	KF556C40BWA-16	Micron-D	XMP	16GB	SS	40-40-40-80	1.25	●	●	
Kingston	U-DIMM	5600	5600	KF556C40BWAK2-32	Micron-D	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
Kingston	U-DIMM	5600	5600	KF556C36BBEAK2-32	Micron-D	XMP/EXPO	2x 16GB	SS	36-38-38-80	1.25	●	●	
Kingston	U-DIMM	5600	5600	KF556C36BBEA-16	Micron-D	XMP/EXPO	16GB	SS	36-38-38-80	1.25	●	●	
Kingston	U-DIMM	5600	5600	KF556C36BWEA-16	Micron-D	XMP/EXPO	16GB	SS	36-38-38-80	1.25	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Kingston	U-DIMM	5600	5600	KF556C36BWEAK2-32	Micron-D	XMP/EXPO	2x 16GB	SS	36-38-38-80	1.25	●	●	
CORSAIR	U-DIMM	5600	5600	CMH128GX5M4B5600C40 Ver 5.43.01	SK Hynix	XMP	4x 32GB	DS	40-40-40-77	1.25	●	●	●
UniWhen	U-DIMM	5600	5600	UWA16GU03APA-56	samsung	N/A	16GB	SS	46-45-45-90	1.1	●	●	
Dynac	U-DIMM	5600	5600	DD5U560016G/S	Spectek	N/A	16GB	SS	46-46-46-90	1.1	●	●	
Dynac	U-DIMM	5600	5600	DD5U560032G/S	Spectek	N/A	32GB	DS	46-46-46-90	1.1	●	●	
Dynac	U-DIMM	5600	5600	DWC5U560016G/D	Hynix	XMP/EXPO	16GB	SS	40-40-40-80 38-38-38-76	1.2	●	●	
KINGSTON	U-DIMM	5600	5600	KVR56U46BD8K2-96	Hynix M-die	N/A	2x 48GB	DS	46-45-45-90	1.1	●	●	
KINGSTON	U-DIMM	5600	5600	KVR56U46BD8-48	Hynix M-die	N/A	48GB	DS	46-45-45-90	1.1	●	●	
KINGSTON	U-DIMM	5600	5600	KVR56U46BS8K2-32	Micron-D	N/A	2x 16GB	SS	46-45-45-90	1.1	●	●	
KINGSTON	U-DIMM	5600	5600	KVR56U46BS8-16	Micron-D	N/A	16GB	SS	46-45-45-90	1.1	●	●	
KINGSTON	U-DIMM	5600	5600	KVR56U46BS6K2-16	Micron-D	N/A	2x 8GB	SS	46-45-45-90	1.1	●	●	
KINGSTON	U-DIMM	5600	5600	KVR56U46BS6-8	Micron-D	N/A	8GB	SS	46-45-45-90	1.1	●	●	
KINGSTON	U-DIMM	5600	5600	KVR56U46BD8K2-64	Micron-D	N/A	2x 32GB	DS	46-45-45-90	1.1	●	●	
KINGSTON	U-DIMM	5600	5600	KVR56U46BD8-32	Micron-D	N/A	32GB	DS	46-45-45-90	1.1	●	●	
GLOWAY	U-DIMM	5600	5600	VGM5UX56C46AG-DTACWN	Samsung	XMP/EXPO	16GB	SS	46-46-46-90	1.35	●	●	
Zentel	U-DIMM	5600	5600	Z6A8GH4SAAA-QE	Hynix A-die	N/A	8GB	SS	46-45-45-90	1.1	●	●	
Zentel	U-DIMM	5600	5600	Z6AAGH3SAAA-QE	Hynix A-die	N/A	16GB	SS	46-45-45-90	1.1	●	●	
Zentel	U-DIMM	5600	5600	Z6ABGH3DAAA-QE	Hynix A-die	N/A	32GB	DS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AX5U5600C4632G-BLABWH	Hynix A	N/A	32GB	DS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AX5U5600C4632G-BLABBK	Hynix A	N/A	32GB	DS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AX5U5600C4632G-DTLABWH	Hynix A	N/A	32GB	DS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AX5U5600C4632G-DTLABBK	Hynix A	N/A	32GB	DS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AX5U5600C4632G-SLABWH	Hynix A	N/A	32GB	DS	46-45-45-90	1.1	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	5600	5600	AX5U5600C4632G-SLABBK	Hynix A	N/A	32GB	DS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AX5U5600C4632G-BB300	Hynix A	N/A	32GB	DS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AX5U5600C4632G-BW300	Hynix A	N/A	32GB	DS	46-45-45-90	1.1	●	●	
Asint	U-DIMM	5600	5600	ASLD5560032G8b464	SK Hynix	N/A	32GB	DS	46-45-45-90	1.1	●	●	
Asint	U-DIMM	5600	5600	ASLD5560016G8b464	SK Hynix	N/A	16GB	SS	46-45-45-90	1.1	●	●	
Team Group	U-DIMM	5600	5600	FF3D532G5600HC40B01	Hynix M-Die	XMP/EXPO	32GB	SS	40-40-40-84	1.3	●	●	
Team Group	U-DIMM	5600	5600	FF4D532G5600HC40B01	Hynix M-Die	XMP/EXPO	32GB	SS	40-40-40-84	1.3	●	●	
Team Group	U-DIMM	5600	5600	FF7D532G5600HC40B01	Hynix M-Die	XMP/EXPO	32GB	SS	40-40-40-84	1.3	●	●	
Team Group	U-DIMM	5600	5600	FF8D532G5600HC40B01	Hynix M-Die	XMP/EXPO	32GB	SS	40-40-40-84	1.3	●	●	
Team Group	U-DIMM	5600	5600	FLABD532G5600HC40B01	Hynix M-Die	XMP/EXPO	32GB	SS	40-40-40-84	1.3	●	●	
Team Group	U-DIMM	5600	5600	FLARD532G5600HC40B01	Hynix M-Die	XMP/EXPO	32GB	SS	40-40-40-84	1.3	●	●	
Team Group	U-DIMM	5600	5600	FLBD532G5600HC40B01	Hynix M-Die	XMP/EXPO	32GB	SS	40-40-40-84	1.3	●	●	
Team Group	U-DIMM	5600	5600	FLRD532G5600HC40B01	Hynix M-Die	XMP/EXPO	32GB	SS	40-40-40-84	1.3	●	●	
Team Group	U-DIMM	5600	5600	FF3D564G5600HC40BDC01	Hynix M-Die	XMP/EXPO	2x 32GB	SS	40-40-40-84	1.3	●	●	
Team Group	U-DIMM	5600	5600	FF4D564G5600HC40BDC01	Hynix M-Die	XMP/EXPO	2x 32GB	SS	40-40-40-84	1.3	●	●	
Team Group	U-DIMM	5600	5600	FF7D564G5600HC40BDC01	Hynix M-Die	XMP/EXPO	2x 32GB	SS	40-40-40-84	1.3	●	●	
Team Group	U-DIMM	5600	5600	FF8D564G5600HC40BDC01	Hynix M-Die	XMP/EXPO	2x 32GB	SS	40-40-40-84	1.3	●	●	
Team Group	U-DIMM	5600	5600	FLABD564G5600HC40BDC01	Hynix M-Die	XMP/EXPO	2x 32GB	SS	40-40-40-84	1.3	●	●	
Team Group	U-DIMM	5600	5600	FLARD564G5600HC40BDC01	Hynix M-Die	XMP/EXPO	2x 32GB	SS	40-40-40-84	1.3	●	●	
Team Group	U-DIMM	5600	5600	FLBD564G5600HC40BDC01	Hynix M-Die	XMP/EXPO	2x 32GB	SS	40-40-40-84	1.3	●	●	
Team Group	U-DIMM	5600	5600	FLRD564G5600HC40BDC01	Hynix M-Die	XMP/EXPO	2x 32GB	SS	40-40-40-84	1.3	●	●	
Team Group	U-DIMM	5600	5600	FLBD516G5600HC40B01	Hynix M-Die	XMP/EXPO	16GB	SS	40-40-40-84	1.2	●	●	
Team Group	U-DIMM	5600	5600	FF3D516G5600HC40B01	Hynix M-Die	XMP/EXPO	16GB	SS	40-40-40-84	1.2	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	5600	5600	FF4D516G5600HC40B01	Hynix M-Die	XMP/EXPO	16GB	SS	40-40-40-84	1.2	●	●	
Team Group	U-DIMM	5600	5600	FF7D516G5600HC40B01	Hynix M-Die	XMP/EXPO	16GB	SS	40-40-40-84	1.2	●	●	
Team Group	U-DIMM	5600	5600	FF8D516G5600HC40B01	Hynix M-Die	XMP/EXPO	16GB	SS	40-40-40-84	1.2	●	●	
Team Group	U-DIMM	5600	5600	FLABD516G5600HC40B01	Hynix M-Die	XMP/EXPO	16GB	SS	40-40-40-84	1.2	●	●	
Team Group	U-DIMM	5600	5600	FLARD516G5600HC40B01	Hynix M-Die	XMP/EXPO	16GB	SS	40-40-40-84	1.2	●	●	
Team Group	U-DIMM	5600	5600	FLRD516G5600HC40B01	Hynix M-Die	XMP/EXPO	16GB	SS	40-40-40-84	1.2	●	●	
Team Group	U-DIMM	5600	5600	FF3D532G5600HC40BDC01	Hynix M-Die	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.2	●	●	
Team Group	U-DIMM	5600	5600	FF4D532G5600HC40BDC01	Hynix M-Die	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.2	●	●	
Team Group	U-DIMM	5600	5600	FF7D532G5600HC40BDC01	Hynix M-Die	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.2	●	●	
Team Group	U-DIMM	5600	5600	FF8D532G5600HC40BDC01	Hynix M-Die	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.2	●	●	
Team Group	U-DIMM	5600	5600	FLABD532G5600HC40BDC01	Hynix M-Die	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.2	●	●	
Team Group	U-DIMM	5600	5600	FLARD532G5600HC40BDC01	Hynix M-Die	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.2	●	●	
Team Group	U-DIMM	5600	5600	FLBD532G5600HC40BDC01	Hynix M-Die	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.2	●	●	
Team Group	U-DIMM	5600	5600	FLRD532G5600HC40BDC01	Hynix M-Die	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.2	●	●	
Team Group	U-DIMM	5600	5600	FLESD532G5600HC40BDC01	Hynix M-Die	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.2	●	●	
Team Group	U-DIMM	5600	5600	CTCCD532G5600HC4601	Hynix A-die	XMP/EXPO	32GB	DS	46-46-46-90	1.1	●	●	
Team Group	U-DIMM	5600	5600	CTCCD564G5600HC46DC01	Hynix A-die	XMP/EXPO	2x 32GB	DS	46-46-46-90	1.1	●	●	
Team Group	U-DIMM	5600	5600	CTCCD516G5600HC4601	Hynix M-Die	XMP/EXPO	16GB	SS	46-46-46-90	1.1	●	●	
Team Group	U-DIMM	5600	5600	CTCCD532G5600HC46DC01	Hynix M-Die	XMP/EXPO	2x 16GB	SS	46-46-46-90	1.1	●	●	
Team Group	U-DIMM	5600	5600	FF3D532G5600HC36B01	Hynix A-die	XMP/EXPO	32GB	DS	36-36-36-76	1.3	●	●	
Team Group	U-DIMM	5600	5600	FF4D532G5600HC36B01	Hynix A-die	XMP/EXPO	32GB	DS	36-36-36-76	1.3	●	●	
Team Group	U-DIMM	5600	5600	FLABD532G5600HC36B01	Hynix A-die	XMP/EXPO	32GB	DS	36-36-36-76	1.3	●	●	
Team Group	U-DIMM	5600	5600	FLARD532G5600HC36B01	Hynix A-die	XMP/EXPO	32GB	DS	36-36-36-76	1.3	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	5600	5600	FF3D564G5600HC36BDC01	Hynix A-die	XMP/EXPO	2x 32GB	DS	36-36-36-76	1.3	●	●	
Team Group	U-DIMM	5600	5600	FF4D564G5600HC36BDC01	Hynix A-die	XMP/EXPO	2x 32GB	DS	36-36-36-76	1.3	●	●	
Team Group	U-DIMM	5600	5600	FLABD564G5600HC36BDC01	Hynix A-die	XMP/EXPO	2x 32GB	DS	36-36-36-76	1.3	●	●	
Team Group	U-DIMM	5600	5600	FLARD564G5600HC36BDC01	Hynix A-die	XMP/EXPO	2x 32GB	DS	36-36-36-76	1.3	●	●	
Silicon-Power	U-DIMM	5600	5600	SP016GXLWU560FSJ	Hynix A-die	XMP/EXPO	16GB	SS	40-40-40-76	1.25	●	●	
Silicon-Power	U-DIMM	5600	5600	SP032GXLWU560FSJ	Hynix M-die	XMP/EXPO	32GB	DS	40-40-40-76	1.25	●	●	
G.SKILL	U-DIMM	5600	5600	F5-5600J4645A32GX2-RM5RK	Samsung	N/A	2x 32GB	DS	46-45-45-90	1.1	●	●	
G.SKILL	U-DIMM	5600	5600	F5-5600J4645A32GX2-RS5K	Samsung	N/A	2x 32GB	DS	46-45-45-90	1.1	●	●	
G.SKILL	U-DIMM	5600	5600	F5-5600J4645A32GX2-RS5W	Samsung	N/A	2x 32GB	DS	46-45-45-90	1.1	●	●	
G.SKILL	U-DIMM	5600	5600	F5-5600J4645A32GX2-RM5RW	Samsung	N/A	2x 32GB	DS	46-45-45-90	1.1	●	●	
G.SKILL	U-DIMM	5600	5600	F5-5600J4645A32GX2-FX5	Samsung	N/A	2x 32GB	DS	46-45-45-90	1.1	●	●	
Crucial	U-DIMM	5600	5600	CP24G56C46U5.M8B1	Mircon&Spec Tek	XMP/EXPO	24GB	SS	46-45-45-90	1.1	●	●	
Asgard	U-DIMM	5600	5600	VAM5US56C46AG-DHELSN	Micron	XMP/EXPO	16GB	SS	46-45-45-90	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BWK2-32	Micron	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●	
Kingston	U-DIMM	5600	5600	KF556C40BBK2-32	Nanya-A die	XMP	2x 16GB	SS	36-38-38-80	1.25	●	●	
Kingston	U-DIMM	5600	5600	KF556C40BB-16	Nanya-A die	XMP	16GB	SS	36-38-38-80	1.25	●	●	
Kingston	U-DIMM	5600	5600	KVR56U46BS8-16	Nanya-A die	N/A	16GB	SS	46-45-45-90	1.1	●	●	
Crucial	U-DIMM	5600	5600	CP16G56C46U5.M8G1	Spectek	XMP/EXPO	16GB	SS	46-45-45-90	1.1	●	●	
Crucial	U-DIMM	5600	5600	CP64G56C46U5.M16B1	Spectek	XMP/EXPO	64GB	DS	46-45-45-90	1.1	●	●	
Crucial	U-DIMM	5600	5600	CT64G56C46U5.M16B1	Spectek	XMP/EXPO	64GB	DS	46-46-45-90	1.1	●	●	
Neo Forza	U-DIMM	5600	5600	NMUD516F82-5600JA00	Hynix M-die	N/A	16GB	SS	46-46-46-90	1.1	●	●	
Neo Forza	U-DIMM	5600	5600	NMUD532F82-5600JA00	Hynix M-die	N/A	32GB	DS	46-46-46-90	1.1	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBAK2-128	Samsung M-die	XMP/EXPO	64GB	DS	40-40-40-80	1.25	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
KINGSTON	U-DIMM	5600	5600	KF556C40BBA-64	Samsung M-die	XMP/EXPO	64GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBEAK2-128	Samsung M-die	XMP/EXPO	64GB	DS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBEA-64	Samsung M-die	XMP/EXPO	64GB	DS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBE2AK2-64	Samsung M-die	XMP/EXPO	32GB	SS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBE2A-32	Samsung M-die	XMP/EXPO	32GB	SS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBK2-128	Samsung M-die	XMP/EXPO	64GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BB-64	Samsung M-die	XMP/EXPO	64GB	DS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBE2K2-64	Samsung M-die	XMP/EXPO	32GB	SS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBE2-32	Samsung M-die	XMP/EXPO	32GB	SS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBEK2-128	Samsung M-die	XMP/EXPO	64GB	DS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBE-64	Samsung M-die	XMP/EXPO	64GB	DS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BB-16-SP	CXSH A-die	XMP	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BB-16-SPBK	CXSH A-die	XMP	16GB	SS	40-40-40-80	1.25	●	●	
SK Hynix	U-DIMM	5600	5600	HMCG88AGBUA081N AA	SK Hynix	N/A	32GB	DS	46-45-45-90	1.1	●	●	
Samsung	U-DIMM	5600	5600	M323R4GA3PB0-CWMOL	Samsung	N/A	32GB	DS	46-45-45-90	1.1	●	●	
Samsung	U-DIMM	5600	5600	M323R4GA3DB0-CWMOD	Samsung	N/A	32GB	DS	46-45-45-90	1.1	●	●	
CORSAIR	U-DIMM	5600	5600	CMH64GX5M2B5600C40W Ver3.43.02	Mircon & SpecTek	XMP	2x 32GB	DS	40-40-40-77	1.25	●	●	
CORSAIR	U-DIMM	5600	5600	CMK128GX5M2D5600C40 Ver3.63.01	Mircon & SpecTek	XMP	2x 64GB	DS	40-44-44-90	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BB-16WP	CXSH-A	XMP	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBK2-32WP	CXSH-A	XMP	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	F556C40BBA-16WP	CXSH-A	XMP	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBAK2-32WP	CXSH-A	XMP	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KVR56U46BS8-16WP	CXSH-A	N/A	16GB	SS	46-45-45-90	1.1	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	5600	5600	AD5U560016G-B	Mircon	N/A	16GB	SS	45-45-45-90	1.1	●	●	
KINGSTON	U-DIMM	5600	5600	KVR56U46BS8-32	SAMSUNG	N/A	32GB	SS	46-45-45-90	1.1	●	●	
KINGSTON	U-DIMM	5600	5600	KVR56U46BD8-64	SAMSUNG	N/A	64GB	DS	46-45-45-90	1.1	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBEAK2-32	Nanya-A	XMP/EXPO	2x 16GB	SS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBEA-16	Nanya-A	XMP/EXPO	2x 16GB	SS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BWEA-16	Nanya-A	XMP/EXPO	16GB	SS	36-38-38-80	1.25	●	●	
RED	U-DIMM	5600	5600	RDD5UZ256004616G-1B	Mircon	N/A	16GB	SS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AD5U560064G-B	SK Hynix	N/A	64GB	DS	46-45-45-90	1.1	●	●	
ADATA	U-DIMM	5600	5600	AD5U560064G-S	SK Hynix	N/A	64GB	DS	46-45-45-90	1.1	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBEAK2-64	Samsung-Q	XMP/EXPO	32GB	DS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBEA-32	Samsung-Q	XMP/EXPO	32GB	DS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBE-32	Samsung-Q	XMP/EXPO	32GB	DS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBEK2-64	Samsung-Q	XMP/EXPO	32GB	DS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBA-16	Samsung-Q	XMP/EXPO	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBAK2-32	Samsung-Q	XMP/EXPO	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BB-16	Samsung-Q	XMP/EXPO	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C40BBK2-32	Samsung-Q	XMP/EXPO	16GB	SS	40-40-40-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBEAK2-32	Samsung-Q	XMP/EXPO	16GB	SS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBEA-16	Samsung-Q	XMP/EXPO	16GB	SS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBE-16	Samsung-Q	XMP/EXPO	16GB	SS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KF556C36BBEK2-32	Samsung-Q	XMP/EXPO	16GB	SS	36-38-38-80	1.25	●	●	
KINGSTON	U-DIMM	5600	5600	KVR56U46BS8-16	Micron-H	N/A	16GB	SS	46-45-45-90	1.1	●	●	
KINGSTON	U-DIMM	5600	5600	KVR56U46BD8-32	Micron-H	N/A	32GB	SS	46-45-45-90	1.1	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
G.SKILL	U-DIMM	5600	5600	F5-5600J4645A16GX2-RS5K	Spectek	N/A	16GB	SS	46-45-45-90	1.1	●	●	
Lexar	U-DIMM	5600	5600	CBD56U46BD8MH-32	CXMT	N/A	16GB	SS	46-45-45-90	1.1	●	●	
Lexar	U-DIMM	5600	5600	CBD56U46BD8HA-32	CXMT	N/A	16GB	SS	46-45-45-90	1.1	●	●	
Lexar	U-DIMM	5600	5600	B45DUBG75646B-TD23	CXMT	N/A	16GB	SS	46-45-45-90	1.1	●	●	
Kimtigo	U-DIMM	5600	5600	B45DUAG75646B-TD21	CXSH-A	XMP/EXPO	16GB	SS	46-45-45-90	1.1	●	●	
G.SKILL	U-DIMM	5600	5600	F5-5600J4645A16GX2-RS5K	Spectek	N/A	16GB	SS	46-45-45-90	1.1	●	●	
CORSAIR	U-DIMM	5600	5600	CMH16GX5M2B5600Z40	Micron	XMP/EXPO	8GB	SS	40-40-40-77	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-DCLARBK	Hynix M-Die	XMP	2x 16GB	SS	40-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-CLARBK	Hynix M-Die	XMP	2x 16GB	SS	40-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-BLARBK	Hynix M-Die	XMP	2x 16GB	SS	40-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4032G-DCLABK	Hynix M-Die	XMP	32GB	DS	40-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4032G-CLABK	Hynix M-Die	XMP	32GB	DS	40-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4032G-BLABK	Hynix M-Die	XMP	32GB	DS	40-40-40-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF3D516G6000HC38ABK	Hynix	XMP	16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FF3D532G6000HC38ADC01	Hynix	XMP	2x 16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FF4D532G6000HC38ADC01	Hynix	XMP	2x 16GB	SS	38-38-38-78	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-CLARBK	Samsung B-Die	XMP	16GB	SS	40-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-DCLARBK	Samsung B-Die	XMP	16GB	SS	40-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-CCARGY	Samsung B-Die	XMP	16GB	SS	40-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-DCCARGY	Samsung B-Die	XMP	16GB	SS	40-40-40-76	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BBK2-16	Hynix-M die	XMP	2x 8GB	SS	40-40-40-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BB-8	Hynix-M die	XMP	8GB	SS	40-40-40-80	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3636F16GX2-TZ5RS	Samsung	XMP	2x 16GB	SS	36-36-36-96	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
G.SKILL	U-DIMM	6000	6000	F5-6000J3636F16GX2-TZ5RK	Samsung	XMP	2x 16GB	SS	36-36-36-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3636F16GX2-TZ5K	Samsung	XMP	2x 16GB	SS	36-36-36-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3636F16GX2-TZ5S	Samsung	XMP	2x 16GB	SS	36-36-36-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J4040F16GX2-TZ5RS	Samsung	XMP	2x 16GB	SS	40-40-40-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J4040F16GX2-TZ5S	Samsung	XMP	2x 16GB	SS	40-40-40-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J4040F16GX2-TZ5K	Samsung	XMP	2x 16GB	SS	40-40-40-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J4040F16GX2-TZ5RK	Samsung	XMP	2x 16GB	SS	40-40-40-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J4040F16GA2-TZ5S	Samsung	XMP	2x 16GB	SS	40-40-40-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J4040F16GA2-TZ5K	Samsung	XMP	2x 16GB	SS	40-40-40-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J4040F16GA2-TZ5RS	Samsung	XMP	2x 16GB	SS	40-40-40-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J4040F16GA2-TZ5RK	Samsung	XMP	2x 16GB	SS	40-40-40-96	1.35	●	●	
Colorful	U-DIMM	6000	6000	CV16G6000D5RP36 H81C02	SK Hynix	XMP	16GB	SS	36-38-38-76	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BBAK2-16	SK Hynix	XMP	2x 8GB	SS	40-40-40-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BBA-8	SK Hynix	XMP	8GB	SS	40-40-40-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BBAK2-32	SK Hynix	XMP	2x 16GB	SS	40-40-40-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BBA-16	SK Hynix	XMP	16GB	SS	40-40-40-80	1.35	●	●	
OLOY	U-DIMM	6000	6000	MD5U3260320BRSDE	SK Hynix	XMP	2x 32GB	DS	32-38-38-76	1.35	●	●	
OLOY	U-DIMM	6000	6000	ND5U3260320BRSDE	SK Hynix	XMP	32GB	DS	32-38-38-76	1.35	●	●	
V-COLOR	U-DIMM	6000	6000	TMXPL1660836WW-DW	SK Hynix	XMP	2x 16GB	SS	36-38-38-76	1.25	●	●	
V-COLOR	U-DIMM	6000	6000	TMXPL1660836KWK	SK Hynix	XMP	2x 16GB	SS	36-38-38-76	1.25	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3040G32GX2-TZ5RS	SK Hynix	XMP	2x 32GB	DS	30-40-40-96	1.4	●	●	
CORSAIR	U-DIMM	6000	6000	CMT32GX5M2D6000C36 Ver 4.43.02	Samsung	XMP	2x 16GB	SS	36-36-36-76	1.35	●	●	
OLOY	U-DIMM	6000	6000	MD5U3260320BRKDE	SK Hynix	XMP	32GB	DS	32-38-38-76	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
OLOY	U-DIMM	6000	6000	ND5U3260320BRKDE	SK Hynix	XMP	32GB	DS	32-38-38-76	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C32RSAK2-32	Hynix-M die	XMP	2x 16GB	SS	32-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C32RSA-16	Hynix-M die	XMP	16GB	SS	32-38-38-80	1.35	●	●	
GEIL	U-DIMM	6000	6000	GAESW532GB6000C38ADC	SK Hynix	XMP	16GB	SS	38-40-40-82	1.25	●	●	
GEIL	U-DIMM	6000	6000	GAESG532GB6000C38ADC	SK Hynix	XMP	16GB	SS	38-40-40-82	1.25	●	●	
GEIL	U-DIMM	6000	6000	GAESG532GB6000C32ADC	SK Hynix	EXPO	2x 16GB	SS	38-40-40-82	1.35	●	●	
GEIL	U-DIMM	6000	6000	GAESW532GB6000C32ADC	SK Hynix	EXPO	2x 16GB	SS	38-40-40-82	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C32RSK2-32	Hynix-M die	XMP	2x 16GB	SS	32-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C32RS-16	Hynix-M die	XMP	16GB	SS	32-38-38-80	1.35	●	●	
Thermaltake	U-DIMM	6000	6000	RG33D516GX2-6000C36B	SK Hynix	XMP/EXPO	16GB	SS	36-38-38-76	1.3	●	●	
Thermaltake	U-DIMM	6000	6000	RG34D516GX2-6000C36B	SK Hynix	XMP/EXPO	16GB	SS	36-38-38-76	1.3	●	●	
CORSAIR	U-DIMM	6000	6000	CMH32GX5M2B6000C40 Ver 4.43.02	Samsung	XMP	2x 16GB	SS	40-40-40-77	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBEK2-32	SK Hynix	XMP/EXPO	2x 16GB	SS	36-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE-16	SK Hynix	XMP/EXPO	16GB	SS	36-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBEAK2-32	SK Hynix	XMP/EXPO	2x 16GB	SS	36-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBEA-16	SK Hynix	XMP/EXPO	16GB	SS	36-38-38-80	1.35	●	●	
Asgard	U-DIMM	6000	6000	VAM5UX60C36AG-CL0KW	SK Hynix	XMP/EXPO	16GB	SS	36-36-36-76	1.3	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3636F16GX2-TZ5NR	Samsung	EXPO	2x 16GB	SS	36-36-36-96	1.35	●	●	
Thermaltake	U-DIMM	6000	6000	RG33D516GX2-6000C36P	SK Hynix	XMP	16GB	SS	36-38-38-76	1.3	●	●	
Thermaltake	U-DIMM	6000	6000	RG34D516GX2-6000C36P	SK Hynix	XMP	16GB	SS	36-38-38-76	1.3	●	●	
Team Group	U-DIMM	6000	6000	TED516G6000C48BK	HYNIX M	N/A	16GB	SS	48-48-48-96	1.1	●	●	
Team Group	U-DIMM	6000	6000	TED516G6000C4801	HYNIX M	N/A	16GB	SS	48-48-48-96	1.1	●	●	
Team Group	U-DIMM	6000	6000	TPBD516G6000HC4801	HYNIX M	N/A	16GB	SS	48-48-48-96	1.1	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	6000	6000	TPSD516G6000HC4801	HYNIX M	N/A	16GB	SS	48-48-48-96	1.1	●	●	
Team Group	U-DIMM	6000	6000	TED532G6000C48DC01	HYNIX M	N/A	2x 16GB	SS	48-48-48-96	1.1	●	●	
Team Group	U-DIMM	6000	6000	TPBD532G6000HC48DC01	HYNIX M	N/A	2x 16GB	SS	48-48-48-96	1.1	●	●	
Team Group	U-DIMM	6000	6000	TPSD532G6000HC48DC01	HYNIX M	N/A	2x 16GB	SS	48-48-48-96	1.1	●	●	
Team Group	U-DIMM	6000	6000	FF3D516G6000HC30BK	HYNIX M	XMP	16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF3D516G6000HC3001	HYNIX M	XMP	16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF4D516G6000HC3001	HYNIX M	XMP	16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF3D532G6000HC30DC01	HYNIX M	XMP	2x 16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF4D532G6000HC30DC01	HYNIX M	XMP	2x 16GB	SS	30-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4032G-CLARBK	HYNIX M	XMP/EXPO	32GB	DS	40-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4032G-DCLARBK	HYNIX M	XMP/EXPO	2x 32GB	DS	40-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4032G-CCARGY	HYNIX M	XMP/EXPO	32GB	DS	40-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4032G-DCCARGY	HYNIX M	XMP/EXPO	2x 32GB	DS	40-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-CLABK	HYNIX M	XMP/EXPO	16GB	SS	40-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-DCLABK	HYNIX M	XMP/EXPO	2x 16GB	SS	40-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-CCAGY	HYNIX M	XMP/EXPO	16GB	SS	40-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-DCCAGY	HYNIX M	XMP/EXPO	2x 16GB	SS	40-40-40-76	1.35	●	●	
CORSAIR	U-DIMM	6000	6000	CMH32GX5M2X6000C30 Ver 5.43.13	SK Hynix	XMP	2x 16GB	SS	30-36-36-76	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-BLARWH	HYNIX M	XMP/EXPO	16GB	SS	40-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-CLARBK	HYNIX M	XMP/EXPO	16GB	SS	40-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-DCLARBK	HYNIX M	XMP/EXPO	2x 16GB	SS	40-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-CCARGY	HYNIX M	XMP/EXPO	16GB	SS	40-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-DCCARGY	HYNIX M	XMP/EXPO	2x 16GB	SS	40-40-40-76	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-DWROG	HYNIX M	XMP/EXPO	2x 16GB	SS	40-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-DBROG	HYNIX M	XMP/EXPO	2x 16GB	SS	40-40-40-76	1.35	●	●	
CORSAIR	U-DIMM	6000	6000	CMH32GX5M2B6000Z30 ver. 5.43.13	SK Hynix	EXPO	2x 16GB	SS	30-36-36-76	1.4	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3038F16GX2-TZ5NR	SK Hynix	EXPO	2x 16GB	SS	30-38-38-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3238G32GX2-TZ5N	SK Hynix	EXPO	2x 32GB	DS	32-38-38-96	1.4	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3238G32GX2-TZ5NR	SK Hynix	EXPO	2x 32GB	DS	32-38-38-96	1.4	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3040F16GX2-RS5W	SK Hynix	XMP	2x 16GB	SS	30-40-40-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3040F16GX2-TZ5S	SK Hynix	XMP	2x 16GB	SS	30-40-40-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3040F16GX2-TZ5K	SK Hynix	XMP	2x 16GB	SS	30-40-40-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3040F16GX2-TZ5RS	SK Hynix	XMP	2x 16GB	SS	30-40-40-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3040F16GX2-TZ5RK	SK Hynix	XMP	2x 16GB	SS	30-40-40-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3040F16GX2-RS5K	SK Hynix	XMP	2x 16GB	SS	30-40-40-96	1.35	●	●	
Galaxy	U-DIMM	6000	6000	HOF5TJL4BSD6000D38DE322C	Samsung	XMP/EXPO	2x 16GB	SS	38-38-38-93	1.35	●	●	
Galaxy	U-DIMM	6000	6000	HOF5CXL4BSD6000D38DE322C	Samsung	XMP/EXPO	2x 16GB	SS	38-38-38-93	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBEK2-16	HYNIX A	XMP/EXPO	2x 8GB	SS	36-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE-8	HYNIX A	XMP/EXPO	8GB	SS	36-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBEAK2-16	HYNIX A	XMP/EXPO	2x 8GB	SS	36-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBEA-8	HYNIX A	XMP/EXPO	8GB	SS	36-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBEAK2-64	HYNIX A	XMP/EXPO	2x 32GB	DS	36-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBEA-32	HYNIX A	XMP/EXPO	32GB	DS	36-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBEK2-64	HYNIX A	XMP/EXPO	2x 32GB	DS	36-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE-32	HYNIX A	XMP/EXPO	32GB	DS	36-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BBK2-64	HYNIX A	XMP	2x 32GB	DS	40-40-40-80	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
KINGSTON	U-DIMM	6000	6000	KF560C40BB-32	HYNIX A	XMP	32GB	DS	40-40-40-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BBAK2-64	HYNIX A	XMP	2x 32GB	DS	40-40-40-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BBA-32	HYNIX A	XMP	32GB	DS	40-40-40-80	1.35	●	●	
CORSAIR	U-DIMM	6000	6000	CMK64GX5M2B6000C40 Ver 4.43.02	Samsung	XMP	2x 32GB	DS	40-40-40-77	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-DCLARWH	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-CLARBK	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-DCLARBK	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-CLARWH	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-DCLARWH	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
CORSAIR	U-DIMM	6000	6000	CMH32GX5M2B6000Z30K Ver 5.43.13	SK Hynix	EXPO	2x 16GB	SS	30-36-36-76	1.4	●	●	
CORSAIR	U-DIMM	6000	6000	CMT32GX5M2X6000C30 Ver 5.43.13	SK Hynix	XMP	2x 16GB	SS	30-36-36-76	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C32RWK2-64	SK Hynix	XMP	2x 32GB	DS	32-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C32RW-32	SK Hynix	XMP	2x 32GB	DS	32-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C32RWK2-32	SK Hynix	XMP	2x 16GB	SS	32-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C32RW-16	SK Hynix	XMP	2x 16GB	SS	32-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BWK2-32	SK Hynix	XMP	2x 16GB	SS	40-40-40-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BW-16	SK Hynix	XMP	2x 16GB	SS	40-40-40-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C32RWAK2-64	SK Hynix	XMP	2x 32GB	DS	32-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C32RWA-32	SK Hynix	XMP	2x 32GB	DS	32-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C32RWAK2-32	SK Hynix	XMP	2x 16GB	SS	32-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C32RWA-16	SK Hynix	XMP	2x 16GB	SS	32-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BWEK2-64	SK Hynix	XMP/EXPO	2x 32GB	DS	36-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BWE-32	SK Hynix	XMP/EXPO	2x 32GB	DS	36-38-38-80	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
KINGSTON	U-DIMM	6000	6000	KF560C36BWEK2-32	SK Hynix	XMP/EXPO	2x 16GB	SS	36-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BWE-16	SK Hynix	XMP/EXPO	2x 16GB	SS	36-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BWK2-64	SK Hynix	XMP	2x 32GB	DS	40-40-40-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BW-32	SK Hynix	XMP	2x 32GB	DS	40-40-40-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BWEAK2-64	SK Hynix	XMP/EXPO	2x 32GB	DS	36-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BWEA-32	SK Hynix	XMP/EXPO	2x 32GB	DS	36-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BWEAK2-32	SK Hynix	XMP/EXPO	2x 16GB	SS	36-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BWEA-16	SK Hynix	XMP/EXPO	2x 16GB	SS	36-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BWAK2-64	SK Hynix	XMP	2x 32GB	DS	40-40-40-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BWA-32	SK Hynix	XMP	2x 32GB	DS	40-40-40-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BWAK2-32	SK Hynix	XMP	2x 16GB	SS	40-40-40-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BWA-16	SK Hynix	XMP	2x 16GB	SS	40-40-40-80	1.35	●	●	
CORSAIR	U-DIMM	6000	6000	CMT32GX5M2E6000C36 Ver 3.43.02	Micron	XMP	2x 16GB	SS	36-44-44-96	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BBK4-64	HYNIX A	XMP	4x 16GB	SS	40-40-40-80	1.35	●	●	●
KINGSTON	U-DIMM	6000	6000	KF560C40BBK2-32	HYNIX A	XMP	2x 16GB	SS	40-40-40-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BB-16	HYNIX A	XMP	16GB	SS	40-40-40-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BWK4-64	HYNIX A	XMP	4x 16GB	SS	40-40-40-80	1.35	●	●	●
KINGSTON	U-DIMM	6000	6000	KF560C40BWK2-32	HYNIX A	XMP	2x 16GB	SS	40-40-40-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BW-16	HYNIX A	XMP	16GB	SS	40-40-40-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BBAK4-64	HYNIX A	XMP	4x 16GB	SS	40-40-40-80	1.35	●	●	●
KINGSTON	U-DIMM	6000	6000	KF560C40BBAK2-32	HYNIX A	XMP	2x 16GB	SS	40-40-40-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BBA-16	HYNIX A	XMP	16GB	SS	40-40-40-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C40BWAK2-32	HYNIX A	XMP	2x 16GB	SS	40-40-40-80	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
KINGSTON	U-DIMM	6000	6000	KF560C40BWA-16	HYNIX A	XMP	16GB	SS	40-40-40-80	1.35	●	●	
OLOY	U-DIMM	6000	6000	MD5U1660320BRKDE	SK Hynix	XMP/EXPO	2x 16GB	DS	32-38-38-76	1.35	●	●	
OLOY	U-DIMM	6000	6000	MD5U1660320BRSDE	SK Hynix	XMP/EXPO	2x 16GB	DS	32-38-38-76	1.35	●	●	
OLOY	U-DIMM	6000	6000	ND5U1660320BRKDE	SK Hynix	XMP/EXPO	2x 16GB	DS	32-38-38-76	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3636F16GX2-FX5	Samsung	EXPO	2x 16GB	SS	36-36-36-96	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BLABK	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BLARWH	Hynix A	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-CLARWH	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DCLARBK	Hynix A	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-CLARBK	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DCCARGY	Hynix A	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-CCARGY	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DCLAWH	Hynix A	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-CLAWH	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DCLABK	Hynix A	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-CLABK	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DCCAGY	Hynix A	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-CCAGY	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DTLABRWH	Hynix A	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-SLABRWH	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DTLABRBK	Hynix A	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-SLABRBK	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DTLABWH	Hynix A	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-SLABWH	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DTLABBK	Hynix A	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-SLABBK	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BLARWH	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DCLARWH	Hynix A	XMP/EXPO	2x 32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-CLARWH	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DCLARBK	Hynix A	XMP/EXPO	2x 32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-CLARBK	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DCCARGY	Hynix A	XMP/EXPO	2x 32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-CCARGY	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DCLAWH	Hynix A	XMP/EXPO	2x 32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-CLAWH	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DCLABK	Hynix A	XMP/EXPO	2x 32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-CLABK	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DCCAGY	Hynix A	XMP/EXPO	2x 32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-CCAGY	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
KINGBANK	U-DIMM	6000	6000	KPR516G60SB	Samsung	XMP/EXPO	2x 16GB	SS	36-36-36-80	1.35	●	●	
CORSAIR	U-DIMM	6000	6000	CMT64GX5M2B6000C40 Ver5.43.01	SK Hynix	XMP	2x 32GB	DS	40-40-40-77	1.35	●	●	
CORSAIR	U-DIMM	6000	6000	CMK48GX5M2E6000C36 Ver3.53.02	Spectek	XMP	2x 24GB	SS	36-44-44-96	1.4	●	●	
CORSAIR	U-DIMM	6000	6000	CMH48GX5M2E6000C36 Ver3.53.02	Spectek	XMP	2x 24GB	SS	36-44-44-96	1.4	●	●	
PREDATOR	U-DIMM	6000	6000	BL.9BWWR.334	SK Hynix	XMP/EXPO	2x 32GB	DS	30-38-38-76	1.35	●	●	
PREDATOR	U-DIMM	6000	6000	BL.9BWWR.371	SK Hynix	XMP/EXPO	2x 32GB	DS	30-38-38-76	1.35	●	●	
PREDATOR	U-DIMM	6000	6000	BL.9BWWR.327	SK Hynix	XMP/EXPO	2x 16GB	SS	30-38-38-76	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
PREDATOR	U-DIMM	6000	6000	BL.9BWWR.366	SK Hynix	XMP/EXPO	2x 16GB	SS	30-38-38-76	1.35	●	●	
CORSAIR	U-DIMM	6000	6000	CMK32GX5M2B6000Z30 Ver 5.43.01	SK Hynix	EXPO	2x 16GB	SS	30-36-36-76	1.4	●	●	
PREDATOR	U-DIMM	6000	6000	BL.9BWWR.350	SK Hynix	XMP	16GB	SS	30-38-38-76	1.35	●	●	
Galaxy	U-DIMM	6000	6000	BMS5CRL6CHE6000D32DJ322C	SK Hynix	XMP/EXPO	2x 16GB	SS	32-38-38-76	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GDGA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GDWA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GDLA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GSGA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GSWA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GSLA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CDGA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CDWA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CDLA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CSGA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CSWA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CSLA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GD2A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GD1A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GD0A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GS2A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GS1A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GS0A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CD2A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CD1A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CD0A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CS2A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CS1A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CS0A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●	
CORSAIR	U-DIMM	6000	6000	CMH96GX5M2B6000C30 Ver 5.53.13	SK Hynix	XMP	2x 48GB	DS	30-36-36-76	1.4	●	●	
SAMNIX	U-DIMM	6000	6000	SXD5BR32G160C32-2W	SK Hynix	XMP/EXPO	2x 16GB	SS	32-40-40-96	1.35	●	●	
Kingston	U-DIMM	6000	6000	KF560C32RSK2-96	SK Hynix M-Die	XMP	2x 48GB	DS	32-38-38-80	1.35	●	●	
Kingston	U-DIMM	6000	6000	KF560C32RS-48	SK Hynix M-Die	XMP	48GB	DS	32-38-38-80	1.35	●	●	
Kingston	U-DIMM	6000	6000	KF560C32RSAK2-96	SK Hynix M-Die	XMP	2x 48GB	DS	32-38-38-80	1.35	●	●	
Kingston	U-DIMM	6000	6000	KF560C32RSA-48	SK Hynix M-Die	XMP	48GB	DS	32-38-38-80	1.35	●	●	
PREDATOR	U-DIMM	6000	6000	BL.9BWWR.350	SK Hynix	XMP/EXPO	2x 16GB	SS	30-38-38-76	1.35	●	●	
CORSAIR	U-DIMM	6000	6000	CMP32GX5M2B6000Z30 Ver 5.43.01	SK Hynix	EXPO	2x 16GB	SS	30-36-36-76	1.4	●	●	
CORSAIR	U-DIMM	6000	6000	CMP64GX5M2B6000Z30 Ver 5.43.01	SK Hynix	EXPO	2x 32GB	DS	30-36-36-76	1.4	●	●	
CORSAIR	U-DIMM	6000	6000	CMP48GX5M2B6000C30 Ver 5.53.13	SK Hynix	XMP	2x 24GB	SS	30-36-36-76	1.4	●	●	
CORSAIR	U-DIMM	6000	6000	CMH64GX5M2B6000Z40 Ver 4.43.02	Samsung	EXPO	2x 32GB	DS	40-40-40-77	1.35	●	●	
CORSAIR	U-DIMM	6000	6000	CMH32GX5M2B6000C30W Ver 5.43.01	SK Hynix	XMP	2x 16GB	SS	30-36-36-76	1.4	●	●	
CORSAIR	U-DIMM	6000	6000	CMP64GX5M4B6000C36W Ver 5.43.01	SK Hynix	XMP	4x 16GB	SS	36-36-36-76	1.35	●	●	●
Biwin	U-DIMM	6000	6000	B45BUAG76036B-TP21	Micron Y4CA	XMP/EXPO	16GB	SS	36-44-44-96	1.35	●	●	
GOLDKEY	U-DIMM	6000	6000	NMGD516F82-6000L120	SK Hynix	XMP/EXPO	16GB	SS	40-40-40-77	1.3	●	●	
Colorful	U-DIMM	6000	6000	BA16G6000D5TP36R H81C03	SK Hynix	XMP/EXPO	16GB	DS	36-40-40-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C32WG-RGD	SK Hynix	XMP/EXPO	16GB	SS	32-38-38-76	1.35	●	●	
CORSAIR	U-DIMM	6000	6000	CMK32GX5M2B6000C38 Ver 3.43.04	Micron	XMP	2x 16GB	SS	38-44-44-96	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
CORSAIR	U-DIMM	6000	6000	CMH64GX5M2B6000Z40 Ver 5.43.13	SK Hynix	EXPO	2x 32GB	DS	40-40-40-77	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BLARWH	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DCLARBK	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-CLARWH	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DCLARWH	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-CLABK	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DCLABK	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-CLAWH	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DCLAWH	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-SLABBK	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DTLABBK	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-SLABWH	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DTLABWH	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-SLABRBK	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-SLABRWH	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DTLABRBK	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DTLABRWH	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BLARBK	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BLABK	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BLAWH	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BLABBK	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BLABWH	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BLABRBK	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BLABRWH	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DWROG	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DBROG	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BB500G	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BW500G	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BWROG	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BBROG	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BB300G	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BW300G	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BB300	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BW300	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BB500	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BW500	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DB500G	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DW500G	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BBAK2-32	Hynix A-die	XMP	2x 16GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BBA-16	Hynix A-die	XMP	16GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BWA-16	Hynix A-die	XMP	16GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BWAK2-32	Hynix A-die	XMP	2x 16GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BBAK2-64	Hynix A-die	XMP	2x 32GB	DS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BBA-32	Hynix A-die	XMP	32GB	DS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BWA-32	Hynix A-die	XMP	32GB	DS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BWAK2-64	Hynix A-die	XMP	2x 32GB	DS	30-36-36-80	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
KINGSTON	U-DIMM	6000	6000	KF560C30BBEAK2-16	Hynix A-die	XMP/EXPO	2x 8GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BBEA-8	Hynix A-die	XMP/EXPO	8GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BBEAK2-32	Hynix A-die	XMP/EXPO	2x 16GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BBEA-16	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BWEA-16	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BWEAK2-32	Hynix A-die	XMP/EXPO	2x 16GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BBEAK2-64	Hynix A-die	XMP/EXPO	2x 32GB	DS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BBEA-32	Hynix A-die	XMP/EXPO	32GB	DS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BWEA-32	Hynix A-die	XMP/EXPO	32GB	DS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BWK2-32	Hynix A-die	XMP	2x 16GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BB-16	Hynix A-die	XMP	16GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BBK2-32	Hynix A-die	XMP	2x 16GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BW-16	Hynix A-die	XMP	16GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BWK2-64	Hynix A-die	XMP	2x 32GB	DS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BB-32	Hynix A-die	XMP	32GB	DS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BBK2-64	Hynix A-die	XMP	2x 32GB	DS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BW-32	Hynix A-die	XMP	32GB	DS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BWEK2-32	Hynix A-die	XMP/EXPO	2x 16GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BBE-16	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BBEK2-32	Hynix A-die	XMP/EXPO	2x 16GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BWE-16	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BWEK2-64	Hynix A-die	XMP/EXPO	2x 32GB	DS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BBE-32	Hynix A-die	XMP/EXPO	32GB	DS	30-36-36-80	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
KINGSTON	U-DIMM	6000	6000	KF560C30BBEK2-64	Hynix A-die	XMP/EXPO	2x 32GB	DS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BWE-32	Hynix A-die	XMP/EXPO	32GB	DS	30-36-36-80	1.4	●	●	
Dynac	U-DIMM	6000	6000	DWC5U600016G/D	Hynix	XMP/EXPO	16GB	SS	40-40-40-76	1.3	●	●	
CORSAIR	U-DIMM	6000	6000	CMH32GX5M2E6000C36K Ver 3.43.04	Spectek	XMP	2x 16GB	SS	36-44-44-96	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BBAK2-16	Hynix A-die	XMP	2x 8GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BBA-8	Hynix A-die	XMP	8GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BBEK2-16	Hynix A-die	XMP/EXPO	2x 8GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BBE-8	Hynix A-die	XMP/EXPO	8GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BBK2-16	Hynix A-die	XMP	2x 8GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BB-8	Hynix A-die	XMP	8GB	SS	30-36-36-80	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C32RSK2-64	Hynix A-die	XMP	2x 32GB	DS	32-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C32RS-32	Hynix A-die	XMP	32GB	DS	32-38-38-80	1.35	●	●	
GEIL	U-DIMM	6000	6000	GCB532GB6000C40SC	Spectek	XMP/EXPO	32GB	DS	40-48-48-96	1.3	●	●	
GEIL	U-DIMM	6000	6000	GCB516GB6000C40SC	Spectek	XMP/EXPO	16GB	SS	40-48-48-96	1.25	●	●	
Crucial	U-DIMM	6000	6000	CP24G60C48U5.M8BR	Spectek	XMP/EXPO	24GB	SS	48-48-48-96	1.1	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C32RSAK2-64	Hynix A-die	XMP	2x 32GB	DS	32-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C32RSA-32	Hynix A-die	XMP	32GB	DS	32-38-38-80	1.35	●	●	
GEIL	U-DIMM	6000	6000	GCB516GB6000C38SC	Spectek	XMP/EXPO	16GB	SS	38-48-48-96	1.25	●	●	
KINGBANK	U-DIMM	6000	6000	KPR516G600K9-C28	Hynix	XMP/EXPO	16GB	SS	28-35-35-76	1.45	●	●	
GLOWAY	U-DIMM	6000	6000	VGM5UH60C30AG-CSWURM	SK Hynix	XMP/EXPO	16GB	SS	30-38-38-77	1.4	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C30AG-DVALWM	SK Hynix	XMP/EXPO	16GB	SS	30-38-38-77	1.4	●	●	
Asgard	U-DIMM	6000	6000	VAM5UX60C30AG-CFRESM	SK Hynix	XMP/EXPO	16GB	SS	30-38-38-77	1.4	●	●	
Asgard	U-DIMM	6000	6000	VAM5UX60C30AG-CGUPBM	SK Hynix	XMP/EXPO	16GB	SS	30-38-38-77	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Asgard	U-DIMM	6000	6000	VAM5UX60C30AG-DGUPBM	SK Hynix	XMP/EXPO	16GB	SS	30-38-38-77	1.4	●	●	
GLOWAY	U-DIMM	6000	6000	VGM5UH60C30AG-DTBCWM	SK Hynix	XMP/EXPO	16GB	SS	30-38-38-77	1.4	●	●	
GLOWAY	U-DIMM	6000	6000	VGM5UH60C30AG-DTACWM	SK Hynix	XMP/EXPO	16GB	SS	30-38-38-77	1.4	●	●	
GLOWAY	U-DIMM	6000	6000	VGM5UH60C30AG-DVDASM	SK Hynix	XMP/EXPO	16GB	SS	30-38-38-77 36-38-38-80	1.4	●	●	
Asgard	U-DIMM	6000	6000	VAM5UX60C30AG-CFRESN	SK Hynix	XMP/EXPO	16GB	SS	30-36-36-77	1.35	●	●	
Asgard	U-DIMM	6000	6000	VAM5UX60C30AG-CGUPBN	SK Hynix	XMP/EXPO	16GB	SS	30-36-36-77	1.35	●	●	
GEIL	U-DIMM	6000	6000	GEJYSW532GB6000C40DC	Micron	XMP/EXPO	16GB	SS	40-48-48-96	1.35	●	●	
V-color	U-DIMM	6000	6000	RTMXSL1660836KWK	SK Hynix	XMP	16GB	SS	36-38-38-76	1.25	●	●	
CORSAIR	U-DIMM	6000	6000	CMH5X16G1B60C36A2W-CNR Ver 4.43.02	Samsung	XMP	16GB	SS	36-36-36-76	1.35	●	●	
CORSAIR	U-DIMM	6000	6000	CMH5X32G2B60C30A2W-CNR Ver 5.43.01	SK Hynix	XMP	32GB	DS	30-36-36-76	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BLABBK	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BLABWH	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BLABRBK	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BLABRWH	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BLABK	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BLAWH	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-SLABBK	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-SLABWH	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DTLABRBK	Hynix A	XMP/EXPO	2x 32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-SLABRBK	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-SLABRWH	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DTLABRWH	Hynix A	XMP/EXPO	2x 32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DTLABBK	Hynix A	XMP/EXPO	2x 32GB	DS	30-40-40-76	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DTLABWH	Hynix A	XMP/EXPO	2x 32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BLARBK	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BB300G	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BW300G	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BB300	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BW300	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BB500	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BW500	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BB500G	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BW500G	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DB500G	Hynix A	XMP/EXPO	2x 32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DW500G	Hynix A	XMP/EXPO	2x 32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BBROG	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-BWROG	Hynix A	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DWROG	Hynix A	XMP/EXPO	2x 32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DBROG	Hynix A	XMP/EXPO	2x 32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-CLARBK	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DCCARGY	Hynix M-die	XMP/EXPO	2x 32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-CCARGY	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-DCCAGY	Hynix M-die	XMP/EXPO	2x 32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3032G-CCAGY	Hynix M-die	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-DCLAWH	SK Hynix	XMP/EXPO	2x 16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-CLAWH	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-DCLABK	SK Hynix	XMP/EXPO	2x 16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-CLABK	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-DCCARGY	SK Hynix	XMP/EXPO	2x 16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-CCARGY	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-DCCAGY	SK Hynix	XMP/EXPO	2x 16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-CCAGY	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-BLABBK	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-BLARWH	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-BLARBK	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-DTLABBK	SK Hynix	XMP/EXPO	2x 16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-DTLABWH	SK Hynix	XMP/EXPO	2x 16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-SLABRWH	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-SLABBK	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-SLABWH	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-DTLABRWH	SK Hynix	XMP/EXPO	2x 16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-DTLABRBK	SK Hynix	XMP/EXPO	2x 16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-BLABK	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-BLAWH	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-BLABWH	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-BLABRWH	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-SLABRBK	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-BLABRBK	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-BB500	SK Hynix	XMP/EXPO	2x 16GB	SS	30-40-40-76	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-BW500	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-BB500G	SK Hynix	XMP/EXPO	2x 16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-BW500G	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-DW500G	SK Hynix	XMP/EXPO	2x 16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-DB500G	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-BW300	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-BB300	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-BW30G	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-BB300G	SK Hynix	XMP/EXPO	2x 16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-BWROG	SK Hynix	XMP/EXPO	2x 16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-BBROG	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-DWROG	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3016G-DBROG	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BLAWH	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BLARBK	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BLARWH	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BB300G	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BW300	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BB300	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BW300G	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BB500	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BW500	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BB500G	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BW500G	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DW500G	Hynix A	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DB500G	Hynix A	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BWROG	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BBROG	Hynix A	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DBROG	Hynix A	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DWROG	Hynix A	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF4D516G6000HC38ABK	Hynix A-die	XMP/EXPO	16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FF3D516G6000HC38A01	Hynix A-die	XMP/EXPO	16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FF4D516G6000HC38A01	Hynix A-die	XMP/EXPO	16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FF7D516G6000HC38A01	Hynix A-die	XMP/EXPO	16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FF8D516G6000HC38A01	Hynix A-die	XMP/EXPO	16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FLABD516G6000HC38A01	Hynix A-die	XMP/EXPO	16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FLARD516G6000HC38A01	Hynix A-die	XMP/EXPO	16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FLBD516G6000HC38A01	Hynix A-die	XMP/EXPO	16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FLRD516G6000HC38A01	Hynix A-die	XMP/EXPO	16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FF3D532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FF4D532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FF7D532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FF8D532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FLABD532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FLARD532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FLBD532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	6000	6000	FLRD532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	CTCED532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	CTCWD532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FLESD532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●	
Asint	U-DIMM	6000	6000	APLMD5600016GB	SK Hynix	XMP/EXPO	16GB	SS	36-36-36-76	1.35	●	●	
Asint	U-DIMM	6000	6000	APLMD5600032GB	SK Hynix	XMP/EXPO	32GB	DS	30-40-40-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF3D516G6000HC28A01	Hynix A-die	XMP/EXPO	16GB	SS	28-36-36-76	1.4	●	●	
Team Group	U-DIMM	6000	6000	FF4D516G6000HC28A01	Hynix A-die	XMP/EXPO	16GB	SS	28-36-36-76	1.4	●	●	
Team Group	U-DIMM	6000	6000	FF7D516G6000HC28A01	Hynix A-die	XMP/EXPO	16GB	SS	28-36-36-76	1.4	●	●	
Team Group	U-DIMM	6000	6000	FF8D516G6000HC28A01	Hynix A-die	XMP/EXPO	16GB	SS	28-36-36-76	1.4	●	●	
Team Group	U-DIMM	6000	6000	FLABD516G6000HC28A01	Hynix A-die	XMP/EXPO	16GB	SS	28-36-36-76	1.4	●	●	
Team Group	U-DIMM	6000	6000	FLARD516G6000HC28A01	Hynix A-die	XMP/EXPO	16GB	SS	28-36-36-76	1.4	●	●	
Team Group	U-DIMM	6000	6000	FLBD516G6000HC28A01	Hynix A-die	XMP/EXPO	16GB	SS	28-36-36-76	1.4	●	●	
Team Group	U-DIMM	6000	6000	FLRD516G6000HC28A01	Hynix A-die	XMP/EXPO	16GB	SS	28-36-36-76	1.4	●	●	
Team Group	U-DIMM	6000	6000	FF3D532G6000HC28ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	28-36-36-76	1.4	●	●	
Team Group	U-DIMM	6000	6000	FF4D532G6000HC28ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	28-36-36-76	1.4	●	●	
Team Group	U-DIMM	6000	6000	FF7D532G6000HC28ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	28-36-36-76	1.4	●	●	
Team Group	U-DIMM	6000	6000	FF8D532G6000HC28ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	28-36-36-76	1.4	●	●	
Team Group	U-DIMM	6000	6000	FLABD532G6000HC28ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	28-36-36-76	1.4	●	●	
Team Group	U-DIMM	6000	6000	FLARD532G6000HC28ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	28-36-36-76	1.4	●	●	
Team Group	U-DIMM	6000	6000	FLBD532G6000HC28ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	28-36-36-76	1.4	●	●	
Team Group	U-DIMM	6000	6000	FLRD532G6000HC28ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	28-36-36-76	1.4	●	●	
Team Group	U-DIMM	6000	6000	CTCCD516G6000HC4801	Hynix M-Die	XMP/EXPO	16GB	SS	48-48-48-96	1.1	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	6000	6000	CTCCD532G6000HC48DC01	Hynix M-Die	XMP/EXPO	2x 16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-BLABRBK	Spectek	XMP/EXPO	16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-SLABRBK	Spectek	XMP/EXPO	2x 16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-DTLABRBK	Spectek	XMP/EXPO	16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-BLABRWH	Spectek	XMP/EXPO	16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-SLABRWH	Spectek	XMP/EXPO	16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-DTLABRWH	Spectek	XMP/EXPO	2x 16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-BLABBK	Spectek	XMP/EXPO	16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-SLABBK	Spectek	XMP/EXPO	16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-DTLABBK	Spectek	XMP/EXPO	2x 16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-BLABWH	Spectek	XMP/EXPO	16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-SLABWH	Spectek	XMP/EXPO	16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-DTLABWH	Spectek	XMP/EXPO	2x 16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-BB300G	Spectek	XMP/EXPO	16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-SB300G	Spectek	XMP/EXPO	16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-DB300G	Spectek	XMP/EXPO	2x 16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-BW300G	Spectek	XMP/EXPO	16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-SW300G	Spectek	XMP/EXPO	16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-DW300G	Spectek	XMP/EXPO	2x 16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-BB300	Spectek	XMP/EXPO	16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-SB300	Spectek	XMP/EXPO	16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-DB300	Spectek	XMP/EXPO	2x 16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-BW300	Spectek	XMP/EXPO	16GB	SS	48-48-48-96	1.1	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-SW300	Spectek	XMP/EXPO	16GB	SS	48-48-48-96	1.1	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-DW300	Spectek	XMP/EXPO	2x 16GB	SS	48-48-48-96	1.1	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38LG-RGD	Spectek	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38LG-RGS	Spectek	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38WG-RGS	Spectek	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38WG-RGD	Spectek	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3636F32GX2-RM5NRW	SK Hynix	XMP/EXPO	2x 32GB	DS	36-36-36-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3636F32GX2-TZ5RS	Samsung	XMP	2x 32GB	DS	36-36-36-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3636F32GX2-RS5K	Samsung	XMP	2x 32GB	DS	36-36-36-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3636F32GX2-TZ5RW	Samsung	XMP	2x 32GB	DS	36-36-36-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3636F32GX2-RM5RK	Samsung	XMP	2x 32GB	DS	36-36-36-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3636F32GX2-RM5RW	Samsung	XMP	2x 32GB	DS	36-36-36-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3636F32GX2-IS	Samsung	XMP	2x 32GB	DS	36-36-36-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3636F32GX2-FX5	Samsung	XMP	2x 32GB	DS	36-36-36-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3636F32GX2-FX5W	Samsung	XMP	2x 32GB	DS	36-36-36-96	1.35	●	●	
CORSAIR	U-DIMM	6000	6000	CMK32GX5M2B6000Z28 Ver 5.43.01	SK Hynix	XMP/EXPO	2x 16GB	SS	28-36-36-96	1.4	●	●	
CORSAIR	U-DIMM	6000	6000	CMK64GX5M2B6000Z28 Ver 5.43.01	SK Hynix	XMP/EXPO	2x 32GB	DS	28-36-36-96	1.4	●	●	
CORSAIR	U-DIMM	6000	6000	CMH64GX5M2B6000Z28 Ver 5.43.01	SK Hynix	XMP/EXPO	2x 32GB	DS	28-36-36-96	1.4	●	●	
CORSAIR	U-DIMM	6000	6000	CMH32GX5M2B6000Z28 Ver 5.43.01	SK Hynix	XMP/EXPO	2x 16GB	DS	28-36-36-96	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C26LW-RCD	Hynix A-Die	EXPO	16GB	SS	26-36-36-68	1.45	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C26SW-RCD	Hynix A-Die	EXPO	16GB	SS	26-36-36-68	1.45	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C26BR-RGD	Hynix A-Die	EXPO	16GB	SS	26-36-36-68	1.45	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C26SR-RGD	Hynix A-Die	EXPO	16GB	SS	26-36-36-68	1.45	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Lexar	U-DIMM	6000	6000	LD5U16G60C26BR-RGS	Hynix A-Die	EXPO	16GB	SS	26-36-36-68	1.45	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C26SR-RGS	Hynix A-Die	EXPO	16GB	SS	26-36-36-68	1.45	●	●	
JUHOR	U-DIMM	6000	6000	JHE6000U4616JG	Micron	XMP/EXPO	16GB	SS	46-48-48-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3036F48GX2-FX5	SK Hynix	EXPO	2x 48GB	DS	30-36-36-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3036F48GX2-FX5W	SK Hynix	EXPO	2x 48GB	DS	30-36-36-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3036F48GX2-RM5NRW	SK Hynix	EXPO	2x 48GB	DS	30-36-36-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3036F48GX2-RM5NRK	SK Hynix	EXPO	2x 48GB	DS	30-36-36-96	1.35	●	●	
kingbank	U-DIMM	6000	6000	KPR516G60C36SH	CXSH	XMP/EXPO	16GB	SS	36-38-38-86	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF3D532G6000HC34CDC01	Hynix A	XMP/EXPO	2x 16GB	SS	34-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF4D532G6000HC34CDC01	Hynix A	XMP/EXPO	2x 16GB	SS	34-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF4D516G6000HC34C01	Hynix A	XMP/EXPO	16GB	SS	34-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF3D516G6000HC34C01	Hynix A	XMP/EXPO	16GB	SS	34-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF8D532G6000HC34CDC01	Hynix A	XMP/EXPO	2x 16GB	SS	34-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF7D532G6000HC34CDC01	Hynix A	XMP/EXPO	2x 16GB	SS	34-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF8D516G6000HC34C01	Hynix A	XMP/EXPO	16GB	SS	34-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF7D516G6000HC34C01	Hynix A	XMP/EXPO	16GB	SS	34-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLRD532G6000HC34CDC01	Hynix A	XMP/EXPO	2x 16GB	SS	34-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLBD532G6000HC34CDC01	Hynix A	XMP/EXPO	2x 16GB	SS	34-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLRD516G6000HC34C01	Hynix A	XMP/EXPO	16GB	SS	34-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLBD516G6000HC34C01	Hynix A	XMP/EXPO	16GB	SS	34-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLARD532G6000HC34CDC01	Hynix A	XMP/EXPO	2x 16GB	SS	34-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLABD532G6000HC34CDC01	Hynix A	XMP/EXPO	2x 16GB	SS	34-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLARD516G6000HC34C01	Hynix A	XMP/EXPO	16GB	SS	34-36-36-76	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	6000	6000	FLABD516G6000HC34C01	Hynix A	XMP/EXPO	16GB	SS	34-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	CTCWD532G6000HC34CDC01	Hynix A	XMP/EXPO	2x 16GB	SS	34-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	CTCED532G6000HC34CDC01	Hynix A	XMP/EXPO	2x 16GB	SS	34-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF3D532G6000HC32DC01	Hynix A	XMP/EXPO	2x 16GB	SS	32-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF4D532G6000HC32DC01	Hynix A	XMP/EXPO	2x 16GB	SS	32-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF4D516G6000HC3201	Hynix A	XMP/EXPO	16GB	SS	32-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF3D516G6000HC3201	Hynix A	XMP/EXPO	16GB	SS	32-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF8D532G6000HC32DC01	Hynix A	XMP/EXPO	2x 16GB	SS	32-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF7D532G6000HC32DC01	Hynix A	XMP/EXPO	2x 16GB	SS	32-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF8D516G6000HC3201	Hynix A	XMP/EXPO	16GB	SS	32-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF7D516G6000HC3201	Hynix A	XMP/EXPO	16GB	SS	32-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLRD532G6000HC32DC01	Hynix A	XMP/EXPO	2x 16GB	SS	32-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLBD532G6000HC32DC01	Hynix A	XMP/EXPO	2x 16GB	SS	32-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLRD516G6000HC3201	Hynix A	XMP/EXPO	16GB	SS	32-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLBD516G6000HC3201	Hynix A	XMP/EXPO	16GB	SS	32-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLARD532G6000HC32DC01	Hynix A	XMP/EXPO	2x 16GB	SS	32-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLABD532G6000HC32DC01	Hynix A	XMP/EXPO	2x 16GB	SS	32-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLARD516G6000HC3201	Hynix A	XMP/EXPO	16GB	SS	32-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLABD516G6000HC3201	Hynix A	XMP/EXPO	16GB	SS	32-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	CTCWD532G6000HC32DC01	Hynix A	XMP/EXPO	2x 16GB	SS	32-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	CTCED532G6000HC32DC01	Hynix A	XMP/EXPO	2x 16GB	SS	32-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF4D532G6000HC38GDC01	Micron	XMP/EXPO	2x 16GB	SS	38-46-46-76	1.25	●	●	
Team Group	U-DIMM	6000	6000	FF2D532G6000HC38GDC01	Micron	XMP/EXPO	2x 16GB	SS	38-46-46-76	1.25	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	6000	6000	FF3D532G6000HC38GDC01	Micron	XMP/EXPO	2x 16GB	SS	38-46-46-76	1.25	●	●	
Team Group	U-DIMM	6000	6000	FF4D516G6000HC38G01	Micron	XMP/EXPO	16GB	SS	38-46-46-76	1.25	●	●	
Team Group	U-DIMM	6000	6000	FF3D516G6000HC38G01	Micron	XMP/EXPO	16GB	SS	38-46-46-76	1.25	●	●	
Team Group	U-DIMM	6000	6000	FF8D532G6000HC38GDC01	Micron	XMP/EXPO	2x 16GB	SS	38-46-46-76	1.25	●	●	
Team Group	U-DIMM	6000	6000	FF7D532G6000HC38GDC01	Micron	XMP/EXPO	2x 16GB	SS	38-46-46-76	1.25	●	●	
Team Group	U-DIMM	6000	6000	FF8D516G6000HC38G01	Micron	XMP/EXPO	16GB	SS	38-46-46-76	1.25	●	●	
Team Group	U-DIMM	6000	6000	FF7D516G6000HC38G01	Micron	XMP/EXPO	16GB	SS	38-46-46-76	1.25	●	●	
Team Group	U-DIMM	6000	6000	FLRD532G6000HC38GDC01	Micron	XMP/EXPO	2x 16GB	SS	38-46-46-76	1.25	●	●	
Team Group	U-DIMM	6000	6000	FLBD532G6000HC38GDC01	Micron	XMP/EXPO	2x 16GB	SS	38-46-46-76	1.25	●	●	
Team Group	U-DIMM	6000	6000	FLRD516G6000HC38G01	Micron	XMP/EXPO	16GB	SS	38-46-46-76	1.25	●	●	
Team Group	U-DIMM	6000	6000	FLBD516G6000HC38G01	Micron	XMP/EXPO	16GB	SS	38-46-46-76	1.25	●	●	
Team Group	U-DIMM	6000	6000	FLARD532G6000HC38GDC01	Micron	XMP/EXPO	2x 16GB	SS	38-46-46-76	1.25	●	●	
Team Group	U-DIMM	6000	6000	FLABD532G6000HC38GDC01	Micron	XMP/EXPO	2x 16GB	SS	38-46-46-76	1.25	●	●	
Team Group	U-DIMM	6000	6000	FLARD516G6000HC38G01	Micron	XMP/EXPO	16GB	SS	38-46-46-76	1.25	●	●	
Team Group	U-DIMM	6000	6000	FLABD516G6000HC38G01	Micron	XMP/EXPO	16GB	SS	38-46-46-76	1.25	●	●	
Team Group	U-DIMM	6000	6000	CTCED532G6000HC38GDC01	Micron	XMP/EXPO	2x 16GB	SS	38-46-46-76	1.25	●	●	
Team Group	U-DIMM	6000	6000	CTCWD532G6000HC38GDC01	Micron	XMP/EXPO	2x 16GB	SS	38-46-46-76	1.25	●	●	
Team Group	U-DIMM	6000	6000	FF9D532G6000HC38ADC01	SK Hynix	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FF9D532G6000HC30DC01	SK Hynix	XMP/EXPO	2x 16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	TED564G6000C54DC01	SK Hynix	N/A	2x 32GB	DS	54-53-53-96	1.1	●	●	
Team Group	U-DIMM	6000	6000	FF3D532G6000HC30DC01	SK Hynix	XMP/EXPO	2x 16GB	SS	30-36-36-76	1.35	●	●	
kingbank	U-DIMM	6000	6000	KPR516G60C26	SK Hynix	XMP/EXPO	16GB	SS	26-36-36-66	1.45	●	●	
CORSAIR	U-DIMM	6000	6000	CMK96GX5M2B6000C30 Ver 5.53.13	SK Hynix	XMP	2x 48GB	DS	30-36-36-76	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	6000	6000	AX5U6000C2832G-BLABWH	SK Hynix	XMP/EXPO	32GB	DS	28-36-36-96	1.4	●	●	
Team Group	U-DIMM	6000	6000	FFXD532G6000HC38ADC01	SK Hynix	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FFWD532G6000HC38ADC01	SK Hynix	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FFPD532G6000HC38ADC01	SK Hynix	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FFAD532G6000HC38ADC01	SK Hynix	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6000	6000	FFXD532G6000HC30DC01	SK Hynix	XMP/EXPO	2x 16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FFWD532G6000HC30DC01	SK Hynix	XMP/EXPO	2x 16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FFPD532G6000HC30DC01	SK Hynix	XMP/EXPO	2x 16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FFAD532G6000HC30DC01	SK Hynix	XMP/EXPO	2x 16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	TED532G6000C5401	SK Hynix	N/A	2x 32GB	DS	54-53-53-96	1.1	●	●	
Team Group	U-DIMM	6000	6000	TPBD564G6000HC54DC01	SK Hynix	N/A	2x 32GB	DS	54-53-53-96	1.1	●	●	
Team Group	U-DIMM	6000	6000	TPBD532G6000HC5401	SK Hynix	N/A	2x 32GB	DS	54-53-53-96	1.1	●	●	
Team Group	U-DIMM	6000	6000	TPSD564G6000HC54DC01	SK Hynix	N/A	2x 32GB	DS	54-53-53-96	1.1	●	●	
Team Group	U-DIMM	6000	6000	TPSD532G6000HC5401	SK Hynix	N/A	2x 32GB	DS	54-53-53-96	1.1	●	●	
Team Group	U-DIMM	6000	6000	CTCCD564G6000HC54DC01	SK Hynix	N/A	2x 32GB	DS	54-53-53-96	1.1	●	●	
Team Group	U-DIMM	6000	6000	CTCCD532G6000HC5401	SK Hynix	N/A	2x 32GB	DS	54-53-53-96	1.1	●	●	
Kimtigo	U-DIMM	6000	6000	KMLUAG878-6000XMizarM	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-90	1.1	●	●	
GeIL	U-DIMM	6000	6000	YACB524GB6000C28DC	SK Hynix	XMP/EXPO	16GB	SS	40-40-40-77	1.1	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2K2-32	Nanya-A	XMP/EXPO	16GB	SS	36-44-44-90	1.35	●	●	
Kimtigo	U-DIMM	6000	6000	KMLUAG878-6000XRedMoleM	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-90	1.1	●	●	
CORSAIR	U-DIMM	6000	6000	CMK32GX5M2E6000Z36W Ver3.43.02	Samsung	XMP/EXPO	2x 16GB	SS	36-44-44-96	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2AK2-32	Nanya-A	XMP/EXPO	2x 16GB	SS	36-44-44-90	1.35	●	●	
Biwin	U-DIMM	6000	6000	BXL54860DW1-D28FW	SK Hynix	XMP/EXPO	2x 24GB	SS	28-36-36-72	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Biwin	U-DIMM	6000	6000	BXL54860DM/1-D28FB	SK Hynix	XMP/EXPO	2x 24GB	SS	28-36-36-72	1.4	●	●	
Predator	U-DIMM	6000	6000	BL.9BWWR.655	SK Hynix	XMP/EXPO	2x 24GB	SS	28-36-36-72	1.4	●	●	
Predator	U-DIMM	6000	6000	BL.9BWWR.654	SK Hynix	XMP/EXPO	2x 24GB	SS	28-36-36-72	1.4	●	●	
Predator	U-DIMM	6000	6000	BL.9BWWR.666	SK Hynix	XMP/EXPO	2x 24GB	SS	28-36-36-72	1.4	●	●	
Predator	U-DIMM	6000	6000	BL.9BWWR.667	SK Hynix	XMP/EXPO	2x 24GB	SS	28-36-36-72	1.4	●	●	
Team Group	U-DIMM	6000	6000	FF4D532G6000HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35 V	●	●	
Team Group	U-DIMM	6000	6000	FF3D532G6000HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35 V	●	●	
Team Group	U-DIMM	6000	6000	FF2D532G6000HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35 V	●	●	
Team Group	U-DIMM	6000	6000	FF7D532G6000HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35 V	●	●	
Team Group	U-DIMM	6000	6000	FF8D532G6000HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35 V	●	●	
Team Group	U-DIMM	6000	6000	FLBD532G6000HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35 V	●	●	
Team Group	U-DIMM	6000	6000	FLRD532G6000HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35 V	●	●	
Team Group	U-DIMM	6000	6000	FLABD532G6000HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35 V	●	●	
Team Group	U-DIMM	6000	6000	FLARD532G6000HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35 V	●	●	
Team Group	U-DIMM	6000	6000	FLESD532G6000HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35 V	●	●	
Team Group	U-DIMM	6000	6000	CTCED532G6000HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35 V	●	●	
Team Group	U-DIMM	6000	6000	CTCWD532G6000HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35 V	●	●	
Team Group	U-DIMM	6000	6000	FF4D532G6000HC40B01	Spectek	XMP/EXPO	16GB	SS	40-40-40-84	1.35 V	●	●	
Team Group	U-DIMM	6000	6000	FF3D532G6000HC40B01	Spectek	XMP/EXPO	16GB	SS	40-40-40-84	1.35 V	●	●	
Team Group	U-DIMM	6000	6000	FF2D532G6000HC40B01	Spectek	XMP/EXPO	16GB	SS	40-40-40-84	1.35 V	●	●	
Team Group	U-DIMM	6000	6000	FF7D532G6000HC40B01	Spectek	XMP/EXPO	16GB	SS	40-40-40-84	1.35 V	●	●	
Team Group	U-DIMM	6000	6000	FF8D532G6000HC40B01	Spectek	XMP/EXPO	16GB	SS	40-40-40-84	1.35 V	●	●	
Team Group	U-DIMM	6000	6000	FLBD532G6000HC40B01	Spectek	XMP/EXPO	16GB	SS	40-40-40-84	1.35 V	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	6000	6000	FLRD532G6000HC40B01	Spectek	XMP/EXPO	16GB	SS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FLABD532G6000HC40B01	Spectek	XMP/EXPO	16GB	SS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FLARD532G6000HC40B01	Spectek	XMP/EXPO	16GB	SS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FLESD532G6000HC40B01	Spectek	XMP/EXPO	16GB	SS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FF4D564G6000HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FF3D564G6000HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FF2D564G6000HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FF7D564G6000HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FF8D564G6000HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FLBD564G6000HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FLRD564G6000HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FLABD564G6000HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FLARD564G6000HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FLESD564G6000HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	CTCED564G6000HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	CTCWD564G6000HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FF4D564G6000HC40B01	Spectek	XMP/EXPO	32GB	DS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FF3D564G6000HC40B01	Spectek	XMP/EXPO	32GB	DS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FF2D564G6000HC40B01	Spectek	XMP/EXPO	32GB	DS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FF7D564G6000HC40B01	Spectek	XMP/EXPO	32GB	DS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FF8D564G6000HC40B01	Spectek	XMP/EXPO	32GB	DS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FLBD564G6000HC40B01	Spectek	XMP/EXPO	32GB	DS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FLRD564G6000HC40B01	Spectek	XMP/EXPO	32GB	DS	40-40-40-84	1.35 V	•	•	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	6000	6000	FLABD564G6000HC40B01	Spectek	XMP/EXPO	32GB	DS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FLARD564G6000HC40B01	Spectek	XMP/EXPO	32GB	DS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FLESD564G6000HC40B01	Spectek	XMP/EXPO	32GB	DS	40-40-40-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FF4D564G6000HC38JDC01	Spectek	XMP/EXPO	2x 32GB	DS	38-46-46-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FF3D564G6000HC38JDC01	Spectek	XMP/EXPO	2x 32GB	DS	38-46-46-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FF2D564G6000HC38JDC01	Spectek	XMP/EXPO	2x 32GB	DS	38-46-46-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FF7D564G6000HC38JDC01	Spectek	XMP/EXPO	2x 32GB	DS	38-46-46-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FF8D564G6000HC38JDC01	Spectek	XMP/EXPO	2x 32GB	DS	38-46-46-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FLBD564G6000HC38JDC01	Spectek	XMP/EXPO	2x 32GB	DS	38-46-46-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FLRD564G6000HC38JDC01	Spectek	XMP/EXPO	2x 32GB	DS	38-46-46-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FLABD564G6000HC38JDC01	Spectek	XMP/EXPO	2x 32GB	DS	38-46-46-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FLARD564G6000HC38JDC01	Spectek	XMP/EXPO	2x 32GB	DS	38-46-46-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FLESD564G6000HC38JDC01	Spectek	XMP/EXPO	2x 32GB	DS	38-46-46-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	CTCED564G6000HC38JDC01	Spectek	XMP/EXPO	2x 32GB	DS	38-46-46-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	CTCWD564G6000HC38JDC01	Spectek	XMP/EXPO	2x 32GB	DS	38-46-46-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FF4D564G6000HC38J01	Spectek	XMP/EXPO	32GB	DS	38-46-46-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FF3D564G6000HC38J01	Spectek	XMP/EXPO	32GB	DS	38-46-46-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FF2D564G6000HC38J01	Spectek	XMP/EXPO	32GB	DS	38-46-46-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FF7D564G6000HC38J01	Spectek	XMP/EXPO	32GB	DS	38-46-46-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FF8D564G6000HC38J01	Spectek	XMP/EXPO	32GB	DS	38-46-46-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FLBD564G6000HC38J01	Spectek	XMP/EXPO	32GB	DS	38-46-46-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FLRD564G6000HC38J01	Spectek	XMP/EXPO	32GB	DS	38-46-46-84	1.35 V	•	•	
Team Group	U-DIMM	6000	6000	FLABD564G6000HC38J01	Spectek	XMP/EXPO	32GB	DS	38-46-46-84	1.35 V	•	•	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	6000	6000	FLARD564G6000HC38J01	Spectek	XMP/EXPO	32GB	DS	38-46-46-84	1.35 V	●	●	
Team Group	U-DIMM	6000	6000	FLESD564G6000HC38J01	Spectek	XMP/EXPO	32GB	DS	38-46-46-84	1.35 V	●	●	
Kimtigo	U-DIMM	6000	6000	KMLUAG878-6000XMLM	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-90	1.1	●	●	
Team Group	U-DIMM	6000	6000	FF3D532G6000HC30DC01	SK Hynix-M	XMP/EXPO	2x 16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF3D516G6000HC3001	SK Hynix-M	XMP/EXPO	16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF4D532G6000HC30DC01	SK Hynix-M	XMP/EXPO	2x 16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF4D516G6000HC3001	SK Hynix-M	XMP/EXPO	16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF8D532G6000HC30DC01	SK Hynix-M	XMP/EXPO	2x 16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF8D516G6000HC3001	SK Hynix-M	XMP/EXPO	16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF7D532G6000HC30DC01	SK Hynix-M	XMP/EXPO	2x 16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FF7D516G6000HC3001	SK Hynix-M	XMP/EXPO	16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLBD532G6000HC30DC01	SK Hynix-M	XMP/EXPO	2x 16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLBD516G6000HC3001	SK Hynix-M	XMP/EXPO	16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLRD532G6000HC30DC01	SK Hynix-M	XMP/EXPO	2x 16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLRD516G6000HC3001	SK Hynix-M	XMP/EXPO	16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLARD532G6000HC30DC01	SK Hynix-M	XMP/EXPO	2x 16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLARD516G6000HC3001	SK Hynix-M	XMP/EXPO	16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLABD532G6000HC30DC01	SK Hynix-M	XMP/EXPO	2x 16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	FLABD516G6000HC3001	SK Hynix-M	XMP/EXPO	16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	CTCWD532G6000HC30DC01	SK Hynix-M	XMP/EXPO	2x 16GB	SS	30-36-36-76	1.35	●	●	
Team Group	U-DIMM	6000	6000	CTCED532G6000HC30DC01	SK Hynix-M	XMP/EXPO	2x 16GB	SS	30-36-36-76	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2832G-SLABWH	SK Hynix-A	XMP/EXPO	32GB	DS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2832G-DTLABWH	SK Hynix-A	XMP/EXPO	32GB	DS	28-36-36-96	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	6000	6000	AX5U6000C2832G-BLABBK	SK Hynix-A	XMP/EXPO	32GB	DS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2832G-SLABBK	SK Hynix-A	XMP/EXPO	32GB	DS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2832G-DTLABBK	SK Hynix-A	XMP/EXPO	32GB	DS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2832G-BB300	SK Hynix-A	XMP/EXPO	32GB	DS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2832G-BW300	SK Hynix-A	XMP/EXPO	32GB	DS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2832G-DB300	SK Hynix-A	XMP/EXPO	32GB	DS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2832G-DW300	SK Hynix-A	XMP/EXPO	32GB	DS	28-36-36-96	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2A-16	Nanya-A	XMP/EXPO	2x 16GB	SS	36-44-44-90	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2-16	Nanya-A	XMP/EXPO	16GB	SS	36-44-44-90	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2K2-64	Samsung	XMP/EXPO	32GB	SS	36-44-44-90	1.35	●	●	
kingbank	U-DIMM	6000	6000	KPR560D2520CGA16397	Nanya-A	XMP/EXPO	16GB	SS	36-38-38-88	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2AK2-64	Samsung M-die	XMP/EXPO	32GB	SS	36-44-44-90	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2A-32	Samsung M-die	XMP/EXPO	32GB	SS	36-44-44-90	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2-16-SP	CXSH A-die	XMP/EXPO	16GB	SS	36-44-44-90	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2-16-SPBK	CXSH A-die	XMP/EXPO	16GB	SS	36-44-44-90	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2-32	Samsung M-die	XMP/EXPO	32GB	SS	36-44-44-90	1.35	●	●	
Apacer	U-DIMM	6000	6000	AH5U16G60C622MBAA	Micron&Spec Tek	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3040G32GX2-TZ5NR	SK Hynix	EXPO	2x 32GB	DS	30-40-40-96	1.4	●	●	
Geil	U-DIMM	6000	6000	GACB516GB6000C40DC	Micron&Spec Tek	XMP/EXPO	2x 16GB	SS	40-48-48-96	1.25	●	●	
Apacer	U-DIMM	6000	6000	AH5U16G60C602MWAA	SK Hynix	XMP/EXPO	16GB	SS	30-40-40-96	1.35	●	●	
ZHIKE	U-DIMM	6000	6000	ZKM24GX5M6000C28-B	SK Hynix	XMP/EXPO	24GB	SS	46-46-46-90	1.4	●	●	
ZHIKE	U-DIMM	6000	6000	ZKA16GX5M6000C28-GB	SK Hynix	XMP/EXPO	16GB	SS	25-35-35-76	1.45	●	●	
ZHIKE	U-DIMM	6000	6000	ZKA16GX5M6000C28	SK Hynix	XMP/EXPO	16GB	SS	28-35-35-72	1.45	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
CORSAIR	U-DIMM	6000	6000	CMH96GX5M2E6000C36 Ver4.53.02	Samsung	XMP	2x 48GB	DS	36-44-44-114	1.4	●	●	
CORSAIR	U-DIMM	6000	6000	CMK96GX5M2E6000C36 Ver4.53.02	Samsung	XMP	2x 48GB	DS	36-44-44-96	1.4	●	●	
Predator	U-DIMM	6000	6000	BL.98WWR.663	SK Hynix	XMP/EXPO	24GB	SS	28-36-36-72	1.4	●	●	
CORSAIR	U-DIMM	6000	6000	CMK48GX5M2E6000C36 Ver3.53.02	Spectek	XMP	2x 24GB	SS	36-44-44-96	1.4	●	●	
CORSAIR	U-DIMM	6000	6000	CMH128GX5M2D6000C40 Ver3.63.01	Mircon & SpecTek	XMP	2x 64GB	DS	40-50-50-96	1.35	●	●	
CORSAIR	U-DIMM	6000	6000	CMH96GX5M2E6000Z36 Ver4.53.02	Samsung	XMP/EXPO	2x 48GB	DS	36-44-44-96	1.4	●	●	
CORSAIR	U-DIMM	6000	6000	CMH48GX5M2E6000C36 Ver4.53.02	Samsung	XMP	2x 24GB	SS	36-44-44-96	1.4	●	●	
BIWIN	U-DIMM	6000	6000	OCBXL59260DW1-Q28FB□	Hynix M-die	XMP/EXPO	4x 48GB	DS	28-36-36-102	1.4	●	●	●
PREDATOR	U-DIMM	6000	6000	BL.9BWWR.665	Hynix M-die	XMP/EXPO	4x 48GB	DS	28-36-36-102	1.4	●	●	●
Asgard	U-DIMM	6000	6000	VAM5UH60C28IG-CTHRBM	Hynix M-die	XMP/EXPO	4x 48GB	DS	28-36-36-72	1.4	●	●	●
Asgard	U-DIMM	6000	6000	VAM5UH60C28IG-CTHRSM	Hynix M-die	XMP/EXPO	4x 48GB	DS	28-36-36-72	1.4	●	●	●
Asgard	U-DIMM	6000	6000	VAM5UH60C28IG-CBRCWM	Hynix M-die	XMP/EXPO	4x 48GB	DS	28-36-36-72	1.4	●	●	●
Asgard	U-DIMM	6000	6000	VAM5UH60C28IG-CBRCBM	Hynix M-die	XMP/EXPO	4x 48GB	DS	28-36-36-72	1.4	●	●	●
Asgard	U-DIMM	6000	6000	VAM5UH60C28IG-CBRBWM	Hynix M-die	XMP/EXPO	4x 48GB	DS	28-36-36-72	1.4	●	●	●
Asgard	U-DIMM	6000	6000	VAM5UH60C28IG-CBRBBM	Hynix M-die	XMP/EXPO	4x 48GB	DS	28-36-36-72	1.4	●	●	●
Predator	U-DIMM	6000	6000	BL.9BWWR.660	SK Hynix	XMP/EXPO	24GB	SS	28-36-36-72	1.4	●	●	
Predator	U-DIMM	6000	6000	BL.9BWWR.661	SK Hynix	XMP/EXPO	24GB	SS	28-36-36-72	1.4	●	●	
Predator	U-DIMM	6000	6000	BL.9BWWR.662	SK Hynix	XMP/EXPO	24GB	SS	28-36-36-72	1.4	●	●	
Predator	U-DIMM	6000	6000	BL.9BWWR.664	SK Hynix	XMP/EXPO	24GB	SS	28-36-36-72	1.4	●	●	
KORX	U-DIMM	6000	6000	QD032GU5D60G0W2	SK Hynix	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
KORX	U-DIMM	6000	6000	QD032GU5D60G0H2	SK Hynix	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
BIWIN	U-DIMM	6000	6000	BXL53260DW1-D36DW	Mircon & SpecTek	XMP/EXPO	16GB	SS	36-45-45-96	1.3	●	●	
BIWIN	U-DIMM	6000	6000	BXL53260DW1-D36DB	Mircon & SpecTek	XMP/EXPO	16GB	SS	36-45-45-96	1.3	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
BIWIN	U-DIMM	6000	6000	BXH53260HX1-D36DB	Mircon & SpecTek	XMP/EXPO	16GB	SS	36-45-45-96	1.3	●	●	
BIWIN	U-DIMM	6000	6000	BXH53260HX1-D36DS	Mircon & SpecTek	XMP/EXPO	16GB	SS	36-45-45-96	1.3	●	●	
BIWIN	U-DIMM	6000	6000	BL.9BWWA.484	Mircon & SpecTek	XMP/EXPO	16GB	SS	36-45-45-96	1.3	●	●	
BIWIN	U-DIMM	6000	6000	BL.9BWWA.485	Mircon & SpecTek	XMP/EXPO	16GB	SS	36-45-45-96	1.3	●	●	
BIWIN	U-DIMM	6000	6000	BL.9BWWA.472	Mircon & SpecTek	XMP/EXPO	16GB	SS	36-45-45-96	1.3	●	●	
BIWIN	U-DIMM	6000	6000	BL.9BWWA.473	Mircon & SpecTek	XMP/EXPO	16GB	SS	36-45-45-96	1.3	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3644D64GX4-FX5	Samsung	EXPO	4x 64GB	DS	36-44-44-96	1.25	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3644D64GX4-TZ5NR	Samsung	EXPO	4x 64GB	DS	36-44-44-96	1.25	●	●	
CORSAIR	U-DIMM	6000	6000	CMK128GX5M2D6000C40 Ver3.63.01	Mircon & SpecTek	XMP	2x 64GB	DS	40-50-50-96	1.35	●	●	
KINGBANK	U-DIMM	6000	6000	KPR516G60C36SH-E	CXSH A-die	XMP/EXPO	16GB	SS	36-38-38-88	1.35	●	●	
Kimtigo	U-DIMM	6000	6000	KM5UFG878B-6000XMegrezA	SK Hynix	XMP/EXPO	16GB	SS	28-39-39-86	1.4	●	●	
KEYMOS	U-DIMM	6000	6000	KBDG56024H08	Hynix M-die	XMP/EXPO	2x 24GB	SS	28-36-36-73	1.4	●	●	
KEYMOS	U-DIMM	6000	6000	KBDG56016H08	Hynix A-die	XMP/EXPO	2x 16GB	SS	28-36-36-73	1.4	●	●	
KEYMOS	U-DIMM	6000	6000	KCYU56016H08	Hynix A-die	XMP/EXPO	2x 16GB	SS	28-36-36-73	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38BG-RGD	SpecTek	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38AG-RGD	SpecTek	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38BG-RGS	SpecTek	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38AG-RGS	SpecTek	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38BG-KGN	SpecTek	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38AG-KGN	SpecTek	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38BV-RGD	SpecTek	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38SV-RGD	SpecTek	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38BV-RGS	SpecTek	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Lexar	U-DIMM	6000	6000	LD5U16G60C38SV-RGS	SpecTek	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38BV-KGN	SpecTek	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38SV-KGN	SpecTek	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38LV-RGD	SpecTek	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38LV-RUD	SpecTek	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38EV-RGD	SpecTek	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38EV-RUD	SpecTek	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-BB300	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-BW300	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-BLABBK	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-BLABWH	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-DTLABBK	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-DTLABWH	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-BB300G	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-BW300G	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-BB500G	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-BW500G	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-DB500G	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-DW500G	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-BLABRBK	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-BLABRWH	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-DTLABRBK	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-DTLABRWH	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-BLARBK	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-BLARWH	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-CLARBK	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-CLARWH	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-DCLARBK	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-DCLARWH	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-BB300TUF	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-BW300TUF	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-BB300GTUF	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-BW300GTUF	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-DB300GTUF	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-DW300GTUF	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-BWROG	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-BBROG	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-DWROG	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2816G-DBROG	SK Hynix-A	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2824G-BB300	SK Hynix-M	XMP/EXPO	24GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2824G-BW300	SK Hynix-M	XMP/EXPO	24GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2824G-BB300G	SK Hynix-M	XMP/EXPO	24GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2824G-BW300G	SK Hynix-M	XMP/EXPO	24GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2824G-BB500G	SK Hynix-M	XMP/EXPO	24GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2824G-BW500G	SK Hynix-M	XMP/EXPO	24GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2824G-DB500G	SK Hynix-M	XMP/EXPO	24GB	SS	28-36-36-96	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	6000	6000	AX5U6000C2824G-DW500G	SK Hynix-M	XMP/EXPO	24GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2824G-BB300TUF	SK Hynix-M	XMP/EXPO	24GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2824G-BW300TUF	SK Hynix-M	XMP/EXPO	24GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2824G-BB300GTUF	SK Hynix-M	XMP/EXPO	24GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2824G-BW300GTUF	SK Hynix-M	XMP/EXPO	24GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2824G-DB300GTUF	SK Hynix-M	XMP/EXPO	24GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2824G-DW300GTUF	SK Hynix-M	XMP/EXPO	24GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2824G-BWROG	SK Hynix-M	XMP/EXPO	24GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2824G-BBROG	SK Hynix-M	XMP/EXPO	24GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2824G-DWROG	SK Hynix-M	XMP/EXPO	24GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C2824G-DBROG	SK Hynix-M	XMP/EXPO	24GB	SS	28-36-36-96	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C36MG16G-BB300	Spectek	XMP/EXPO	16GB	SS	36-38-38-80	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C36MG16G-BW300	Spectek	XMP/EXPO	16GB	SS	36-38-38-80	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C36MG16G-BB300G	Spectek	XMP/EXPO	16GB	SS	36-38-38-80	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C36MG16G-BW300G	Spectek	XMP/EXPO	16GB	SS	36-38-38-80	1.35	●	●	
SAMNIX	U-DIMM	6000	6000	BH560C28LA8HA-32B2	SK Hynix	XMP/EXPO	2x 16GB	SS	28-35-35-75	1.4	●	●	
aigo	U-DIMM	6000	6000	UCF536WC6000/16G	SK Hynix	XMP/EXPO	16GB	SS	36-38-38-86	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP016GXLWU60GFSM	SK Hynix	XMP/EXPO	16GB	SS	26-36-36-96	1.45	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2-16WP	CXSH-A	XMP/EXPO	16GB	SS	36-44-44-90	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2K2-32WP	CXSH-A	XMP/EXPO	16GB	SS	36-44-44-90	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2A-16WP	CXSH-A	XMP/EXPO	16GB	SS	36-44-44-90	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2AK2-32WP	CXSH-A	XMP/EXPO	16GB	SS	36-44-44-90	1.35	●	●	
CORSAIR	U-DIMM	6000	6000	CMH32GX5M2B6000Z30K Ver 5.43.13	SK Hynix	XMP/EXPO	2x 16GB	SS	30-36-36-76	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
CORSAIR	U-DIMM	6000	6000	CMK64GX5M2B6000Z38 Ver 4.43.05	samsung	XMP/EXPO	2x 32GB	DS	38-44-44-96	1.35	●	●	
CORSAIR	U-DIMM	6000	6000	CMK32GX5M2E6000C36W Ver 3.43.04	Mircon & SpecTek	XMP	2x 16GB	SS	36-44-44-96	1.35	●	●	
CORSAIR	U-DIMM	6000	6000	CMK32GX5M2B6000Z30W Ver 5.43.13	SK Hynix	XMP/EXPO	2x 16GB	SS	30-36-36-76	1.4	●	●	
CORSAIR	U-DIMM	6000	6000	CMK64GX5M2B6000Z30W Ver 5.43.01	SK Hynix	XMP/EXPO	2x 32GB	DS	30-36-36-76	1.4	●	●	
Crucial	U-DIMM	6000	6000	CP16G60C36U5B.M8D1	Mircon & SpecTek	XMP/EXPO	2x 16GB	SS	36-38-38-80	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2AK2-32WP	CXSH-A	XMP/EXPO	2x 16GB	SS	36-44-44-90	1.35	●	●	
CORSAIR	U-DIMM	6000	6000	CMK5X32G2B60C38A2-CN Ver 4.43.04	samsung	XMP	2x 32GB	DS	38-44-44-96	1.35	●	●	
CORSAIR	U-DIMM	6000	6000	CMK5X16G1B60C36A2-CN Ver 5.43.01	SK Hynix	XMP	2x 16GB	SS	30-36-36-76	1.35	●	●	
EpicGear	U-DIMM	6000	6000	GEV5TW516GB6000C28S	SK Hynix	XMP/EXPO	16GB	SS	28-40-40-84	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BCAGY	CXSH	XMP/EXPO	16GB	SS	36-38-38-80	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3244G64GX2-FX5	Samsung	EXPO	2x 64GB	DS	46-45-45-90	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U64G60C40BV-RGD	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	40-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U64G60C40SV-RGD	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	40-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U64G60C40LV-RGD	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	40-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U64G60C40EV-RGD	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	40-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U64G60C40BV-RGS	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	40-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U64G60C40SV-RGS	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	40-48-48-96	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3444F64GX2-FX5	Samsung	EXPO	2x 64GB	DS	34-44-44-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U24G60C28LW-RCD	SK Hynix	XMP/EXPO	2x 24GB	SS	28-36-36-68	1.4	●	●	
EpicGear	U-DIMM	6000	6000	GEV5TB516GB6000C40S	Mircon & SpecTek	XMP/EXPO	2x 16GB	SS	40-48-48-96	1.25	●	●	
EpicGear	U-DIMM	6000	6000	GEV5TB516GB6000C36S	Mircon & SpecTek	XMP/EXPO	2x 16GB	SS	36-48-48-96	1.35	●	●	
Thermaltake	U-DIMM	6000	6000	RG33D516GX2-6000S36B	Samsung	XMP/EXPO	2x 16GB	SS	36-38-38-76	1.3	●	●	
Thermaltake	U-DIMM	6000	6000	RG34D516GX2-6000S36B	Samsung	XMP/EXPO	2x 16GB	SS	36-38-38-76	1.3	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Thermaltake	U-DIMM	6000	6000	RG33D516GX2-6000M36B	CXSH	XMP/EXPO	2x 16GB	SS	36-38-38-76	1.3	●	●	
Thermaltake	U-DIMM	6000	6000	RG34D516GX2-6000M36B	CXSH	XMP/EXPO	2x 16GB	SS	36-38-38-76	1.3	●	●	
Thermaltake	U-DIMM	6000	6000	RG30D516GX2-6000M40A	CXSH	XMP/EXPO	2x 16GB	SS	40-40-40-77	1.3	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C30AG-DHMRBM	Hynix-M	XMP/EXPO	16GB	SS	30-38-38-77	1.4	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C30AG-DHMRWM	Hynix-M	XMP/EXPO	16GB	SS	30-38-38-77	1.4	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C30AG-DHELWM	Hynix-M	XMP/EXPO	16GB	SS	30-38-38-77	1.4	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C30AG-DHELBW	Hynix-M	XMP/EXPO	16GB	SS	30-38-38-77	1.4	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C26AG-CTHRBA	Hynix-A	XMP/EXPO	16GB	SS	26-36-36-72	1.4	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C28CG-CBRCWM	Hynix-M	XMP/EXPO	2x 24GB	SS	28-36-36-72	1.4	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C28CG-CVARWM	Hynix-M	XMP/EXPO	2x 24GB	SS	28-36-36-72	1.4	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C28CG-CVARBM	Hynix-M	XMP/EXPO	2x 24GB	SS	28-36-36-72	1.4	●	●	
GLOWAY	U-DIMM	6000	6000	VGM5UH60C28CG-DVDRBM	Hynix-M	XMP/EXPO	2x 24GB	SS	28-36-36-72	1.4	●	●	
GLOWAY	U-DIMM	6000	6000	VGM5UH60C30DG-DVDRBM	Hynix-M	XMP/EXPO	2x 48GB	DS	30-38-38-80	1.35	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C30DG-CVARWM	Hynix-M	XMP/EXPO	2x 48GB	DS	30-38-38-80	1.35	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C30DG-CVARBM	Hynix-M	XMP/EXPO	2x 48GB	DS	30-38-38-80	1.35	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C30DG-CBRBBM	Hynix-M	XMP/EXPO	2x 48GB	DS	30-38-38-80	1.35	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C28AG-CVARBA	Hynix-A	XMP/EXPO	2x 16GB	SS	28-35-35-72	1.4	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C288G-DHELSA	Hynix-A	XMP/EXPO	2x 8GB	SS	28-35-35-73	1.4	●	●	
Asgard	U-DIMM	6000	6000	VAM5UA60C38AG-DHMRBN	Samsung-P	XMP/EXPO	2x 16GB	SS	38-48-48-100	1.35	●	●	
GLOWAY	U-DIMM	6000	6000	VGM5UA60C38AG-DVDASN	Samsung-P	XMP/EXPO	2x 16GB	SS	38-48-48-100	1.35	●	●	
GLOWAY	U-DIMM	6000	6000	VGM5UA60C38AG-DVDABN	Samsung-P	XMP/EXPO	2x 16GB	SS	38-48-48-100	1.35	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C28AG-CBRBWA	Hynix-A	XMP/EXPO	2x 16GB	SS	28-35-35-72	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U32G60C40BV-RGD	Mircon & SpecTek	XMP/EXPO	2x 32GB	SS	40-48-48-96	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Lexar	U-DIMM	6000	6000	LD5U32G60C40SV-RGD	Mircon & SpecTek	XMP/EXPO	2x 32GB	SS	40-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U32G60C40LV-RGD	Mircon & SpecTek	XMP/EXPO	2x 32GB	SS	40-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U32G60C40EV-RGD	Mircon & SpecTek	XMP/EXPO	2x 32GB	SS	40-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U32G60C40BV-RGS	Mircon & SpecTek	XMP/EXPO	2x 32GB	SS	40-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U32G60C40SV-RGS	Mircon & SpecTek	XMP/EXPO	2x 32GB	SS	40-48-48-96	1.35	●	●	
Origin Code	U-DIMM	6000	6000	OCL603056Q-VS	Hynix-A	XMP/EXPO	24GB	SS	26-36-36-76	1.45	●	●	
Silicon-Power	U-DIMM	6000	6000	SP016GXLWU60AFSK	SK Hynix	XMP/EXPO	16GB	SS	30-38-38-96	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP016GXLWU60AFSL	SK Hynix	XMP/EXPO	16GB	SS	30-38-38-96	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP032GXLWU60AFDK	SK Hynix	XMP/EXPO	2x 16GB	SS	30-38-38-96	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP032GXLWU60AFDL	SK Hynix	XMP/EXPO	2x 16GB	SS	30-38-38-96	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP032GXLWU60AFSK	SK Hynix	XMP/EXPO	32GB	DS	30-38-38-96	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP032GXLWU60AFSL	SK Hynix	XMP/EXPO	32GB	DS	30-38-38-96	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP064GXLWU60AFDK	SK Hynix	XMP/EXPO	2x 32GB	DS	30-38-38-96	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP064GXLWU60AFDL	SK Hynix	XMP/EXPO	2x 32GB	DS	30-38-38-96	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP032GXLWU60BFSM	SK Hynix	XMP/EXPO	32GB	DS	30-38-38-96	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP064GXLWU60BFDM	SK Hynix	XMP/EXPO	2x 32GB	DS	30-38-38-96	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BBEK2-32	Hynix-M	XMP/EXPO	2x 16GB	SS	30-36-36-80	1.4	●	●	
Silicon-Power	U-DIMM	6000	6000	SP016GXLWU60DFSL	SK Hynix	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
Silicon-Power	U-DIMM	6000	6000	SP016GXLWU60DFSK	SK Hynix	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
Silicon-Power	U-DIMM	6000	6000	SP032GXLWU60DFDL	SK Hynix	XMP/EXPO	2x 16GB	SS	28-36-36-96	1.4	●	●	
Silicon-Power	U-DIMM	6000	6000	SP032GXLWU60DFDK	SK Hynix	XMP/EXPO	2x 16GB	SS	28-36-36-96	1.4	●	●	
Silicon-Power	U-DIMM	6000	6000	SP032GXLWU60BFSL	SK Hynix	XMP/EXPO	32GB	DS	38-38-38-78	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP032GXLWU60BFSK	SK Hynix	XMP/EXPO	32GB	DS	38-38-38-78	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Silicon-Power	U-DIMM	6000	6000	SP064GXLWU60BFDL	SK Hynix	XMP/EXPO	2x 32GB	DS	38-38-38-78	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP064GXLWU60BFDK	SK Hynix	XMP/EXPO	2x 32GB	DS	38-38-38-78	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP016GXLWU60FFSL	SK Hynix	XMP/EXPO	16GB	SS	36-46-46-86	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP016GXLWU60FFSK	SK Hynix	XMP/EXPO	16GB	SS	36-46-46-86	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP032GXLWU60FFDL	SK Hynix	XMP/EXPO	2x 16GB	SS	36-46-46-86	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP032GXLWU60FFDK	SK Hynix	XMP/EXPO	2x 16GB	SS	36-46-46-86	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP016GXLWU60AFSL	SK Hynix	XMP/EXPO	16GB	SS	30-38-38-96	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP032GXLWU60AFDM	SK Hynix	XMP/EXPO	2x 16GB	SS	30-38-38-96	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP032GXLWU60AFSL	SK Hynix	XMP/EXPO	32GB	DS	30-38-38-96	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP064GXLWU60AFDM	SK Hynix	XMP/EXPO	2x 32GB	DS	30-38-38-96	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP016GXLWU60BFDL	SK Hynix	XMP/EXPO	16GB	SS	28-36-36-96	1.4	●	●	
Silicon-Power	U-DIMM	6000	6000	SP032GXLWU60DFDM	SK Hynix	XMP/EXPO	2x 16GB	SS	28-36-36-96	1.4	●	●	
Silicon-Power	U-DIMM	6000	6000	SP016GXLWU60BFDL	SK Hynix	XMP/EXPO	16GB	SS	36-46-46-86	1.35	●	●	
Silicon-Power	U-DIMM	6000	6000	SP032GXLWU60FFDM	SK Hynix	XMP/EXPO	2x 16GB	SS	36-46-46-86	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J2836G16GX2-FX5	SK Hynix	XMP/EXPO	2x 16GB	SS	28-36-36-96	1.4	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C28BG-CBRBWA	SK Hynix	XMP/EXPO	32GB	DS	28-35-35-76	1.45	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C28BG-CBRBBA	SK Hynix	XMP/EXPO	32GB	DS	28-35-35-76	1.45	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C28BG-CBRCWA	SK Hynix	XMP/EXPO	32GB	DS	28-35-35-76	1.45	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C28BG-CBRCBA	SK Hynix	XMP/EXPO	32GB	DS	28-35-35-76	1.45	●	●	
GLOWAY	U-DIMM	6000	6000	VGM5UH60C28BG-DVDASA	SK Hynix	XMP/EXPO	32GB	DS	28-35-35-76	1.45	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C28BG-CTHRBA	SK Hynix	XMP/EXPO	32GB	DS	28-35-35-76	1.45	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C26AG-CBRCWA	SK Hynix	XMP/EXPO	16GB	SS	26-36-36-72	1.45	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C26AG-CBRCBA	SK Hynix	XMP/EXPO	16GB	SS	26-36-36-72	1.45	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Asgard	U-DIMM	6000	6000	VAM5UH60C28AG-CVARWA	SK Hynix	XMP/EXPO	16GB	SS	28-35-35-72	1.4	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C28AG-CBRBBA	SK Hynix	XMP/EXPO	16GB	SS	28-35-35-72	1.4	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C28AG-CBRCWA	SK Hynix	XMP/EXPO	16GB	SS	28-35-35-72	1.4	●	●	
Asgard	U-DIMM	6000	6000	VAM5UH60C28AG-CBRCBA	SK Hynix	XMP/EXPO	16GB	SS	28-35-35-72	1.4	●	●	
GLOWAY	U-DIMM	6000	6000	VGM5UH60C28AG-DVDRBA	SK Hynix	XMP/EXPO	16GB	SS	28-35-35-72	1.4	●	●	
GLOWAY	U-DIMM	6000	6000	VGM5UH60C28AG-CSWURN	SK Hynix	XMP/EXPO	16GB	SS	28-35-35-72	1.4	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BBE-16-SP	Hynix-M	XMP/EXPO	16GB	SS	30-36-36-80	1.4	●	●	
RED	U-DIMM	6000	6000	RDD5UZ260003616G-2NWE	Mircon	XMP/EXPO	16GB	SS	36-48-48-96	1.35	●	●	
UniWhen	U-DIMM	6000	6000	UWA16GU03BKCA60B	SK Hynix	XMP/EXPO	2x 16GB	SS	26-36-36-102	1.4	●	●	
Thermaltake	U-DIMM	6000	6000	RG31D516GX2-6000M36A	CXSH	XMP/EXPO	2x 16GB	SS	36-38-38-76	1.3	●	●	
Thermaltake	U-DIMM	6000	6000	RG32D516GX2-6000M36A	CXSH	XMP/EXPO	2x 16GB	SS	36-38-38-76	1.3	●	●	
UniIC	U-DIMM	6000	6000	UWA16GU03BNAA60	Nanya	XMP/EXPO	2x 16GB	SS	36-46-46-96	1.3	●	●	
Lexar	U-DIMM	6000	6000	LD5U32G60C30BR-RGD	SK Hynix	XMP/EXPO	32GB	DS	30-38-38-76	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C36SV-RGD	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C36BV-RGS	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C36SV-RGS	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C36BV-RGD	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C36BV-KGN	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C36SV-KGN	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C36LV-RGD	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C36EV-RGD	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C36LG-RGD	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C360V-RGD	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Lexar	U-DIMM	6000	6000	LD5U16G60C361V-RGD	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C360V-RGS	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C361V-RGS	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C360V-KGN	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C361V-KGN	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C362V-RGD	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C363V-RGD	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C36WG-RGD	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C36LG-RGS	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C36WG-RGS	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●	
KINGBANK	U-DIMM	6000	6000	KPR548G60C28	Hynix-M	XMP/EXPO	48GB	DS	28-36-36-86	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C4816G-BLABRBK	Micron	XMP/EXPO	16GB	SS	48-48-48-96	1.25	●	●	
KLEVV	U-DIMM	6000	6000	KD5CGUB80-60A320G	SK Hynix	XMP/EXPO	64GB	DS	32-44-44-76	1.35	●	●	
KINGBANK	U-DIMM	6000	6000	KPJ560D2551CUA00005	CXMT	XMP/EXPO	16GB	SS	36-46-46-96	1.4	●	●	
GEIL	U-DIMM	6000	6000	GACPG516GB6000C40DC	Micron	XMP/EXPO	16GB	SS	40-48-48-96	1.25	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2AK2-32	Samsung-Q	XMP/EXPO	16GB	SS	36-44-44-90	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2A-16	Samsung-Q	XMP/EXPO	16GB	SS	36-44-44-90	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2-16	Samsung-Q	XMP/EXPO	16GB	SS	36-44-44-90	1.35	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2K2-32	Samsung-Q	XMP/EXPO	16GB	SS	36-44-44-90	1.35	●	●	
GLOWAY	U-DIMM	6000	6000	VGM5UA60C36CG-DVDRBN	Samsung	XMP/EXPO	24GB	SS	36-48-48-96	1.4	●	●	
GLOWAY	U-DIMM	6000	6000	VGM5UA60C36CG-CSWURN	Samsung	XMP/EXPO	24GB	SS	36-48-48-96	1.4	●	●	
GLOWAY	U-DIMM	6000	6000	VGM5UA60C36CG-CSCJWN	Samsung	XMP/EXPO	24GB	SS	36-48-48-96	1.4	●	●	
Asgard	U-DIMM	6000	6000	VAM5UA60C36CG-CVARWN	Samsung	XMP/EXPO	24GB	SS	36-48-48-96	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Asgard	U-DIMM	6000	6000	VAM5UA60C36CG-CVARBN	Samsung	XMP/EXPO	24GB	SS	36-48-48-96	1.4	●	●	
Asgard	U-DIMM	6000	6000	VAM5UA60C36CG-CTHRWN	Samsung	XMP/EXPO	24GB	SS	36-48-48-96	1.4	●	●	
GLOWAY	U-DIMM	6000	6000	VGM5UA60C36CG-DVDASN	Samsung	XMP/EXPO	24GB	SS	36-48-48-96	1.4	●	●	
GLOWAY	U-DIMM	6000	6000	VGM5UA60C36CG-DVDABN	Samsung	XMP/EXPO	24GB	SS	36-48-48-96	1.4	●	●	
GLOWAY	U-DIMM	6000	6000	VGM5UA60C36CG-DTACWN	Samsung	XMP/EXPO	24GB	SS	36-48-48-96	1.4	●	●	
Asgard	U-DIMM	6000	6000	VAM5UA60C36CG-DHMRBN	Samsung	XMP/EXPO	24GB	SS	36-48-48-96	1.4	●	●	
Asgard	U-DIMM	6000	6000	VAM5UA60C36CG-DHMRWN	Samsung	XMP/EXPO	24GB	SS	36-48-48-96	1.4	●	●	
GLOWAY	U-DIMM	6000	6000	VGM5US60C38AG-DVDABN	Micron	XMP/EXPO	16GB	SS	38-48-48-100	1.35	●	●	
GLOWAY	U-DIMM	6000	6000	VGM5US60C38AG-DVDASN	Micron	XMP/EXPO	16GB	SS	38-48-48-100	1.35	●	●	
GLOWAY	U-DIMM	6000	6000	VGM5US60C38AG-DTACWN	Micron	XMP/EXPO	16GB	SS	38-48-48-100	1.35	●	●	
Asgard	U-DIMM	6000	6000	VAM5US60C38AG-DHMRBN	Micron	XMP/EXPO	16GB	SS	38-48-48-100	1.35	●	●	
Asgard	U-DIMM	6000	6000	VAM5US60C38AG-DHMRWN	Micron	XMP/EXPO	16GB	SS	38-48-48-100	1.35	●	●	
Origin Code	U-DIMM	6000	6000	OCL602696D-VB	Hynix-M	XMP/EXPO	2x 48GB	DS	26-35-35-72	1.45	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J3648D16GX2-RM5RK	Hynix	XMP	2x 16GB	SS	36-48-48-96	1.25	●	●	
GEIL	U-DIMM	6000	6000	GCPG516GB6000C36DC	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DTLABRBK	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DTLABRWH	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-SLABRBK	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-SLABRWH	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BLABRBK	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BLABRWH	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DTAMRBK	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-SAMRBK	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BAMRBK	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DB300G	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DW300G	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BB300G	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BW300G	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BLABBK	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BLABWH	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-SLABBK	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-SLABWH	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DTLABBK	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DTLABWH	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BAMBK	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-SAMBK	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DTAMBK	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DB300	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-DW300	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BB300	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BW300	Micron	XMP/EXPO	16GB	SS	36-48-48-96	1.25	●	●	
Kimtigo	U-DIMM	6000	6000	KM5UFG878B-6000XMegrezC	CXSH	N/A	16GB	SS	36-38-38-86	1.4	●	●	
Kimtigo	U-DIMM	6000	6000	KM5UFG878B-6000X	CXMT	N/A	16GB	SS	36-38-38-86	1.4	●	●	
Kimtigo	U-DIMM	6000	6000	KM5GFG878B-6000X	CXMT	N/A	16GB	SS	36-38-38-86	1.4	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C380V-RGD	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38LG-RGD	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Lexar	U-DIMM	6000	6000	LD5U16G60C38LG-RGS	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38WG-RGS	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38WG-RGD	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C381V-RGD	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C380V-RUD	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C381V-RUD	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C380V-RGS	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C381V-RGS	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C382V-RGD	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C383V-RGD	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C380V-KGN	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C381V-KGN	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38BV-RGD	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38BG-RGD	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38AG-RGD	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38BG-RGS	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38AG-RGS	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38BG-KGN	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38AG-KGN	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38SV-RGD	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38BV-RUD	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38SV-RUD	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38BV-RGS	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Lexar	U-DIMM	6000	6000	LD5U16G60C38SV-RGS	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38BV-KGN	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38SV-KGN	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38LV-RGD	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38LV-RUD	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38EV-RGD	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
Lexar	U-DIMM	6000	6000	LD5U16G60C38EV-RUD	Micron	XMP/EXPO	16GB	SS	38-48-48-96	1.35	●	●	
CORSAIR	U-DIMM	6000	6000	CMH64GX5M2D6000Z40	SAMSUNG	XMP/EXPO	32GB	SS	40-50-50-96	1.35	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C30M16G-BB300	Hynix-M	XMP/EXPO	16GB	SS	30-40-40-76	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C30M16G-BW300	Hynix-M	XMP/EXPO	16GB	SS	30-40-40-76	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C30M16G-BB300G	Hynix-M	XMP/EXPO	16GB	SS	30-40-40-76	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C30M16G-BW300G	Hynix-M	XMP/EXPO	16GB	SS	30-40-40-76	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C30M16G-BB500G	Hynix-M	XMP/EXPO	16GB	SS	30-40-40-76	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C30M16G-BW500G	Hynix-M	XMP/EXPO	16GB	SS	30-40-40-76	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C30M16G-DB500G	Hynix-M	XMP/EXPO	16GB	SS	30-40-40-76	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C30M16G-DW500G	Hynix-M	XMP/EXPO	16GB	SS	30-40-40-76	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C30M16G-BB300TUF	Hynix-M	XMP/EXPO	16GB	SS	30-40-40-76	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C30M16G-BW300TUF	Hynix-M	XMP/EXPO	16GB	SS	30-40-40-76	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C30M16G-BB300GTUF	Hynix-M	XMP/EXPO	16GB	SS	30-40-40-76	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C30M16G-BW300GTUF	Hynix-M	XMP/EXPO	16GB	SS	30-40-40-76	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C30M16G-DB300GTUF	Hynix-M	XMP/EXPO	16GB	SS	30-40-40-76	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C30M16G-DW300GTUF	Hynix-M	XMP/EXPO	16GB	SS	30-40-40-76	1.4	●	●	
ADATA	U-DIMM	6000	6000	AX5U6000C30M16G-BBD600G	Hynix-M	XMP/EXPO	16GB	SS	30-40-40-76	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
G.SKILL	U-DIMM	6000	6000	F5-6000A2836G16GX2-TZ5NXRK	SK Hynix	EXPO	16GB	SS	28-36-36-32	1.4	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000A2636H16GX2-TZ5NXRK	SK Hynix	EXPO	16GB	SS	26-36-36-32	1.45	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000A3636F16GX2-TZ5NXRK	Samsung	EXPO	16GB	SS	36-36-36-76	1.35	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000A3038F16GX2-TZ5NXRK	SK Hynix	EXPO	16GB	SS	30-38-38-32	1.35	●	●	
Kingmax	U-DIMM	6000	6000	KMLD53600016GSHZ38	CXMT-A	XMP/EXPO	16GB	SS	38-48-48-96	1.2	●	●	
CORSAIR	U-DIMM	6000	6000	CMH16GX5M2E6000Z36	Micron	XMP/EXPO	8GB	SS	36-44-44-96	1.35	●	●	
KINGBANK	U-DIMM	6000	6000	KPR524G60C36SH	CXSH-M	XMP/EXPO	24GB	SS	36-38-38-88	1.25	●	●	
G.SKILL	U-DIMM	6000	6000	F5-6000J4848D16GX2-FX5	Spectek	XMP/EXPO	16GB	SS	48-48-48-96	1.25	●	●	
ROG	U-DIMM	6000	6000	ROGACN6000CL30-24GBROG20	SK Hynix	XMP/EXPO	2x 24GB	SS	30-38-38-76	1.35	●	●	
EpicGear	U-DIMM	6000	6000	GEV5OW532GB6000C28DC	SK Hynix	XMP/EXPO	2x 16GB	SS	28-40-40-84	1.4	●	●	
EpicGear	U-DIMM	6000	6000	GARQSW532GB6000C42ADC	Micron	XMP/EXPO	2x 16GB	SS	42-48-48-96	1.35	●	●	
EpicGear	U-DIMM	6000	6000	GEV5OW532GB6000C36DC	Micron	XMP/EXPO	2x 16GB	SS	36-48-48-96	1.35	●	●	
EpicGear	U-DIMM	6000	6000	GEV5OW532GB6000C30DC	SK Hynix	XMP/EXPO	2x 16GB	SS	30-40-40-84	1.4	●	●	
EpicGear	U-DIMM	6000	6000	GEV5RW532GB6000C40DC	Micron	XMP/EXPO	2x 16GB	SS	40-48-48-96	1.25	●	●	
KINGSTON	U-DIMM	6000	6000	KF560C30BWEAK2-64	Hynix A-die	XMP/EXPO	2x 32GB	DS	30-36-36-80	1.4	●	●	
Team Group	U-DIMM	6200	6200	FF3D516G6200HC38ABK	Hynix	XMP	16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6200	6200	FF3D532G6200HC38ADC01	Hynix	XMP	2x 16GB	SS	38-38-38-78	1.25	●	●	
Team Group	U-DIMM	6200	6200	FF4D532G6200HC38ADC01	Hynix	XMP	2x 16GB	SS	38-38-38-78	1.25	●	●	
OLOY	U-DIMM	6200	6200	MD5U1662320BRSDE	SK Hynix	XMP	2x 16GB	DS	32-38-38-76	1.35	●	●	
OLOY	U-DIMM	6200	6200	ND5U1662320BRSDE	SK Hynix	XMP	16GB	DS	32-38-38-76	1.35	●	●	
OLOY	U-DIMM	6200	6200	MD5U1662320BRKDE	SK Hynix	XMP	16GB	DS	32-38-38-76	1.35	●	●	
OLOY	U-DIMM	6200	6200	ND5U1662320BRKDE	SK Hynix	XMP	16GB	DS	32-38-38-76	1.35	●	●	
OLOY	U-DIMM	6200	6200	M-POWER6232AW16	SK Hynix	XMP	16GB	DS	32-38-38-76	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
GEIL	U-DIMM	6200	6200	GAESG532GB6200C38ADC	SK Hynix	EXPO	2x 16GB	SS	38-40-40-82	1.35	●	●	
GEIL	U-DIMM	6200	6200	GAESW532GB6200C38ADC	SK Hynix	EXPO	2x 16GB	SS	38-40-40-82	1.35	●	●	
CORSAIR	U-DIMM	6200	6200	CMH32GX5M2X6200C32 ver. 5.43.13	SK Hynix	XMP	2x 16GB	SS	32-38-38-80	1.4	●	●	
Netac	U-DIMM	6200	6200	NZCSU1BD5326200BH8DP	SK Hynix	XMP	2x 16GB	SS	32-38-38-96	1.35	●	●	
Galaxy	U-DIMM	6200	6200	BMS5CRL4CHE6200A32DD322C	SK Hynix	XMP/EXPO	2x 16GB	SS	32-38-38-76	1.35	●	●	
V-color	U-DIMM	6200	6200	GTMXPL1662836KWK	SK Hynix	XMP	2x 16GB	SS	36-39-39-76	1.3	●	●	
Galax	U-DIMM	6200	6200	BMS5BRL4BHE6200A32DD322C	SK Hynix	XMP/EXPO	2x 16GB	SS	32-38-38-76	1.35	●	●	
Origin Code	U-DIMM	6200	6200	OCL622632D-VS	Hynix-A	XMP/EXPO	16GB	SS	26-36-36-86	1.5	●	●	
Origin Code	U-DIMM	6200	6200	OCL622848D-VB	Hynix-M	XMP/EXPO	24GB	SS	28-35-35-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF3D516G6400HC40BBK	Hynix	XMP	16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF3D532G6400HC40BDC01	Hynix	XMP	2x 16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF4D532G6400HC40BDC01	Hynix	XMP	2x 16GB	SS	40-40-40-84	1.35	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C4016G-DCCARGY	SK Hynix M-Die	XMP	2x 16GB	SS	40-40-40-76	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C4016G-CCARGY	SK Hynix M-Die	XMP	2x 16GB	SS	40-40-40-76	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C4016G-CCCAGY	SK Hynix M-Die	XMP	2x 16GB	SS	40-40-40-76	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C4016G-DCCAGY	SK Hynix M-Die	XMP	2x 16GB	SS	40-40-40-76	1.4	●	●	
CORSAIR	U-DIMM	6400	6400	CMK32GX5M2X6400C38 Ver 5.43.13	SK Hynix	XMP	2x 16GB	SS	38-40-40-84	1.35	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32RSAK2-32	Hynix-M die	XMP	2x 16GB	SS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32RSA-16	Hynix-M die	XMP	16GB	SS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32RSK2-32	Hynix-M die	XMP	2x 16GB	SS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32RS-16	Hynix-M die	XMP	16GB	SS	32-39-39-80	1.4	●	●	
GEIL	U-DIMM	6400	6400	GAESG532GB6400C38ADC	SK Hynix	EXPO	2x 16GB	SS	38-40-40-82	1.35	●	●	
GEIL	U-DIMM	6400	6400	GAESW532GB6400C38ADC	SK Hynix	EXPO	2x 16GB	SS	38-40-40-82	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
CORSAIR	U-DIMM	6400	6400	CMT32GX5M2X6400C38 Ver 5.43.13	SK Hynix	XMP	2x 16GB	SS	38-40-40-84	1.35	●	●	
CORSAIR	U-DIMM	6400	6400	CMH32GX5M2X6400C38 Ver 5.43.13	SK Hynix	XMP	2x 16GB	SS	38-40-40-84	1.35	●	●	
CORSAIR	U-DIMM	6400	6400	CMK32GX5M2B6400C36 Ver 3.43.02	Micron	XMP	2x 16GB	SS	36-48-48-104	1.4	●	●	
CORSAIR	U-DIMM	6400	6400	CMH32GX5M2B6400C36 Ver 3.43.02	Micron	XMP	2x 16GB	SS	36-48-48-104	1.4	●	●	
CORSAIR	U-DIMM	6400	6400	CMT64GX5M2B6400C32 Ver 5.43.01	SK Hynix	XMP	2x 32GB	DS	32-40-40-84	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32RWK2-32	SK Hynix	XMP	2x 16GB	SS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32RW-16	SK Hynix	XMP	2x 16GB	SS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32RWAK2-32	SK Hynix	XMP	2x 16GB	SS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32RWA-16	SK Hynix	XMP	2x 16GB	SS	32-39-39-80	1.4	●	●	
Asgard	U-DIMM	6400	6400	VAM5UX64C32AG-CVALW	SK Hynix	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●	
G.SKILL	U-DIMM	6400	6400	F5-6400J3239G32GX2-TZ5RK	SK Hynix	XMP	2x 32GB	DS	32-39-39-102	1.4	●	●	
G.SKILL	U-DIMM	6400	6400	F5-6400J3239G32GX2-TZ5RS	SK Hynix	XMP	2x 32GB	DS	32-39-39-102	1.4	●	●	
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400GDGA	SK Hynix	XMP	16GB	SS	32-38-38-76	1.4	●	●	
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400GDWA	SK Hynix	XMP	16GB	SS	32-38-38-76	1.4	●	●	
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400GDLA	SK Hynix	XMP	16GB	SS	32-38-38-76	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-BLACK	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-CLABK	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-DCLABK	SK Hynix M-Die	XMP/EXPO	2x 24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-BLAWH	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-CLAWH	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-DCLAWH	SK Hynix M-Die	XMP/EXPO	2x 24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-BCAGY	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-CCAGY	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-DCCAGY	SK Hynix M-Die	XMP/EXPO	2x 24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-BLABBK	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-SLABBK	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-DTLABBK	SK Hynix M-Die	XMP/EXPO	2x 24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-BLABWH	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-SLABWH	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-DTLABWH	SK Hynix M-Die	XMP/EXPO	2x 24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-BLARBK	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-CLARBK	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-DCLARBK	SK Hynix M-Die	XMP/EXPO	2x 24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-BLARWH	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-CLARWH	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-DCLARWH	SK Hynix M-Die	XMP/EXPO	2x 24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-BCARGY	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-CCARGY	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-DCCARGY	SK Hynix M-Die	XMP/EXPO	2x 24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-BLARBBK	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-SLARBBK	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-DTLARBBK	SK Hynix M-Die	XMP/EXPO	2x 24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-BLARBWH	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●	
PREDATOR	U-DIMM	6400	6400	BL.9BWWR.424	SK Hynix	XMP	2x 32GB	DS	32-39-39-102	1.4	●	●	
PREDATOR	U-DIMM	6400	6400	BL.9BWWR.423	SK Hynix	XMP	2x 32GB	DS	32-39-39-102	1.4	●	●	
PREDATOR	U-DIMM	6400	6400	BL.9BWWR.425	SK Hynix	XMP	2x 32GB	DS	32-39-39-102	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32AG-DTACW	SK Hynix	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-SLARBWH	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-DTLARBWH	SK Hynix M-Die	XMP/EXPO	2x 24GB	SS	32-39-39-89	1.4	●	●	
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400GD0A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●	
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400GS2A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●	
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400GS1A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●	
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400GS0A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●	
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400CD2A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●	
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400CD1A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●	
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400CD0A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●	
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400CS2A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●	
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400CS1A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●	
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400CS0A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●	
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400CS1A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●	
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400CS0A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●	
Kingston	U-DIMM	6400	6400	KF564C32RSAK2-48	SK Hynix M-Die	XMP	2x 24GB	SS	32-39-39-80	1.4	●	●	
Kingston	U-DIMM	6400	6400	KF564C32RSA-24	SK Hynix M-Die	XMP	24GB	SS	32-39-39-80	1.4	●	●	
Kingston	U-DIMM	6400	6400	KF564C32RSK2-48	SK Hynix M-Die	XMP	2x 24GB	SS	32-39-39-80	1.4	●	●	
Kingston	U-DIMM	6400	6400	KF564C32RS-24	SK Hynix M-Die	XMP	24GB	SS	32-39-39-80	1.4	●	●	
Kingston	U-DIMM	6400	6400	KF564C32RSK2-96	SK Hynix M-Die	XMP	2x 48GB	DS	32-39-39-80	1.4	●	●	
CORSAIR	U-DIMM	6400	6400	CMH96GX5M4B6400C32 Ver 5.53.13	SK Hynix	XMP	4x 24GB	SS	32-40-40-84	1.4	●	●	●
Kingston	U-DIMM	6400	6400	KF564C32RWAK2-64	Hynix A-die	XMP	2x 32GB	DS	32-39-39-80	1.4	●	●	
Kingston	U-DIMM	6400	6400	KF564C32RWA-32	Hynix A-die	XMP	32GB	DS	32-39-39-80	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Kingston	U-DIMM	6400	6400	KF564C32RSAK2-64	Hynix A-die	XMP	2x 32GB	DS	32-39-39-80	1.4	●	●	
Kingston	U-DIMM	6400	6400	KF564C32RSA-32	Hynix A-die	XMP	32GB	DS	32-39-39-80	1.4	●	●	
Kingston	U-DIMM	6400	6400	KF564C32RSK2-64	Hynix A-die	XMP	2x 32GB	DS	32-39-39-80	1.4	●	●	
Kingston	U-DIMM	6400	6400	KF564C32RS-32	Hynix A-die	XMP	32GB	DS	32-39-39-80	1.4	●	●	
Kingston	U-DIMM	6400	6400	KF564C32RWK2-64	Hynix A-die	XMP	2x 32GB	DS	32-39-39-80	1.4	●	●	
Kingston	U-DIMM	6400	6400	KF564C32RW-32	Hynix A-die	XMP	32GB	DS	32-39-39-80	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-DCLARWH	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-CLARBK	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-DCLARBK	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-CLARWH	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-CLABK	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-DCLABK	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-CLAWH	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-DCLAWH	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-CCARGY	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-DCCARGY	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BCARGY	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-CCAGY	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-DCCAGY	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BCAGY	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-SLABBK	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-DTLABBK	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-SLABWH	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-DTLABWH	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-SLABRBK	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-DTLABRBK	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-SLABRWH	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-DTLABRWH	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BLARBK	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BLARWH	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BLABK	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BLAWH	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BLABBK	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BLABWH	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BLABRBK	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BLABRWH	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
V-color	U-DIMM	6400	6400	GTMXPL1664832KWK	SK Hynix	XMP	2x 16GB	SS	32-39-39-102	1.4	●	●	
G.SKILL	U-DIMM	6400	6400	F5-6400J3239G16GX2-TZ5NRW	SK Hynix	EXPO	2x 16GB	SS	32-39-39-102	1.4	●	●	
G.SKILL	U-DIMM	6400	6400	F5-6400J3239G16GX2-TZ5NR	SK Hynix	EXPO	2x 16GB	SS	32-39-39-102	1.4	●	●	
PREDATOR	U-DIMM	6400	6400	BL.9BWWR.375	SK Hynix	XMP	2x 16GB	SS	32-39-39-102	1.4	●	●	
CORSAIR	U-DIMM	6400	6400	CMP32GX5M2B6400C32W Ver 5.43.01	SK Hynix	XMP	2x 16GB	SS	32-40-40-84	1.4	●	●	
GOLDKEY	U-DIMM	6400	6400	NMGD516F82-6400FI20	SK Hynix	XMP/EXPO	16GB	SS	40-40-40-77	1.4	●	●	
GOLDKEY	U-DIMM	6400	6400	NMUD516F82-6400FI20	SK Hynix	XMP/EXPO	16GB	SS	40-40-40-77	1.4	●	●	
Biwin	U-DIMM	6400	6400	B45BUAG76436B-TD21	Micron Y52K	XMP	16GB	SS	36-48-48-104	1.35	●	●	
Lexar	U-DIMM	6400	6400	LD5U16G64C32WG-RGD	SK Hynix	XMP	16GB	SS	32-38-38-76	1.4	●	●	
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32CG-DVDASM	SK Hynix	XMP/EXPO	24GB	SS	32-39-39-102	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
KINGBANK	U-DIMM	6400	6400	KPR516G64HM	Hynix-M die	XMP/EXPO	16GB	SS	32-39-39-80	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BB300	SK Hynix	XMP/EXPO	16GB	DS	32-39-39-89	1.35	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3248G-DCCAGY	Hynix M-die	XMP/EXPO	48GB	DS	32-39-39-89	1.4	●	●	
Asint	U-DIMM	6400	6400	ASLD5640016G8b325	SK Hynix	XMP/EXPO	16GB	SS	32-39-39-80	1.4	●	●	
GEIL	U-DIMM	6400	6400	GCB516GB6400C32SC	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-40-40-102	1.35	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BBAK2-32	Hynix A-die	XMP	2x 16GB	SS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BBA-16	Hynix A-die	XMP	16GB	SS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BWA-16	Hynix A-die	XMP	16GB	SS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BWAK2-32	Hynix A-die	XMP	2x 16GB	SS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BBAK2-64	Hynix A-die	XMP	2x 32GB	DS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BBA-32	Hynix A-die	XMP	32GB	DS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BWA-32	Hynix A-die	XMP	32GB	DS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BWAK2-64	Hynix A-die	XMP	2x 32GB	DS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BBEAK2-32	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BBEA-16	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BWEA-16	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BWEAK2-32	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BBEAK2-64	Hynix A-die	XMP/EXPO	2x 32GB	DS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BBEA-32	Hynix A-die	XMP/EXPO	32GB	DS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BWEA-32	Hynix A-die	XMP/EXPO	32GB	DS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BWEAK2-64	Hynix A-die	XMP/EXPO	2x 32GB	DS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BWK2-32	Hynix A-die	XMP	2x 16GB	SS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BB-16	Hynix A-die	XMP	16GB	SS	32-39-39-80	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
KINGSTON	U-DIMM	6400	6400	KF564C32BBK2-32	Hynix A-die	XMP	2x 16GB	SS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BW-16	Hynix A-die	XMP	16GB	SS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BWEK2-32	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BBE-16	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BBEK2-32	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BWE-16	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BWEK2-64	Hynix A-die	XMP/EXPO	2x 32GB	DS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BBE-32	Hynix A-die	XMP/EXPO	32GB	DS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BBEK2-64	Hynix A-die	XMP/EXPO	2x 32GB	DS	32-39-39-80	1.4	●	●	
KINGSTON	U-DIMM	6400	6400	KF564C32BWE-32	Hynix A-die	XMP/EXPO	32GB	DS	32-39-39-80	1.4	●	●	
Kingston	CU-DIMM	6400	4400	KVR64A52BD8-64	Micron	N/A	64GB	DS	52-52-52-103	1.1			●
GEIL	U-DIMM	6400	6400	GCB516GB6400C40SC	Spectek	XMP/EXPO	16GB	SS	40-48-48-100	1.25	●	●	
Thermaltake	U-DIMM	6400	6400	RG31D516GX2-6400C32A	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-40-40-84	1.4	●	●	
Thermaltake	U-DIMM	6400	6400	RG32D516GX2-6400C32A	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-40-40-84	1.4	●	●	
Asgard	U-DIMM	6400	6400	VAM5UX64C32AG-CBRAM	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●	
Asgard	U-DIMM	6400	6400	VAM5UX64C32AG-CVALCN	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●	
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32AG-DTBRWA	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●	
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32AG-DVDASA	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●	
Asgard	U-DIMM	6400	6400	VAM5UX64C32AG-CBR SXN	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●	
Asgard	U-DIMM	6400	6400	VAM5UH64C32AG-DVALWA	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●	
Asgard	U-DIMM	6400	6400	VAM5UX64C32AG-CGURBN	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●	
Asgard	U-DIMM	6400	6400	VAM5UX64C32AG-CVALW	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●	
Asgard	U-DIMM	6400	6400	VAM5UX64C32AG-DGURBN	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32AG-CSCJWA	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●	
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32AG-CSWURA	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●	
Asgard	U-DIMM	6400	6400	VAM5UX64C32BG-CBR SXN	SK Hynix	XMP/EXPO	32GB	DS	32-38-38-90	1.35	●	●	
Asgard	U-DIMM	6400	6400	VAM5UH64C32BG-CGURBA	SK Hynix	XMP/EXPO	32GB	DS	32-38-38-90	1.35	●	●	
Asgard	U-DIMM	6400	6400	VAM5UH64C32BG-DGURBA	SK Hynix	XMP/EXPO	32GB	DS	32-38-38-90	1.35	●	●	
Asgard	U-DIMM	6400	6400	VAM5UH64C32BG-DVALWA	SK Hynix	XMP/EXPO	32GB	DS	32-38-38-90	1.35	●	●	
Asgard	U-DIMM	6400	6400	VAM5UX64C32BG-CVALWN	SK Hynix	XMP/EXPO	32GB	DS	32-38-38-90	1.35	●	●	
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32BG-CSCJWA	SK Hynix	XMP/EXPO	32GB	DS	32-38-38-90	1.35	●	●	
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32BG-CSWURA	SK Hynix	XMP/EXPO	32GB	DS	32-38-38-90	1.35	●	●	
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32BG-DTBRWA	SK Hynix	XMP/EXPO	32GB	DS	32-38-38-90	1.35	●	●	
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32BG-DABYSN	SK Hynix	XMP/EXPO	32GB	DS	32-38-38-90	1.35	●	●	
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32CG-DVDASM	SK Hynix	XMP/EXPO	24GB	SS	32-39-39-102	1.35	●	●	
Asgard	U-DIMM	6400	6400	VAM5UH64C32CG-DHELSM	SK Hynix	XMP/EXPO	24GB	SS	32-39-39-102	1.35	●	●	
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32AG-DVDASM	SK Hynix	XMP/EXPO	16GB	SS	32-39-39-102	1.4	●	●	
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32AG-SVDASM	SK Hynix	XMP/EXPO	16GB	SS	32-39-39-102	1.4	●	●	
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32AG-DTACWM	SK Hynix	XMP/EXPO	16GB	SS	32-39-39-102	1.4	●	●	
Asgard	U-DIMM	6400	6400	VAM5UH64C32AG-DGUPBM	SK Hynix	XMP/EXPO	16GB	SS	32-39-39-102	1.4	●	●	
Asgard	U-DIMM	6400	6400	VAM5UH64C32AG-DFRESM	SK Hynix	XMP/EXPO	16GB	SS	32-39-39-102	1.4	●	●	
Asgard	U-DIMM	6400	6400	VAM5UH64C32AG-CGUPBM	SK Hynix	XMP/EXPO	16GB	SS	32-39-39-102	1.4	●	●	
CORSAIR	U-DIMM	6400	6400	CMH5X16G1B64C36A2W-CNR Ver 3.43.04	Micron	XMP	16GB	SS	36-48-48-104	1.4	●	●	
CORSAIR	U-DIMM	6400	6400	CMH5X32G2B64C32A2W-CNR Ver 5.43.01	SK Hynix	XMP	32GB	DS	32-40-40-84	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BB300	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BW300	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BB300G	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BW300G	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BB500	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BW500	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BB500G	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BW500G	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-DB500G	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-DW500G	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BWROG	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-DWROG	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BBROG	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-39-39-89	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-DBROG	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
Thermaltake	U-DIMM	6400	6400	RG31D524GX2-6400C34A	Hynix M-die	XMP/EXPO	2x 24GB	SS	34-40-40-80	1.4	●	●	
Thermaltake	U-DIMM	6400	6400	RG32D524GX2-6400C34A	Hynix M-die	XMP/EXPO	2x 24GB	SS	34-40-40-80	1.4	●	●	
Asint	U-DIMM	6400	6400	APLAD5640032GB	SK Hynix	XMP/EXPO	32GB	DS	32-39-39-89	1.4	●	●	
Asint	U-DIMM	6400	6400	APLMD5640016GB	SK Hynix	XMP/EXPO	16GB	SS	32-39-39-80	1.4	●	●	
HIKSEMI	U-DIMM	6400	6400	HSC532U64C5	SK Hynix	XMP/EXPO	2x 16GB	DS	34-40-40-84	1.35	●	●	
G.SKILL	U-DIMM	6400	6400	F5-6400J3239F48GX2-TZ5RK	SK Hynix	XMP	2x 48GB	DS	32-39-39-102	1.35	●	●	
G.SKILL	U-DIMM	6400	6400	F5-6400J3239F48GX2-TZ5RW	SK Hynix	XMP	2x 48GB	DS	32-39-39-102	1.35	●	●	
G.SKILL	U-DIMM	6400	6400	F5-6400J3239F48GX2-TZ5RS	SK Hynix	XMP	2x 48GB	DS	32-39-39-102	1.35	●	●	
G.SKILL	U-DIMM	6400	6400	F5-6400J3239F48GX2-RM5RW	SK Hynix	XMP	2x 48GB	DS	32-39-39-102	1.35	●	●	
G.SKILL	U-DIMM	6400	6400	F5-6400J3239F48GX2-RM5RK	SK Hynix	XMP	2x 48GB	DS	32-39-39-102	1.35	●	●	
G.SKILL	U-DIMM	6400	6400	F5-6400J3239F48GX2-RS5K	SK Hynix	XMP	2x 48GB	DS	32-39-39-102	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	6400	6400	FF3D524G6400HC32A01	Hynix M-Die	XMP	24GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF3D548G6400HC32ADC01	Hynix M-Die	XMP	2x 24GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF4D548G6400HC32ADC01	Hynix M-Die	XMP	2x 24GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLBD548G6400HC32ADC01	Hynix M-Die	XMP	2x 24GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLRD548G6400HC32ADC01	Hynix M-Die	XMP	2x 24GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	CTCED548G6400HC32ADC01	Hynix M-Die	XMP	2x 24GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	CTCWD548G6400HC32ADC01	Hynix M-Die	XMP	2x 24GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF3D516G6400HC32A01	Hynix A-die	XMP	16GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF4D516G6400HC32A01	Hynix A-die	XMP	16GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF7D516G6400HC32A01	Hynix A-die	XMP	16GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF8D516G6400HC32A01	Hynix A-die	XMP	16GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLABD516G6400HC32A01	Hynix A-die	XMP	16GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLARD516G6400HC32A01	Hynix A-die	XMP	16GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLBD516G6400HC32A01	Hynix A-die	XMP	16GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLRD516G6400HC32A01	Hynix A-die	XMP	16GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF3D532G6400HC32ADC01	Hynix A-die	XMP	2x 16GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF4D532G6400HC32ADC01	Hynix A-die	XMP	2x 16GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF7D532G6400HC32ADC01	Hynix A-die	XMP	2x 16GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF8D532G6400HC32ADC01	Hynix A-die	XMP	2x 16GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLABD532G6400HC32ADC01	Hynix A-die	XMP	2x 16GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLARD532G6400HC32ADC01	Hynix A-die	XMP	2x 16GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLBD532G6400HC32ADC01	Hynix A-die	XMP	2x 16GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLRD532G6400HC32ADC01	Hynix A-die	XMP	2x 16GB	SS	32-39-39-84	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	6400	6400	CTCED532G6400HC32ADC01	Hynix A-die	XMP	2x 16GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	CTCWD532G6400HC32ADC01	Hynix A-die	XMP	2x 16GB	SS	32-39-39-84	1.35	●	●	
Silicon-Power	U-DIMM	6400	6400	SP016GXLWU64AFSJ	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-102	1.4	●	●	
Silicon-Power	U-DIMM	6400	6400	SP016GXLWU64AFSK	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-102	1.4	●	●	
G.SKILL	U-DIMM	6400	6400	F5-6400J3239G16X2-TZ5RS	SK Hynix	XMP	2x 16GB	SS	32-39-39-102	1.4	●	●	
CORSAIR	U-DIMM	6400	6400	CMK32GX5M2B6400Z32 Ver 5.43.01	SK Hynix	XMP/EXPO	2x 16GB	SS	32-40-40-84	1.4	●	●	
CORSAIR	U-DIMM	6400	6400	CMH32GX5M2B6400Z32 Ver 5.43.01	SK Hynix	XMP/EXPO	2x 16GB	SS	32-40-40-84	1.4	●	●	
CORSAIR	U-DIMM	6400	6400	CMP96GX5M4B6400C32 Ver5.53.13	SK Hynix	XMP	4x 24GB	SS	32-40-40-84	1.4			●
KINGBANK	U-DIMM	6400	6400	KPR564C30HA	SK Hynix	XMP/EXPO	16GB	SS	30-38-38-88	1.45	●	●	
Crucial	U-DIMM	6400	6400	CP16G64C38U5W.M8D3	Mircon&Spec Tek	XMP/EXPO	16GB	SS	38-40-40-84	1.35	●	●	
Colorful	U-DIMM	6400	6400	IG16G6400D5SP28W	SK Hynix	XMP/EXPO	16GB	SS	28-38-38-102	1.45	●	●	
JUHOR	U-DIMM	6400	6400	JHE6400U3216JG	SK Hynix	XMP/EXPO	16GB	SS	32-39-39-80	1.4	●	●	
Kingston	CU-DIMM	6400	6400	KVR64A52BD8-32	Micron	N/A	32GB	DS	52-52-52-103	1.1	●	●	
Kingston	CU-DIMM	6400	6400	KVR64A52BS8-16	Micron	N/A	16GB	SS	52-52-52-103	1.1	●	●	
Kingston	CU-DIMM	6400	6400	KVR64A52BS6-8	Micron	N/A	8GB	SS	52-52-52-103	1.1	●	●	
Kingston	CU-DIMM	6400	6400	KVR64A52BS8-32	Micron	N/A	32GB	SS	52-52-52-103	1.1	●	●	
Kingston	CU-DIMM	6400	6400	KVR64A52BD8-64	Micron	N/A	64GB	DS	52-52-52-103	1.1	●	●	
Team Group	U-DIMM	6400	6400	FF3D532G6400HC34DDC01	Hynix A	XMP/EXPO	2x 16GB	SS	34-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF4D532G6400HC34DDC01	Hynix A	XMP/EXPO	2x 16GB	SS	34-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF4D516G6400HC34D01	Hynix A	XMP/EXPO	16GB	SS	34-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF3D516G6400HC34D01	Hynix A	XMP/EXPO	16GB	SS	34-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF8D532G6400HC34DDC01	Hynix A	XMP/EXPO	2x 16GB	SS	34-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF7D532G6400HC34DDC01	Hynix A	XMP/EXPO	2x 16GB	SS	34-39-39-76	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	6400	6400	FF8D516G6400HC34D01	Hynix A	XMP/EXPO	16GB	SS	34-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF7D516G6400HC34D01	Hynix A	XMP/EXPO	16GB	SS	34-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLRD532G6400HC34DDC01	Hynix A	XMP/EXPO	2x 16GB	SS	34-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLBD532G6400HC34DDC01	Hynix A	XMP/EXPO	2x 16GB	SS	34-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLRD516G6400HC34D01	Hynix A	XMP/EXPO	16GB	SS	34-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLBD516G6400HC34D01	Hynix A	XMP/EXPO	16GB	SS	34-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLARD532G6400HC34DDC01	Hynix A	XMP/EXPO	2x 16GB	SS	34-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLABD532G6400HC34DDC01	Hynix A	XMP/EXPO	2x 16GB	SS	34-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLARD516G6400HC34D01	Hynix A	XMP/EXPO	16GB	SS	34-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLABD516G6400HC34D01	Hynix A	XMP/EXPO	16GB	SS	34-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	CTCED532G6400HC34DDC01	Hynix A	XMP/EXPO	2x 16GB	SS	34-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	CTCWD532G6400HC34DDC01	Hynix A	XMP/EXPO	2x 16GB	SS	34-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF3D532G6400HC30CDC01	Hynix A	XMP/EXPO	2x 16GB	SS	30-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF4D532G6400HC30CDC01	Hynix A	XMP/EXPO	2x 16GB	SS	30-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF4D516G6400HC30C01	Hynix A	XMP/EXPO	16GB	SS	30-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF3D516G6400HC30C01	Hynix A	XMP/EXPO	16GB	SS	30-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF8D532G6400HC30CDC01	Hynix A	XMP/EXPO	2x 16GB	SS	30-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF7D532G6400HC30CDC01	Hynix A	XMP/EXPO	2x 16GB	SS	30-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF8D516G6400HC30C01	Hynix A	XMP/EXPO	16GB	SS	30-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF7D516G6400HC30C01	Hynix A	XMP/EXPO	16GB	SS	30-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLRD532G6400HC30CDC01	Hynix A	XMP/EXPO	2x 16GB	SS	30-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLBD532G6400HC30CDC01	Hynix A	XMP/EXPO	2x 16GB	SS	30-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLRD516G6400HC30C01	Hynix A	XMP/EXPO	16GB	SS	30-39-39-76	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	6400	6400	FLBD516G6400HC30C01	Hynix A	XMP/EXPO	16GB	SS	30-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLARD532G6400HC30CDC01	Hynix A	XMP/EXPO	2x 16GB	SS	30-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLABD532G6400HC30CDC01	Hynix A	XMP/EXPO	2x 16GB	SS	30-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLARD516G6400HC30C01	Hynix A	XMP/EXPO	16GB	SS	30-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLABD516G6400HC30C01	Hynix A	XMP/EXPO	16GB	SS	30-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	CTCED532G6400HC30CDC01	Hynix A	XMP/EXPO	2x 16GB	SS	30-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	CTCWD532G6400HC30CDC01	Hynix A	XMP/EXPO	2x 16GB	SS	30-39-39-76	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF3D596G6400HC32ADC01	Hynix M	XMP/EXPO	2x 48GB	DS	32-39-39-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FF4D596G6400HC32ADC01	Hynix M	XMP/EXPO	2x 48GB	DS	32-39-39-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	CTCWD596G6400HC32ADC01	Hynix M	XMP/EXPO	2x 48GB	DS	32-39-39-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	CTCED596G6400HC32ADC01	Hynix M	XMP/EXPO	2x 48GB	DS	32-39-39-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FF3D564G6400HC34BDC01	Hynix A	XMP/EXPO	2x 32GB	DS	34-44-44-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF4D564G6400HC34BDC01	Hynix A	XMP/EXPO	2x 32GB	DS	34-44-44-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF8D564G6400HC34BDC01	Hynix A	XMP/EXPO	2x 32GB	DS	34-44-44-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF7D564G6400HC34BDC01	Hynix A	XMP/EXPO	2x 32GB	DS	34-44-44-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF8D532G6400HC34B01	Hynix A	XMP/EXPO	16GB	DS	34-44-44-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF7D532G6400HC34B01	Hynix A	XMP/EXPO	16GB	DS	34-44-44-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLRD564G6400HC34BDC01	Hynix A	XMP/EXPO	2x 32GB	DS	34-44-44-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLBD564G6400HC34BDC01	Hynix A	XMP/EXPO	2x 32GB	DS	34-44-44-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLRD532G6400HC34B01	Hynix A	XMP/EXPO	16GB	DS	34-44-44-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLBD532G6400HC34B01	Hynix A	XMP/EXPO	16GB	DS	34-44-44-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLARD564G6400HC34BDC01	Hynix A	XMP/EXPO	2x 32GB	DS	34-44-44-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLABD564G6400HC34BDC01	Hynix A	XMP/EXPO	2x 32GB	DS	34-44-44-84	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	6400	6400	FLARD532G6400HC34B01	Hynix A	XMP/EXPO	16GB	DS	34-44-44-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLABD532G6400HC34B01	Hynix A	XMP/EXPO	16GB	DS	34-44-44-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	CTCWD564G6400HC34BDC01	Hynix A	XMP/EXPO	2x 32GB	DS	34-44-44-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	CTCED564G6400HC34BDC01	Hynix A	XMP/EXPO	2x 32GB	DS	34-44-44-84	1.35	●	●	
Lexar	U-DIMM	6400	6400	LD5U16G64C28LW-RCD	Hynix A-die	XMP/EXPO	16GB	SS	28-38-38-76	1.45	●	●	
Lexar	U-DIMM	6400	6400	LD5U16G64C28SW-RCD	Hynix A-die	XMP/EXPO	16GB	SS	28-38-38-76	1.45	●	●	
Lexar	U-DIMM	6400	6400	LD5U16G64C28BR-RGD	Hynix A-die	XMP/EXPO	16GB	SS	28-38-38-76	1.45	●	●	
Lexar	U-DIMM	6400	6400	LD5U16G64C28SR-RGD	Hynix A-die	XMP/EXPO	16GB	SS	28-38-38-76	1.45	●	●	
Lexar	U-DIMM	6400	6400	LD5U16G64C28BR-RGS	Hynix A-die	XMP/EXPO	16GB	SS	28-38-38-76	1.45	●	●	
Lexar	U-DIMM	6400	6400	LD5U16G64C28SR-RGS	Hynix A-die	XMP/EXPO	16GB	SS	28-38-38-76	1.45	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3816G-BLABWH	Spectek	XMP/EXPO	16GB	SS	38-40-40-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FF3D564G6400HC34EDC01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FF9D564G6400HC34EDC01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FF9D548G6400HC32ADC01	SK Hynix	XMP/EXPO	2x 24GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF9D532G6400HC32ADC01	SK Hynix	XMP/EXPO	2x 16GB	SS	32-39-39-84	1.35	●	●	
Lexar	U-DIMM	6400	6400	LD5U32G64C32BR	SK Hynix	XMP/EXPO	32GB	DS	32-39-39-89	1.4	●	●	
Team Group	U-DIMM	6400	6400	FFAD564G6400HC34EDC01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FFXD564G6400HC34EDC01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FFWD564G6400HC34EDC01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FFPD564G6400HC34EDC01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FF3D532G6400HC34E01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FF4D564G6400HC34EDC01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FF4D532G6400HC34E01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	6400	6400	FF8D564G6400HC34EDC01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FF8D532G6400HC34E01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FF7D564G6400HC34EDC01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FF7D532G6400HC34E01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FLRD564G6400HC34EDC01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FLRD532G6400HC34E01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FLBD564G6400HC34EDC01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FLBD532G6400HC34E01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FLARD564G6400HC34EDC01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FLARD532G6400HC34E01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FLABD564G6400HC34EDC01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FLABD532G6400HC34E01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	CTCWD564G6400HC34EDC01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	CTCED564G6400HC34EDC01	SK Hynix	XMP/EXPO	2x 32GB	DS	34-46-46-84	1.4	●	●	
Team Group	U-DIMM	6400	6400	FFAD548G6400HC32ADC01	SK Hynix	XMP/EXPO	2x 24GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FFXD548G6400HC32ADC01	SK Hynix	XMP/EXPO	2x 24GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FFWD548G6400HC32ADC01	SK Hynix	XMP/EXPO	2x 24GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FFPD548G6400HC32ADC01	SK Hynix	XMP/EXPO	2x 24GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FFAD532G6400HC32ADC01	SK Hynix	XMP/EXPO	2x 16GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FFXD532G6400HC32ADC01	SK Hynix	XMP/EXPO	2x 16GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FFWD532G6400HC32ADC01	SK Hynix	XMP/EXPO	2x 16GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FFPD532G6400HC32ADC01	SK Hynix	XMP/EXPO	2x 16GB	SS	32-39-39-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF4D532G6400HC38JDC01	Spectek	XMP/EXPO	2x 16GB	SS	38-46-46-84	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	6400	6400	FF3D532G6400HC38JDC01	Spectek	XMP/EXPO	2x 16GB	SS	38-46-46-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF2D532G6400HC38JDC01	Spectek	XMP/EXPO	2x 16GB	SS	38-46-46-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF7D532G6400HC38JDC01	Spectek	XMP/EXPO	2x 16GB	SS	38-46-46-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF8D532G6400HC38JDC01	Spectek	XMP/EXPO	2x 16GB	SS	38-46-46-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLBD532G6400HC38JDC01	Spectek	XMP/EXPO	2x 16GB	SS	38-46-46-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLRD532G6400HC38JDC01	Spectek	XMP/EXPO	2x 16GB	SS	38-46-46-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLABD532G6400HC38JDC01	Spectek	XMP/EXPO	2x 16GB	SS	38-46-46-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLARD532G6400HC38JDC01	Spectek	XMP/EXPO	2x 16GB	SS	38-46-46-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLESD532G6400HC38JDC01	Spectek	XMP/EXPO	2x 16GB	SS	38-46-46-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	CTCED532G6400HC38JDC01	Spectek	XMP/EXPO	2x 16GB	SS	38-46-46-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	CTCWD532G6400HC38JDC01	Spectek	XMP/EXPO	2x 16GB	SS	38-46-46-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF4D516G6400HC38J01	Spectek	XMP/EXPO	16GB	SS	38-46-46-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF3D516G6400HC38J01	Spectek	XMP/EXPO	16GB	SS	38-46-46-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF2D516G6400HC38J01	Spectek	XMP/EXPO	16GB	SS	38-46-46-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF7D516G6400HC38J01	Spectek	XMP/EXPO	16GB	SS	38-46-46-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF8D516G6400HC38J01	Spectek	XMP/EXPO	16GB	SS	38-46-46-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLBD516G6400HC38J01	Spectek	XMP/EXPO	16GB	SS	38-46-46-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLRD516G6400HC38J01	Spectek	XMP/EXPO	16GB	SS	38-46-46-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLABD516G6400HC38J01	Spectek	XMP/EXPO	16GB	SS	38-46-46-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLARD516G6400HC38J01	Spectek	XMP/EXPO	16GB	SS	38-46-46-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLESD516G6400HC38J01	Spectek	XMP/EXPO	16GB	SS	38-46-46-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF4D532G6400HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF3D532G6400HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	6400	6400	FF2D532G6400HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF7D532G6400HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF8D532G6400HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLBD532G6400HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLRD532G6400HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLESD532G6400HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLABD532G6400HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLARD532G6400HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	CTCED532G6400HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	CTCWD532G6400HC40BDC01	Spectek	XMP/EXPO	2x 16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF4D516G6400HC40B01	Spectek	XMP/EXPO	16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF3D516G6400HC40B01	Spectek	XMP/EXPO	16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF2D516G6400HC40B01	Spectek	XMP/EXPO	16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF7D516G6400HC40B01	Spectek	XMP/EXPO	16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF8D516G6400HC40B01	Spectek	XMP/EXPO	16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLBD516G6400HC40B01	Spectek	XMP/EXPO	16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLRD516G6400HC40B01	Spectek	XMP/EXPO	16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLESD516G6400HC40B01	Spectek	XMP/EXPO	16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLABD516G6400HC40B01	Spectek	XMP/EXPO	16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLARD516G6400HC40B01	Spectek	XMP/EXPO	16GB	SS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF4D564G6400HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF3D564G6400HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF2D564G6400HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	6400	6400	FF7D564G6400HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF8D564G6400HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLBD564G6400HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLRD564G6400HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLESD564G6400HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLABD564G6400HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLARD564G6400HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	CTCED564G6400HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	CTCWD564G6400HC40BDC01	Spectek	XMP/EXPO	2x 32GB	DS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF4D532G6400HC40B01	Spectek	XMP/EXPO	32GB	DS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF3D532G6400HC40B01	Spectek	XMP/EXPO	32GB	DS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF2D532G6400HC40B01	Spectek	XMP/EXPO	32GB	DS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF7D532G6400HC40B01	Spectek	XMP/EXPO	32GB	DS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FF8D532G6400HC40B01	Spectek	XMP/EXPO	32GB	DS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLBD532G6400HC40B01	Spectek	XMP/EXPO	32GB	DS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLRD532G6400HC40B01	Spectek	XMP/EXPO	32GB	DS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLESD532G6400HC40B01	Spectek	XMP/EXPO	32GB	DS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLABD532G6400HC40B01	Spectek	XMP/EXPO	32GB	DS	40-40-40-84	1.35	●	●	
Team Group	U-DIMM	6400	6400	FLARD532G6400HC40B01	Spectek	XMP/EXPO	32GB	DS	40-40-40-84	1.35	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3816G-SLABWH	Spectek	XMP/EXPO	16GB	SS	38-40-40-84	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3816G-DTLABWH	Spectek	XMP/EXPO	16GB	SS	38-40-40-84	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3816G-BLABBK	Spectek	XMP/EXPO	16GB	SS	38-40-40-84	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3816G-SLABBK	Spectek	XMP/EXPO	16GB	SS	38-40-40-84	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	6400	6400	AX5U6400C3816G-DTLABBK	Spectek	XMP/EXPO	16GB	SS	38-40-40-84	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3816G-BLABK	Spectek	XMP/EXPO	16GB	SS	38-40-40-84	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3816G-CLABK	Spectek	XMP/EXPO	16GB	SS	38-40-40-84	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3816G-DCLABK	Spectek	XMP/EXPO	16GB	SS	38-40-40-84	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3816G-BLAWH	Spectek	XMP/EXPO	16GB	SS	38-40-40-84	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3816G-CLAWH	Spectek	XMP/EXPO	16GB	SS	38-40-40-84	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3816G-DCLAWH	Spectek	XMP/EXPO	16GB	SS	38-40-40-84	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3816G-BB300	Spectek	XMP/EXPO	16GB	SS	38-40-40-84	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3816G-BW300	Spectek	XMP/EXPO	16GB	SS	38-40-40-84	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3816G-BB500	Spectek	XMP/EXPO	16GB	SS	38-40-40-84	1.4	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3816G-BW500	Spectek	XMP/EXPO	16GB	SS	38-40-40-84	1.4	●	●	
Crucial	U-DIMM	6400	6400	CP16G64C38U58.M8D1	Micron&Spec Tek	XMP/EXPO	16GB	SS	38-40-40-84	1.35	●	●	
ZHIKE	U-DIMM	6400	6400	ZKM48GX5M6400C32-B	SK Hynix	XMP/EXPO	4x 48GB	DS	32-39-39-89	1.4	●	●	
ADATA	CU-DIMM	6400	6400	AD5CU640032G16-B	SK Hynix	N/A	32GB	DS	52-52-52-103	1.1	●	●	
CORSAIR	U-DIMM	6400	6400	CMH64GX5M2B6400C42W Ver3.63.01	Mircon & SpecTek	XMP	2x 32GB	SS	42-52-52-104	1.35	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C5216G-BLARBK	Mircon & SpecTek	XMP/EXPO	16GB	SS	52-52-52-103	1.1	●	●	
Kimtigo	U-DIMM	6400	6400	KM5UFG878D-6400XMegrezA	SK Hynix	XMP/EXPO	16GB	SS	32-39-39-90	1.35	●	●	
CORSAIR	U-DIMM	6400	6400	CMH48GX5M2B6400Z36 Ver3.53.02	Mircon & SpecTek	XMP/EXPO	2x 24GB	SS	36-48-48-104	1.35	●	●	
CORSAIR	U-DIMM	6400	6400	CMK64GX5M2B6400C42 Ver 3.63.01	Mircon & SpecTek	XMP	2x 32GB	SS	42-52-52-104	1.35	●	●	
Lexar	U-DIMM	6400	6400	LD5U16G64C40BV-RGD	Mircon & SpecTek	XMP/EXPO	4x 16GB	SS	40-48-48-102	1.4	●	●	
Asgard	U-DIMM	6400	6400	VAM5UH64C32DG-DHMRBM	SK Hynix	XMP/EXPO	2x 48GB	DS	32-39-39-102	1.35	●	●	
Lexar	U-DIMM	6400	6400	LD5U64G64C42SV-RGD	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	42-52-52-104	1.35	●	●	
Lexar	U-DIMM	6400	6400	LD5U64G64C42BV-RGD	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	42-52-52-104	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Lexar	U-DIMM	6400	6400	LD5U64G64C42LV-RGD	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	42-52-52-104	1.35	●	●	
Lexar	U-DIMM	6400	6400	LD5U64G64C42EV-RGD	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	42-52-52-104	1.35	●	●	
Lexar	U-DIMM	6400	6400	LD5U64G64C42BV-RGS	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	42-52-52-104	1.35	●	●	
Lexar	U-DIMM	6400	6400	LD5U64G64C42SV-RGS	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	42-52-52-104	1.35	●	●	
EpicGear	U-DIMM	6400	6400	GEV5TB516GB6400C40S	Mircon & SpecTek	XMP/EXPO	2x 16GB	SS	40-48-48-100	1.25	●	●	
Lexar	U-DIMM	6400	6400	LD5U32G64C42BV-RGD	Mircon & SpecTek	XMP/EXPO	2x 32GB	SS	42-52-52-102	1.35	●	●	
Lexar	U-DIMM	6400	6400	LD5U32G64C42SV-RGD	Mircon & SpecTek	XMP/EXPO	2x 32GB	SS	42-52-52-102	1.35	●	●	
Lexar	U-DIMM	6400	6400	LD5U32G64C42LV-RGD	Mircon & SpecTek	XMP/EXPO	2x 32GB	SS	42-52-52-102	1.35	●	●	
Lexar	U-DIMM	6400	6400	LD5U32G64C42EV-RGD	Mircon & SpecTek	XMP/EXPO	2x 32GB	SS	42-52-52-102	1.35	●	●	
Lexar	U-DIMM	6400	6400	LD5U32G64C42BV-RGS	Mircon & SpecTek	XMP/EXPO	2x 32GB	SS	42-52-52-102	1.35	●	●	
Lexar	U-DIMM	6400	6400	LD5U32G64C42SV-RGS	Mircon & SpecTek	XMP/EXPO	2x 32GB	SS	42-52-52-102	1.35	●	●	
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BLABRBK	Hynix-M	XMP/EXPO	16GB	SS	32-39-39-89	1.4	●	●	
Lexar	U-DIMM	6400	6400	LD5U64G64C32BR-RGD	SK Hynix	XMP/EXPO	64GB	DS	32-45-45-102	1.4	●	●	
Lexar	U-DIMM	6400	6400	LD5U64G64C32SR-RGD	SK Hynix	XMP/EXPO	64GB	DS	32-45-45-102	1.4	●	●	
Lexar	U-DIMM	6400	6400	LD5U64G64C32LW-RCD	SK Hynix	XMP/EXPO	64GB	DS	32-45-45-102	1.4	●	●	
Lexar	U-DIMM	6400	6400	LD5U64G64C32SW-RCD	SK Hynix	XMP/EXPO	64GB	DS	32-45-45-102	1.4	●	●	
KLEVV	U-DIMM	6400	6400	KD5CGUB80-64A340G	SK Hynix	XMP/EXPO	64GB	DS	34-46-46-78	1.35	●	●	
GLOWAY	U-DIMM	6400	6400	VGM5US64C42BG-DVDASN	Micron	XMP/EXPO	32GB	SS	42-52-52-104	1.35	●	●	
GLOWAY	U-DIMM	6400	6400	VGM5US64C42BG-DVDABN	Micron	XMP/EXPO	32GB	SS	42-52-52-104	1.35	●	●	
GLOWAY	U-DIMM	6400	6400	VGM5US64C42BG-DTACWN	Micron	XMP/EXPO	32GB	SS	42-52-52-104	1.35	●	●	
Asgard	U-DIMM	6400	6400	VAM5US64C42BG-DHMRBN	Micron	XMP/EXPO	32GB	SS	42-52-52-104	1.35	●	●	
Asgard	U-DIMM	6400	6400	VAM5US64C42BG-DHMRWN	Micron	XMP/EXPO	32GB	SS	42-52-52-104	1.35	●	●	
Asgard	U-DIMM	6400	6400	VAM5US64C42BG-CTHRBN	Micron	XMP/EXPO	32GB	SS	42-52-52-104	1.35	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Asgard	U-DIMM	6400	6400	VAM5US64C42BG-CTHRWN	Micron	XMP/EXPO	32GB	SS	42-52-52-104	1.35	●	●	
EpicGear	U-DIMM	6400	6400	GAEV5OB532GB6400C32DC	SK Hynix	XMP/EXPO	16GB	SS	32-40-40-84	1.35	●	●	
EpicGear	U-DIMM	6400	6400	GEV5RW532GB6400C40DC	Micron	XMP/EXPO	2x 16GB	SS	40-48-48-100	1.25	●	●	
EpicGear	U-DIMM	6400	6400	GARQSB532GB6400C40DC	Micron	XMP/EXPO	2x 16GB	SS	42-48-48-96	1.35	●	●	
CORSAIR	U-DIMM	6600	6600	CMT32GX5M2X6600C32 Ver 5.43.13	SK Hynix	XMP	2x 16GB	SS	32-39-39-76	1.4	●	●	
GEIL	U-DIMM	6600	6600	GESG532GB6600C38ADC	SK Hynix	XMP/EXPO	2x 16GB	SS	38-40-40-82	1.35	●	●	
GEIL	U-DIMM	6600	6600	GESW532GB6600C38ADC	SK Hynix	EXPO	2x 16GB	SS	38-40-40-82	1.35	●	●	
CORSAIR	U-DIMM	6600	6600	CMK32GX5M2B6600C38 Ver 3.43.02	Micron	XMP	2x 16GB	SS	38-48-48-106	1.4	●	●	
Colorful	U-DIMM	6600	6600	BA16G6600D5UP34W	SK Hynix	XMP	16GB	SS	34-44-44-108	1.4	●	●	
Colorful	U-DIMM	6600	6600	CV16G6600D5VP34S	SK Hynix	XMP	2x 16GB	SS	34-44-44-108	1.4	●	●	
Asgard	U-DIMM	6600	6600	VAM5UX66C34AG-CBRAM	SK Hynix	XMP/EXPO	16GB	SS	34-40-40-90	1.35	●	●	
PREDATOR	U-DIMM	6600	6600	BL.9BWWR.368	Hynix A-die	XMP	2x 16GB	SS	34-40-40-105	1.4	●	●	
PREDATOR	U-DIMM	6600	6600	BL.9BWWR.359	Hynix A-die	XMP	2x 16GB	SS	34-40-40-105	1.4	●	●	
CORSAIR	U-DIMM	6600	6600	CMH64GX5M4B6600C32 Ver 5.43.01	SK Hynix	XMP	4x 16GB	SS	32-39-39-76	1.4	●	●	●
PREDATOR	U-DIMM	6600	6600	BL.9BWWR.383	SK Hynix	XMP	16GB	SS	34-40-40-105	1.4	●	●	
CORSAIR	U-DIMM	6600	6600	CMH64GX5M2B6600C32 Ver 5.43.01	SK Hynix	XMP	2x 32GB	DS	32-39-39-76	1.4	●	●	
Team Group	U-DIMM	6600	6600	FF3D516G6600HC34BK	SK Hynix	XMP	16GB	SS	34-40-40-84	1.4	●	●	
Team Group	U-DIMM	6600	6600	FF4D532G6600HC34DC01	SK Hynix	XMP	2x 16GB	SS	34-40-40-84	1.4	●	●	
Team Group	U-DIMM	6600	6600	FLBD532G6600HC34DC01	SK Hynix	XMP	2x 16GB	SS	34-40-40-84	1.4	●	●	
Team Group	U-DIMM	6600	6600	FLRD532G6600HC34DC01	SK Hynix	XMP	2x 16GB	SS	34-40-40-84	1.4	●	●	
ADATA	U-DIMM	6600	6600	AX5U6600C3216G-DCLARROG	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-44-44-102	1.4	●	●	
CORSAIR	U-DIMM	6600	6600	CMP64GX5M2X6600C32 Ver 5.43.01	SK Hynix	XMP	2x 32GB	DS	32-39-39-76	1.4	●	●	
CORSAIR	U-DIMM	6600	6600	CMP96GX5M2B6600C32W Ver 5.53.13	SK Hynix	XMP	2x 48GB	DS	32-39-39-76	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Asgard	U-DIMM	6600	6600	VAM5UX66C34AG-CBRAM	SK Hynix	XMP/EXPO	16GB	SS	34-40-40-90	1.35	●	●	
GLOWAY	U-DIMM	6600	6600	VGM5UH66C34AG-CSWURA	SK Hynix	XMP/EXPO	16GB	SS	34-40-40-90	1.35	●	●	
GLOWAY	U-DIMM	6600	6600	VGM5UH66C34AG-CSCJWA	SK Hynix	XMP/EXPO	16GB	SS	34-40-40-90	1.35	●	●	
V-color	U-DIMM	6600	6600	RTMXSL1666832SWK	SK Hynix	XMP	16GB	SS	32-39-39-102	1.4	●	●	
CORSAIR	U-DIMM	6600	6600	CMK32GX5M2X6600C30 Ver 5.43.01	SK Hynix	XMP	2x 16GB	SS	30-40-40-106	1.45	●	●	
G.SKILL	U-DIMM	6800	6800	F5-6800J3445G16GX2-TZ5RK	SK Hynix	XMP	2x 16GB	SS	34-45-45-108	1.4	●	●	
G.SKILL	U-DIMM	6800	6800	F5-6800J3445G16GX2-TZ5RS	SK Hynix	XMP	2x 16GB	SS	34-45-45-108	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C36RSAK2-32	HYNIX A	XMP	2x 16GB	SS	36-42-42-105	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C36RSA-16	HYNIX A	XMP	16GB	SS	36-42-42-105	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C36RSK2-32	HYNIX A	XMP	2x 16GB	SS	36-42-42-105	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C36RS-16	HYNIX A	XMP	16GB	SS	36-42-42-105	1.4	●	●	
CORSAIR	U-DIMM	6800	6800	CMT32GX5M2X6800C32 Ver 5.43.01	SK Hynix	XMP	2x 16GB	SS	32-40-40-96	1.45	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C36RWK2-32	SK Hynix	XMP	2x 16GB	SS	36-42-42-105	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C36RW-16	SK Hynix	XMP	2x 16GB	SS	36-42-42-105	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C36RWAK2-32	SK Hynix	XMP	2x 16GB	SS	36-42-42-105	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C36RWA-16	SK Hynix	XMP	2x 16GB	SS	36-42-42-105	1.4	●	●	
Asgard	U-DIMM	6800	6800	VAM5UX68C38AG-CBRSXN	SK Hynix	XMP/EXPO	16GB	SS	38-42-42-90	1.35	●	●	
PREDATOR	U-DIMM	6800	6800	BL.9BWWR.400	SK Hynix	XMP	16GB	SS	32-45-45-108	1.4	●	●	
PREDATOR	U-DIMM	6800	6800	BL.9BWWR.399	SK Hynix	XMP	16GB	SS	32-45-45-108	1.4	●	●	
PREDATOR	U-DIMM	6800	6800	BL.9BWWR.401	SK Hynix	XMP	16GB	SS	32-45-45-108	1.4	●	●	
PREDATOR	U-DIMM	6800	6800	BL.9BWWR.369	SK Hynix	XMP	2x 16GB	SS	32-45-45-108	1.4	●	●	
PREDATOR	U-DIMM	6800	6800	BL.9BWWR.360	SK Hynix	XMP	2x 16GB	SS	32-45-45-108	1.4	●	●	
GLOWAY	U-DIMM	6800	6800	VGM5UH68C34AG-CSCJWA	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
PREDATOR	U-DIMM	6800	6800	BL.9BWWR.361	SK Hynix	XMP	16GB	SS	34-45-45-108	1.4	●	●	
CORSAIR	U-DIMM	6800	6800	CMT64GX5M2B6800C40 Ver 5.43.01	SK Hynix	XMP	2x 32GB	DS	40-50-50-110	1.4	●	●	
Biwin	U-DIMM	6800	6800	B5DX100486834ER2G-AS005	SK Hynix	XMP	24GB	SS	34-46-46-108	1.35	●	●	
SAMNIX	U-DIMM	6800	6800	SXD5BH32G168C34-2W	SK Hynix	XMP	2x 16GB	SS	34-45-45-108	1.4	●	●	
Team Group	U-DIMM	6800	6800	FF3D548G6800HC36DBK	SK Hynix	XMP	48GB	DS	36-46-46-84	1.4	●	●	
Team Group	U-DIMM	6800	6800	FF3D516G6800HC34BBK	SK Hynix	XMP	16GB	SS	34-44-44-84	1.4	●	●	
Team Group	U-DIMM	6800	6800	FF3D532G6800HC34BDC01	SK Hynix	XMP	2x 16GB	SS	34-44-44-84	1.4	●	●	
Team Group	U-DIMM	6800	6800	FF4D532G6800HC34BDC01	SK Hynix	XMP	2x 16GB	SS	34-44-44-84	1.4	●	●	
Team Group	U-DIMM	6800	6800	FLBD532G6800HC34BDC01	SK Hynix	XMP	2x 16GB	SS	34-44-44-84	1.4	●	●	
Team Group	U-DIMM	6800	6800	FLRD532G6800HC34BDC01	SK Hynix	XMP	2x 16GB	SS	34-44-44-84	1.4	●	●	
CORSAIR	U-DIMM	6800	6800	CMP96GX5M2B6800C40 Ver 5.53.13	SK Hynix	XMP	2x 48GB	DS	40-50-50-110	1.4	●	●	
Lexar	U-DIMM	6800	6800	LD5U16G68C34LA-RGD	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
Colorful	U-DIMM	6800	6800	IG16G6800D5XP34U H81C22	SK Hynix	XMP	16GB	SS	34-46-46-108	1.4	●	●	
GLOWAY	U-DIMM	6800	6800	VGM5UH68C34CG-CSCJWM	SK Hynix	XMP/EXPO	24GB	SS	34-46-46-108	1.35	●	●	
KINGBANK	U-DIMM	6800	6800	KPR524G68HM	Hynix-M die	XMP/EXPO	24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3416G-BB500G	Hynix A-die	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3416G-BW500G	Hynix A-die	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3416G-DW500G	Hynix A-die	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3416G-DB500G	Hynix A-die	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3416G-BWROG	Hynix A-die	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3416G-BBROG	Hynix A-die	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3416G-DWROG	Hynix A-die	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3416G-DBROG	Hynix A-die	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	6800	6800	AX5U6800C3416G-BLARBK	Hynix A-die	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3416G-BLARWH	Hynix A-die	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3416G-CLARBK	Hynix A-die	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3416G-CLARWH	Hynix A-die	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3416G-DCLARBK	Hynix A-die	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3416G-DCLARWH	Hynix A-die	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C34BBAK2-32	Hynix A-die	XMP	2x 16GB	SS	34-45-45-90	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C34BBA-16	Hynix A-die	XMP	16GB	SS	34-45-45-90	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C34BWA-16	Hynix A-die	XMP	16GB	SS	34-45-45-90	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C34BWAK2-32	Hynix A-die	XMP	2x 16GB	SS	34-45-45-90	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C34BBEAK2-32	Hynix A-die	XMP/EXPO	2x 16GB	SS	34-45-45-90	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C34BBEA-16	Hynix A-die	XMP/EXPO	16GB	SS	34-45-45-90	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C34BWEA-16	Hynix A-die	XMP/EXPO	16GB	SS	34-45-45-90	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C34BWEAK2-32	Hynix A-die	XMP/EXPO	2x 16GB	SS	34-45-45-90	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C34BWK2-32	Hynix A-die	XMP	2x 16GB	SS	34-45-45-90	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C34BB-16	Hynix A-die	XMP	16GB	SS	34-45-45-90	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C34BBK2-32	Hynix A-die	XMP	2x 16GB	SS	34-45-45-90	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C34BW-16	Hynix A-die	XMP	16GB	SS	34-45-45-90	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C34BWEK2-32	Hynix A-die	XMP/EXPO	2x 16GB	SS	34-45-45-90	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C34BBE-16	Hynix A-die	XMP/EXPO	16GB	SS	34-45-45-90	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C34BBEK2-32	Hynix A-die	XMP/EXPO	2x 16GB	SS	34-45-45-90	1.4	●	●	
KINGSTON	U-DIMM	6800	6800	KF568C34BWE-16	Hynix A-die	XMP/EXPO	16GB	SS	34-45-45-90	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-DCLARWH	Hynix M-Die	XMP/EXPO	2x 24GB	SS	34-45-45-108	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-CLARWH	Hynix M-Die	XMP/EXPO	24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-BLARWH	Hynix M-Die	XMP/EXPO	24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-DCLARBK	Hynix M-Die	XMP/EXPO	2x 24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-CLARBK	Hynix M-Die	XMP/EXPO	24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-BLARBK	Hynix M-Die	XMP/EXPO	24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-DTLABRWH	Hynix M-Die	XMP/EXPO	2x 24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-SLABRWH	Hynix M-Die	XMP/EXPO	24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-BLABRWH	Hynix M-Die	XMP/EXPO	24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-DTLABRBK	Hynix M-Die	XMP/EXPO	2x 24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-SLABRBK	Hynix M-Die	XMP/EXPO	24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-BLABRBK	Hynix M-Die	XMP/EXPO	24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-DB500G	Hynix M-Die	XMP/EXPO	2x 24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-BB500G	Hynix M-Die	XMP/EXPO	24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-DW500G	Hynix M-Die	XMP/EXPO	2x 24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-BW500G	Hynix M-Die	XMP/EXPO	24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-BB300G	Hynix M-Die	XMP/EXPO	24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-BW300G	Hynix M-Die	XMP/EXPO	24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-DCW500G	Hynix M-Die	XMP/EXPO	2x 24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-CW500G	Hynix M-Die	XMP/EXPO	24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-DCB500G	Hynix M-Die	XMP/EXPO	2x 24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-CB500G	Hynix M-Die	XMP/EXPO	24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-DTW300G	Hynix M-Die	XMP/EXPO	2x 24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-SW300G	Hynix M-Die	XMP/EXPO	24GB	SS	34-45-45-108	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-DTB300G	Hynix M-Die	XMP/EXPO	2x 24GB	SS	34-45-45-108	1.4	●	●	
ADATA	U-DIMM	6800	6800	AX5U6800C3424G-SB300G	Hynix M-Die	XMP/EXPO	24GB	SS	34-45-45-108	1.4	●	●	
GLOWAY	U-DIMM	6800	6800	VGM5UH68C34AG-DVDASN	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
Asgard	U-DIMM	6800	6800	VAM5UH68C34AG-CBRXXA	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
Asgard	U-DIMM	6800	6800	VAM5UH68C34AG-DGUPBA	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
Asgard	U-DIMM	6800	6800	VAM5UX68C34AG-CGUPBN	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
Asgard	U-DIMM	6800	6800	VAM5UH68C34CG-CBRSEX	SK Hynix	XMP/EXPO	24GB	SS	34-46-46-108	1.35	●	●	
Asgard	U-DIMM	6800	6800	VAM5UH68C34CG-CVALWM	SK Hynix	XMP/EXPO	24GB	SS	34-46-46-108	1.35	●	●	
Asgard	U-DIMM	6800	6800	VAM5UH68C34CG-CVALWW	SK Hynix	XMP/EXPO	24GB	SS	34-46-46-108	1.35	●	●	
Asgard	U-DIMM	6800	6800	VAM5UH68C34CG-CVARBM	SK Hynix	XMP/EXPO	24GB	SS	34-46-46-108	1.35	●	●	
Asgard	U-DIMM	6800	6800	VAM5UH68C34CG-CVARWM	SK Hynix	XMP/EXPO	24GB	SS	34-46-46-108	1.35	●	●	
Asgard	U-DIMM	6800	6800	VAM5UH68C34CG-DVALWM	SK Hynix	XMP/EXPO	24GB	SS	34-46-46-108	1.35	●	●	
GLOWAY	U-DIMM	6800	6800	VGM5UH68C34CG-CSCJWM	SK Hynix	XMP/EXPO	24GB	SS	34-46-46-108	1.35	●	●	
GLOWAY	U-DIMM	6800	6800	VGM5UH68C34CG-CSWURM	SK Hynix	XMP/EXPO	24GB	SS	34-46-46-108	1.35	●	●	
Asgard	U-DIMM	6800	6800	VAM5UX68C34AG-CBRSXN	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
Asgard	U-DIMM	6800	6800	VAM5UH68C34AG-CGURBA	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
Asgard	U-DIMM	6800	6800	VAM5UH68C34AG-CVALWW	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
Asgard	U-DIMM	6800	6800	VAM5UH68C34AG-CVARBA	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
Asgard	U-DIMM	6800	6800	VAM5UH68C34AG-CVARWA	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
Asgard	U-DIMM	6800	6800	VAM5UH68C34AG-DGURBA	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
Asgard	U-DIMM	6800	6800	VAM5UX68C34AG-CBRAMN	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
Asgard	U-DIMM	6800	6800	VAM5UX68C34AG-DVALWA	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
GLOWAY	U-DIMM	6800	6800	VGM5UH68C34AG-CSCJWA	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
GLOWAY	U-DIMM	6800	6800	VGM5UH68C34AG-CSWURA	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
Asgard	U-DIMM	6800	6800	VAM5UX68C38AG-CBRAM	SK Hynix	XMP/EXPO	16GB	SS	38-42-42-90	1.35	●	●	
Asgard	U-DIMM	6800	6800	VAM5UX68C38AG-CBR SXN	SK Hynix	XMP/EXPO	16GB	SS	38-42-42-90	1.35	●	●	
Silicon-Power	U-DIMM	6800	6800	SP016GXLWU68AFSK	Hynix A-die	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
Colorful	U-DIMM	6800	6800	IG24G6800D5XP34L	Hynix M-die	XMP	24GB	SS	34-46-46-108	1.35	●	●	
JUHOR	U-DIMM	6800	6800	JHE6800U3416JG	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
Team Group	U-DIMM	6800	6800	FF9D548G6800HC34ADC01	SK Hynix	XMP/EXPO	2x 24GB	SS	34-42-42-84	1.4	●	●	
Team Group	U-DIMM	6800	6800	FFXD548G6800HC34ADC01	SK Hynix	XMP/EXPO	2x 24GB	SS	34-42-42-84	1.4	●	●	
Team Group	U-DIMM	6800	6800	FFWD548G6800HC34ADC01	SK Hynix	XMP/EXPO	2x 24GB	SS	34-42-42-84	1.4	●	●	
Team Group	U-DIMM	6800	6800	FFPD548G6800HC34ADC01	SK Hynix	XMP/EXPO	2x 24GB	SS	34-42-42-84	1.4	●	●	
Team Group	U-DIMM	6800	6800	FFAD548G6800HC34ADC01	SK Hynix	XMP/EXPO	2x 24GB	SS	34-42-42-84	1.4	●	●	
Lexar	U-DIMM	6800	6800	LD5U16G68C32BR-RGD	Hynix A-die	XMP/EXPO	16GB	SS	32-45-45-108	1.4	●	●	
Lexar	U-DIMM	6800	6800	LD5U16G68C32SR-RGD	Hynix A-die	XMP/EXPO	16GB	SS	32-45-45-108	1.4	●	●	
Lexar	U-DIMM	6800	6800	LD5U16G68C32LW-RCD	Hynix A-die	XMP/EXPO	16GB	SS	32-45-45-108	1.4	●	●	
Lexar	U-DIMM	6800	6800	LD5U16G68C32SW-RCD	Hynix A-die	XMP/EXPO	16GB	SS	32-45-45-108	1.4	●	●	
Predator	U-DIMM	6800	6800	BL.98WWR.400	SK Hynix	XMP/EXPO	2x 16GB	SS	32-45-45-108	1.4	●	●	
Asgard	U-DIMM	6800	6800	VAM5UH68C32CG-DHMRBM	SK Hynix	XMP/EXPO	2x 24GB	SS	32-42-42-112	1.45	●	●	
KINGBANK	U-DIMM	6800	6800	KPFR568D2523HYA00015	SK Hynix	XMP/EXPO	16GB	SS	32-46-46-106	1.4	●	●	
KORX	U-DIMM	6800	6800	QD032GU5D68I0W2	SK Hynix	XMP/EXPO	16GB	SS	32-40-40-96	1.4	●	●	
KORX	U-DIMM	6800	6800	QD032GU5D68I0H2	SK Hynix	XMP/EXPO	16GB	SS	32-40-40-96	1.4	●	●	
Kimtigo	U-DIMM	6800	6800	KM5UFG878B-6800XMizarA	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●	
KEYMOS	U-DIMM	6800	6800	KCYU56816H08	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-45-45-108	1.4	●	●	
KEYMOS	U-DIMM	6800	6800	KBDG56816H08	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-45-45-108	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
EpicGear	U-DIMM	6800	6800	GEV5OW516GB6800C34S	SK Hynix	XMP/EXPO	16GB	SS	34-44-44-90	1.4	●	●	
Asgard	U-DIMM	6800	6800	VAM5UH68C32AG-CVARBA	Hynix-A	XMP/EXPO	2x 16GB	SS	32-45-45-105	1.4	●	●	
G.SKILL	U-DIMM	6800	6800	F5-6800J3446F48GX2-TZ5RK	Hynix-M	XMP	2x 48GB	DS	34-46-46-108	1.35	●	●	
EpicGear	U-DIMM	6800	6800	GAEV5OB532GB6800C34DC	SK Hynix	XMP/EXPO	2x 16GB	SS	34-44-44-90	1.4	●	●	
CORSAIR	U-DIMM	7000	7000	CMH48GX5M2B7000C40 Ver 3.53.02	Spectek	XMP	2x 24GB	SS	40-52-52-114	1.4	●	●	
CORSAIR	U-DIMM	7000	7000	CMT32GX5M2X7000C34 Ver 5.43.01	SK Hynix	XMP	2x 16GB	SS	34-42-42-96	1.45	●	●	
Team Group	U-DIMM	7000	7000	FF3D516G7000HC34ABK	SK Hynix	XMP	16GB	SS	34-42-42-84	1.4	●	●	
CORSAIR	U-DIMM	7000	7000	CMK32GX5M2B7000C40 Ver 3.43.02	Spectek	XMP	2x 16GB	SS	40-52-52-114	1.4	●	●	
CORSAIR	U-DIMM	7000	7000	CMH32GX5M2B7000C40 Ver 3.43.02	Spectek	XMP	2x 16GB	SS	40-52-52-114	1.4	●	●	
CORSAIR	U-DIMM	7000	7000	CMH48GX5M2B7000C36 Ver 5.53.13	SK Hynix	XMP	2x 24GB	SS	36-44-44-114	1.4	●	●	
CORSAIR	U-DIMM	7000	7000	CMH32GX5M2X7000C36 Ver 5.43.01	SK Hynix	XMP	2x 16GB	SS	36-46-46-82	1.45	●	●	
CORSAIR	U-DIMM	7000	7000	CMP48GX5M2B7000C36W Ver 5.53.13	SK Hynix	XMP	2x 24GB	SS	36-44-44-114	1.4	●	●	
GLOWAY	U-DIMM	7000	7000	VGMUH70C34AG-CSCJWA	SK Hynix	XMP/EXPO	16GB	SS	34-42-42-112	1.45	●	●	
Galaxy	U-DIMM	7000	7000	HOF5CJL4BHE7000X32HF322C	SK Hynix	XMP	2x 16GB	SS	32-42-42-112	1.45	●	●	
CORSAIR	U-DIMM	7000	7000	CMP32GX5M2X7000C34 Ver 5.43.01	SK Hynix	XMP	2x 16GB	SS	34-42-42-96	1.45	●	●	
GLOWAY	U-DIMM	7000	7000	VGMUH70C34AG-CSCJWA	SK Hynix	XMP/EXPO	16GB	SS	34-42-42-112	1.45	●	●	
Asgard	U-DIMM	7000	7000	VAM5UH70C34AG-DVALWA	SK Hynix	XMP/EXPO	16GB	SS	34-42-42-112	1.45	●	●	
Team Group	U-DIMM	7000	7000	FF3D516G7000HC32C01	Hynix A-die	XMP	16GB	SS	32-42-42-84	1.4	●	●	
Team Group	U-DIMM	7000	7000	FF4D516G7000HC32C01	Hynix A-die	XMP	16GB	SS	32-42-42-84	1.4	●	●	
Team Group	U-DIMM	7000	7000	FF7D516G7000HC32C01	Hynix A-die	XMP	16GB	SS	32-42-42-84	1.4	●	●	
Team Group	U-DIMM	7000	7000	FF8D516G7000HC32C01	Hynix A-die	XMP	16GB	SS	32-42-42-84	1.4	●	●	
Team Group	U-DIMM	7000	7000	FLABD516G7000HC32C01	Hynix A-die	XMP	16GB	SS	32-42-42-84	1.4	●	●	
Team Group	U-DIMM	7000	7000	FLARD516G7000HC32C01	Hynix A-die	XMP	16GB	SS	32-42-42-84	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	7000	7000	FLBD516G7000HC32C01	Hynix A-die	XMP	16GB	SS	32-42-42-84	1.4	●	●	
Team Group	U-DIMM	7000	7000	FLRD516G7000HC32C01	Hynix A-die	XMP	16GB	SS	32-42-42-84	1.4	●	●	
Team Group	U-DIMM	7000	7000	FF3D532G7000HC32CDC01	Hynix A-die	XMP	2x 16GB	SS	32-42-42-84	1.4	●	●	
Team Group	U-DIMM	7000	7000	FF4D532G7000HC32CDC01	Hynix A-die	XMP	2x 16GB	SS	32-42-42-84	1.4	●	●	
Team Group	U-DIMM	7000	7000	FF7D532G7000HC32CDC01	Hynix A-die	XMP	2x 16GB	SS	32-42-42-84	1.4	●	●	
Team Group	U-DIMM	7000	7000	FF8D532G7000HC32CDC01	Hynix A-die	XMP	2x 16GB	SS	32-42-42-84	1.4	●	●	
Team Group	U-DIMM	7000	7000	FLABD532G7000HC32CDC01	Hynix A-die	XMP	2x 16GB	SS	32-42-42-84	1.4	●	●	
Team Group	U-DIMM	7000	7000	FLARD532G7000HC32CDC01	Hynix A-die	XMP	2x 16GB	SS	32-42-42-84	1.4	●	●	
Team Group	U-DIMM	7000	7000	FLBD532G7000HC32CDC01	Hynix A-die	XMP	2x 16GB	SS	32-42-42-84	1.4	●	●	
Team Group	U-DIMM	7000	7000	FLRD532G7000HC32CDC01	Hynix A-die	XMP	2x 16GB	SS	32-42-42-84	1.4	●	●	
CORSAIR	CU-DIMM	7000	7000	CMHC96GX5M4X7000C36 Ver 5.53.13	SK Hynix	XMP	4x 24GB	SS	36-44-44-114	1.4	●	●	●
CORSAIR	CU-DIMM	7000	7000	CMKC96GX5M4X7000C36 Ver 5.53.13	SK Hynix	XMP	4x 24GB	SS	36-44-44-114	1.4	●	●	●
CORSAIR	U-DIMM	7000	7000	CMH96GX5M4X7000C36 Ver5.53.13	SK Hynix	XMP	4x 24GB	SS	36-44-44-114	1.4	●	●	
CORSAIR	U-DIMM	7000	7000	CMKC96GX5M4X7000C36 Ver5.53.13	SK Hynix	XMP	4x 24GB	SS	36-44-44-114	1.4	●	●	
CORSAIR	U-DIMM	7000	7000	CMH64GX5M2X7000C36	SK Hynix	XMP	32GB	SS	36-50-50-114	1.4	●	●	
CORSAIR	U-DIMM	7200	7200	CMT32GX5M2X7200C34 ver. 5.43.01	SK Hynix	XMP	2x 16GB	SS	34-44-44-96	1.45	●	●	
G.SKILL	U-DIMM	7200	7200	F5-7200J3445G16GX2-TZ5RK	SK Hynix	XMP	2x 16GB	SS	34-45-45-115	1.4	●	●	
G.SKILL	U-DIMM	7200	7200	F5-7200J3445G16GX2-TZ5RS	SK Hynix	XMP	2x 16GB	SS	34-45-45-115	1.4	●	●	
KINGSTON	U-DIMM	7200	7200	KF572C38RSAK2-32	HYNIX A	XMP	2x 16GB	SS	38-44-44-105	1.45	●	●	
KINGSTON	U-DIMM	7200	7200	KF572C38RSA-16	HYNIX A	XMP	16GB	SS	38-44-44-105	1.45	●	●	
CORSAIR	U-DIMM	7200	7200	CMH32GX5M2X7200C34 Ver 5.43.01	SK Hynix	XMP	2x 16GB	SS	34-44-44-96	1.45	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3416G-BLARBK	SK Hynix	XMP	16GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3416G-BLARBK	SK Hynix	XMP	16GB	SS	34-46-46-116	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Thermaltake	U-DIMM	7200	7200	RG33D516GX2-7200C36B	SK Hynix	XMP	16GB	SS	34-46-46-96	1.45	●	●	
Thermaltake	U-DIMM	7200	7200	RG34D516GX2-7200C36B	SK Hynix	XMP	16GB	SS	34-46-46-96	1.45	●	●	
G.SKILL	U-DIMM	7200	7200	F5-7200J3646F24GX2-TZ5RK	SK Hynix	XMP	2x 24GB	SS	36-46-46-115	1.35	●	●	
G.SKILL	U-DIMM	7200	7200	F5-7200J3646F24GX2-TZ5RS	SK Hynix	XMP	2x 24GB	SS	36-46-46-115	1.35	●	●	
CORSAIR	U-DIMM	7200	7200	CMH48GX5M2B7200C36 Ver 5.53.13	SK Hynix	XMP	2x 24GB	SS	36-46-46-116	1.4	●	●	
KINGBANK	U-DIMM	7200	7200	KPR516G72HA	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-115	1.4	●	●	
Biwin	U-DIMM	7200	7200	B5DX100487236ER2G-AS006	SK Hynix	XMP	24GB	SS	36-46-46-115	1.35	●	●	
Kingston	U-DIMM	7200	7200	KF572C38RSAK2-48	SK Hynix M-Die	XMP	2x 24GB	SS	38-44-44-105	1.45	●	●	
Kingston	U-DIMM	7200	7200	KF572C38RSA-24	SK Hynix M-Die	XMP	24GB	SS	38-44-44-105	1.45	●	●	
Lexar	U-DIMM	7200	7200	LD5U16G72C34LA-RGD	SK Hynix	XMP	2x 16GB	SS	34-42-42-84	1.4	●	●	
Team Group	U-DIMM	7200	7200	FF3D524G7200HC34ABK	SK Hynix	XMP	24GB	SS	34-42-42-84	1.4	●	●	
Team Group	U-DIMM	7200	7200	FF3D548G7200HC34ADC01	SK Hynix	XMP	2x 24GB	SS	34-42-42-84	1.4	●	●	
Team Group	U-DIMM	7200	7200	FF4D548G7200HC34ADC01	SK Hynix	XMP	2x 24GB	SS	34-42-42-84	1.4	●	●	
Team Group	U-DIMM	7200	7200	FLBD548G7200HC34ADC01	SK Hynix	XMP	2x 24GB	SS	34-42-42-84	1.4	●	●	
Team Group	U-DIMM	7200	7200	FLRD548G7200HC34ADC01	SK Hynix	XMP	2x 24GB	SS	34-42-42-84	1.4	●	●	
KINGBANK	U-DIMM	7200	7200	KPR516G72K7	Hynix A-die	XMP/EXPO	2x 16GB	SS	34-45-45-115	1.4	●	●	
CORSAIR	U-DIMM	7200	7200	CMP32GX5M2X7200C34W Ver 5.43.01	SK Hynix	XMP	2x 16GB	SS	34-44-44-96	1.45	●	●	
PREDATOR	U-DIMM	7200	7200	BL.9BWWR.448	SK Hynix	XMP	24GB	SS	36-46-46-115	1.35	●	●	
Galaxy	U-DIMM	7200	7200	HOF5CJL4BME7200X36HF322C	SK Hynix	XMP	2x 16GB	SS	36-46-46-116	1.45	●	●	
CORSAIR	U-DIMM	7200	7200	CMP48GX5M2X7200C36W Ver 5.53.13	SK Hynix	XMP	2x 24GB	SS	36-46-46-116	1.4	●	●	
CORSAIR	U-DIMM	7200	7200	CMP48GX5M2X7200C36 Ver 5.53.13	SK Hynix	XMP	2x 24GB	SS	36-46-46-116	1.4	●	●	
ZHIKE	U-DIMM	7200	7200	ZKA16GX5M7200C34-G	SK Hynix	XMP/EXPO	16GB	SS	34-42-42-84	1.45	●	●	
Galaxy	U-DIMM	7200	7200	HOF5CXL4CHE7200X36FF482C	SK Hynix	XMP	2x 24GB	SS	36-46-46-116	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
KLEVV	U-DIMM	7200	7200	KD5KGUD80-72B340G	SK Hynix	XMP/EXPO	24GB	SS	34-44-44-84	1.4	●	●	
KLEVV	U-DIMM	7200	7200	KD5AGUA80-72B340G	SK Hynix	XMP/EXPO	16GB	SS	34-44-44-84	1.4	●	●	
Asgard	U-DIMM	7200	7200	VAM5UH72C36CG-CBRSXM	SK Hynix	XMP/EXPO	24GB	SS	36-46-46-115	1.35	●	●	
Asgard	U-DIMM	7200	7200	VAM5UH72C36CG-CVALWW	SK Hynix	XMP/EXPO	24GB	SS	36-46-46-115	1.35	●	●	
Asgard	U-DIMM	7200	7200	VAM5UH72C36CG-CVARBM	SK Hynix	XMP/EXPO	24GB	SS	36-46-46-115	1.35	●	●	
Asgard	U-DIMM	7200	7200	VAM5UH72C36CG-CVARWM	SK Hynix	XMP/EXPO	24GB	SS	36-46-46-115	1.35	●	●	
Asgard	U-DIMM	7200	7200	VAM5UH72C36CG-DVALWM	SK Hynix	XMP/EXPO	24GB	SS	36-46-46-115	1.35	●	●	
GLOWAY	U-DIMM	7200	7200	VGM5UH72C36CG-CSCJWM	SK Hynix	XMP/EXPO	24GB	SS	36-46-46-115	1.35	●	●	
GLOWAY	U-DIMM	7200	7200	VGM5UH72C36CG-CSWURM	SK Hynix	XMP/EXPO	24GB	SS	36-46-46-115	1.35	●	●	
Asgard	U-DIMM	7200	7200	VAM5UH72C34AG-CBRSXA	SK Hynix	XMP/EXPO	16GB	SS	34-46-46-116	1.45	●	●	
Asgard	U-DIMM	7200	7200	VAM5UH72C34AG-CVALWW	SK Hynix	XMP/EXPO	16GB	SS	34-46-46-116	1.45	●	●	
Asgard	U-DIMM	7200	7200	VAM5UH72C34AG-CVARBA	SK Hynix	XMP/EXPO	16GB	SS	34-46-46-116	1.45	●	●	
Asgard	U-DIMM	7200	7200	VAM5UH72C34AG-CVARWA	SK Hynix	XMP/EXPO	16GB	SS	34-46-46-116	1.45	●	●	
Asgard	U-DIMM	7200	7200	VAM5UH72C34AG-DVALWA	SK Hynix	XMP/EXPO	16GB	SS	34-46-46-116	1.45	●	●	
Asgard	U-DIMM	7200	7200	VAM5UX72C34AG-CBRAMN	SK Hynix	XMP/EXPO	16GB	SS	34-46-46-116	1.45	●	●	
GLOWAY	U-DIMM	7200	7200	VGM5UH72C34AG-CSCJWA	SK Hynix	XMP/EXPO	16GB	SS	34-46-46-116	1.45	●	●	
Asgard	U-DIMM	7200	7200	VAM5UX72C38AG-CBRAM	SK Hynix	XMP/EXPO	16GB	SS	38-44-44-105	1.45	●	●	
Thermaltake	U-DIMM	7200	7200	RG33D524GX2-7200C36B	Hynix M-die	XMP	2x 24GB	SS	36-46-46-96	1.4	●	●	
Thermaltake	U-DIMM	7200	7200	RG34D524GX2-7200C36B	Hynix M-die	XMP	2x 24GB	SS	36-46-46-96	1.4	●	●	
WODPOSIT	U-DIMM	7200	7200	WS572NH16B09W34	Hynix M-die	XMP	24GB	SS	34-45-45-115	1.4	●	●	
Silicon-Power	U-DIMM	7200	7200	SP016GXLWU720FSK	Hynix A-die	XMP/EXPO	16GB	SS	34-42-42-84	1.4	●	●	
Lexar	U-DIMM	7200	7200	LD5U24G72C36LW-RCD	Hynix M-die	XMP	24GB	SS	36-46-46-115	1.35	●	●	
Colorful	U-DIMM	7200	7200	IG16G7200D5XP32L	Hynix A-die	XMP	16GB	SS	32-44-44-116	1.45	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	7200	7200	AX5U7200C3424G-DSROG	Hynix M-die	XMP	2x 24GB	SS	34-46-46-116	1.4	●	●	
KLEVV	U-DIMM	7200	7200	KD5KGUD80-72B340J	SK Hynix	XMP/EXPO	24GB	SS	34-44-44-84	1.4	●	●	
KLEVV	U-DIMM	7200	7200	KD5AGUA80-72B340J	SK Hynix	XMP/EXPO	16GB	SS	34-44-44-84	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3424G-DSROG	Hynix M-die	XMP	2x 24GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3424G-DBROG	Hynix M-die	XMP	2x 24GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3424G-DWROG	Hynix M-die	XMP	2x 24GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3424G-BBROG	Hynix M-die	XMP	24GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3424G-BWROG	Hynix M-die	XMP	24GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3424G-BLARROG	Hynix M-die	XMP	24GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3424G-DB500G	Hynix M-die	XMP	2x 24GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3424G-DW500G	Hynix M-die	XMP	2x 24GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3424G-BLARBK	Hynix M-die	XMP	24GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3424G-BLARWH	Hynix M-die	XMP	24GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3424G-CLARBK	Hynix M-die	XMP	24GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3424G-CLARWH	Hynix M-die	XMP	24GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3424G-DCLARBK	Hynix M-die	XMP	2x 24GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3424G-DCLARWH	Hynix M-die	XMP	2x 24GB	SS	34-46-46-116	1.4	●	●	
JUHOR	U-DIMM	7200	7200	JHE7200U3416JGRGB	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-115	1.4	●	●	
Team Group	U-DIMM	7200	7200	FF9D548G7200HC34ADC01	SK Hynix	XMP/EXPO	2x 24GB	SS	34-42-42-84	1.4	●	●	
Team Group	U-DIMM	7200	7200	FFAD548G7200HC34ADC01	SK Hynix	XMP/EXPO	2x 24GB	SS	34-42-42-84	1.4	●	●	
Team Group	U-DIMM	7200	7200	FFXD548G7200HC34ADC01	SK Hynix	XMP/EXPO	2x 24GB	SS	34-42-42-84	1.4	●	●	
Team Group	U-DIMM	7200	7200	FFWD548G7200HC34ADC01	SK Hynix	XMP/EXPO	2x 24GB	SS	34-42-42-84	1.4	●	●	
Team Group	U-DIMM	7200	7200	FFPD548G7200HC34ADC01	SK Hynix	XMP/EXPO	2x 24GB	SS	34-42-42-84	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Team Group	U-DIMM	7200	7200	FF9D532G7200HC34ADC01	SK Hynix	XMP/EXPO	2x 16GB	SS	34-42-42-84	1.4	●	●	
Team Group	U-DIMM	7200	7200	FFAD532G7200HC34ADC01	SK Hynix	XMP/EXPO	2x 16GB	SS	34-42-42-84	1.4	●	●	
Team Group	U-DIMM	7200	7200	FFXD532G7200HC34ADC01	SK Hynix	XMP/EXPO	2x 16GB	SS	34-42-42-84	1.4	●	●	
Team Group	U-DIMM	7200	7200	FFWD532G7200HC34ADC01	SK Hynix	XMP/EXPO	2x 16GB	SS	34-42-42-84	1.4	●	●	
Team Group	U-DIMM	7200	7200	FFPD532G7200HC34ADC01	SK Hynix	XMP/EXPO	2x 16GB	SS	34-42-42-84	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3416G-BLANRSG	SK Hynix	XMP/EXPO	16GB	SS	34-46-46-116	1.4	●	●	
CORSAIR	U-DIMM	7200	7200	CMK48GX5M2B7200C36 Ver 5.53.13	SK Hynix	XMP	2x 24GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3416G-CLANRSG	SK Hynix-A	XMP/EXPO	16GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3416G-DCLANRSG	SK Hynix-A	XMP/EXPO	16GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3416G-BLARBK	SK Hynix-A	XMP/EXPO	16GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3416G-CLARBK	SK Hynix-A	XMP/EXPO	16GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3416G-DCLARBK	SK Hynix-A	XMP/EXPO	16GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3416G-BLARMLBK	SK Hynix-A	XMP/EXPO	16GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3416G-DCLARMLBK	SK Hynix-A	XMP/EXPO	16GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3416G-BLARWH	SK Hynix-A	XMP/EXPO	16GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3416G-CLARWH	SK Hynix-A	XMP/EXPO	16GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3416G-DCLARWH	SK Hynix-A	XMP/EXPO	16GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3416G-BB500G	SK Hynix-A	XMP/EXPO	16GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3416G-BW500G	SK Hynix-A	XMP/EXPO	16GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3416G-DB500G	SK Hynix-A	XMP/EXPO	16GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3416G-DW500G	SK Hynix-A	XMP/EXPO	16GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3416G-BWROG	SK Hynix-A	XMP/EXPO	16GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3416G-BBROG	SK Hynix-A	XMP/EXPO	16GB	SS	34-46-46-116	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	7200	7200	AX5U7200C3416G-DWROG	SK Hynix-A	XMP/EXPO	16GB	SS	34-46-46-116	1.4	●	●	
ADATA	U-DIMM	7200	7200	AX5U7200C3416G-DBROG	SK Hynix-A	XMP/EXPO	16GB	SS	34-46-46-116	1.4	●	●	
Fanxiang	U-DIMM	7200	7200	FU5HC72DHK2-DKB	SK Hynix	XMP/EXPO	16GB	SS	34-44-44-108	1.4	●	●	
ADATA	CU-DIMM	7200	7200	AD5CU720016G-B	SK Hynix	N/A	16GB	SS	58-58-58-116	1.1	●	●	
Lexar	U-DIMM	7200	7200	LD5U16G72C38BV-RGS	CXMT-A	XMP/EXPO	16GB	SS	38-48-48-86	1.4	●	●	
Lexar	U-DIMM	7200	7200	LD5U16G72C38BV-RGD	CXMT-A	XMP/EXPO	16GB	SS	38-48-48-86	1.4	●	●	
G.SKILL	U-DIMM	7600	7600	F5-7600J3646G16GX2-TZ5RK	SK Hynix	XMP	2x 16GB	SS	36-46-46-121	1.4	●	●	
G.SKILL	U-DIMM	7600	7600	F5-7600J3646G16GX2-TZ5RS	SK Hynix	XMP	2x 16GB	SS	36-46-46-121	1.4	●	●	
PREDATOR	U-DIMM	7600	7600	BL.9BWWR.410	SK Hynix	XMP	16GB	SS	36-46-46-121	1.4	●	●	
PREDATOR	U-DIMM	7600	7600	BL.9BWWR.408	SK Hynix	XMP	16GB	SS	36-46-46-121	1.4	●	●	
PREDATOR	U-DIMM	7600	7600	BL.9BWWR.409	SK Hynix	XMP	16GB	SS	36-46-46-121	1.4	●	●	
Galaxy	U-DIMM	7600	7600	HOF5TJL4BHE7600Q36HC322C	SK Hynix	XMP	2x 16GB	SS	36-46-46-114	1.5	●	●	
Team Group	U-DIMM	7600	7600	FF3D516G7600HC36DBK	SK Hynix	XMP	16GB	SS	36-46-46-84	1.4	●	●	
Team Group	U-DIMM	7600	7600	FF3D532G7600HC36DDC01	SK Hynix	XMP	2x 16GB	SS	36-46-46-84	1.4	●	●	
Team Group	U-DIMM	7600	7600	FF4D532G7600HC36DDC01	SK Hynix	XMP	2x 16GB	SS	36-46-46-84	1.4	●	●	
Kingston	U-DIMM	7600	7600	KF576C38RWK2-32	Hynix A-die	XMP	2x 16GB	SS	38-46-46-105	1.45	●	●	
Kingston	U-DIMM	7600	7600	KF576C38RW-16	Hynix A-die	XMP	16GB	SS	38-46-46-105	1.45	●	●	
Kingston	U-DIMM	7600	7600	KF576C38RSK2-32	Hynix A-die	XMP	2x 16GB	SS	38-46-46-105	1.45	●	●	
Kingston	U-DIMM	7600	7600	KF576C38RS-16	Hynix A-die	XMP	16GB	SS	38-46-46-105	1.45	●	●	
KINGBANK	U-DIMM	7600	7600	KPR516G76K9	Hynix A-die	XMP/EXPO	2x 16GB	SS	36-46-46-120	1.45	●	●	
CORSAIR	U-DIMM	7600	7600	CMP32GX5M2X7600C36 Ver 5.43.01	SK Hynix	XMP	2x 16GB	SS	36-46-46-82	1.45	●	●	
CORSAIR	U-DIMM	7600	7600	CMP48GX5M2X7600C36 Ver 5.53.13	SK Hynix	XMP	2x 24GB	SS	36-46-46-96	1.4	●	●	
Thermaltake	U-DIMM	7600	7600	RG33D516GX2-7600C38B	Hynix A-die	XMP	16GB	SS	38-48-48-84	1.45	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Thermaltake	U-DIMM	7600	7600	RG34D516GX2-7600C38B	Hynix A-die	XMP	16GB	SS	38-48-48-84	1.45	●	●	
KLEVV	U-DIMM	7600	7600	KD5AGUA80-76B360G	SK Hynix	XMP/EXPO	16GB	SS	36-46-46-86	1.4	●	●	
Lexar	U-DIMM	7600	7600	LD5U16G80C38LW-RCD	SK Hynix	XMP	16GB	SS	36-46-46-96	1.4	●	●	
Lexar	U-DIMM	7600	7600	LD5U16G80C38SW-RCD	SK Hynix	XMP	16GB	SS	36-46-46-96	1.4	●	●	
Lexar	U-DIMM	7600	7600	LD5U16G80C38LA-RGD	SK Hynix	XMP	16GB	SS	36-46-46-96	1.4	●	●	
Lexar	U-DIMM	7600	7600	LD5U16G80C38WA-RGD	SK Hynix	XMP	16GB	SS	36-46-46-96	1.4	●	●	
KLEVV	U-DIMM	7600	7600	KD5AGUA80-76B360J	SK Hynix	XMP/EXPO	16GB	SS	36-46-46-86	1.4	●	●	
Team Group	U-DIMM	7600	7600	FF9D516G7600HC36F01	Hynix A-die	XMP	16GB	SS	36-45-45-84	1.4	●	●	
Team Group	U-DIMM	7600	7600	FF9D532G7600HC36FDC01	Hynix A-die	XMP	2x 16GB	SS	36-45-45-84	1.4	●	●	
Lexar	U-DIMM	7600	7600	LD5U16G76C38BV-RGS	CXSH-A	XMP/EXPO	16GB	SS	38-48-48-96	1.4	●	●	
Lexar	U-DIMM	7600	7600	LD5U16G76C38BV-RGD	CXSH-A	XMP/EXPO	16GB	SS	38-48-48-96	1.4	●	●	
Lexar	U-DIMM	7600	7600	LD5U16G76C38BV-HCN	CXSH-A	XMP/EXPO	16GB	SS	38-48-48-96	1.4	●	●	
Lexar	U-DIMM	7600	7600	LD5U16G76C38BV-HGN	CXSH-A	XMP/EXPO	16GB	SS	38-48-48-96	1.4	●	●	
Lexar	U-DIMM	7600	7600	LD5U16G76C38BV-KGN	CXSH-A	XMP/EXPO	16GB	SS	38-48-48-96	1.4	●	●	
Lexar	U-DIMM	7600	7600	LD5U16G76C38SV-RGS	CXSH-A	XMP/EXPO	16GB	SS	38-48-48-96	1.4	●	●	
Lexar	U-DIMM	7600	7600	LD5U16G76C38SV-RGD	CXSH-A	XMP/EXPO	16GB	SS	38-48-48-96	1.4	●	●	
Lexar	U-DIMM	7600	7600	LD5U16G76C38SV-HCN	CXSH-A	XMP/EXPO	16GB	SS	38-48-48-96	1.4	●	●	
Lexar	U-DIMM	7600	7600	LD5U16G76C38SV-HGN	CXSH-A	XMP/EXPO	16GB	SS	38-48-48-96	1.4	●	●	
Lexar	U-DIMM	7600	7600	LD5U16G76C38SV-KGN	CXSH-A	XMP/EXPO	16GB	SS	38-48-48-96	1.4	●	●	
G.SKILL	U-DIMM	7800	7800	F5-7800J3646H16GX2-TZ5RS	SK Hynix	XMP	2x 16GB	SS	36-46-46-125	1.45	●	●	
G.SKILL	U-DIMM	7800	7800	F5-7800J3646H16GX2-TZ5RK	SK Hynix	XMP	2x 16GB	SS	36-46-46-125	1.45	●	●	
CORSAIR	U-DIMM	7800	7800	CMH48GX5M2X7800C38 Ver 5.53.13	SK Hynix	XMP	2x 24GB	SS	38-48-48-98	1.4	●	●	
CORSAIR	U-DIMM	7800	7800	CMK32GX5M2X7800Z36 Ver5.43.01	SK Hynix	EXPO	2x 16GB	SS	36-46-46-125	1.45	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
CORSAIR	U-DIMM	7800	7800	CMH32GX5M2X7800Z36 Ver5.43.01	SK Hynix	EXPO	2x 16GB	SS	36-46-46-125	1.45	●	●	
PREDATOR	U-DIMM	8000	8000	BL.9BWWR.416	SK Hynix	XMP	16GB	SS	36-48-48-126	1.45	●	●	
PREDATOR	U-DIMM	8000	8000	BL.9BWWR.414	SK Hynix	XMP	16GB	SS	36-48-48-126	1.45	●	●	
PREDATOR	U-DIMM	8000	8000	BL.9BWWR.415	SK Hynix	XMP	16GB	SS	36-48-48-126	1.45	●	●	
Team Group	U-DIMM	8000	8000	FFXD516G8000HC38D01	Hynix A-die	XMP	16GB	SS	38-48-48-84	1.45	●	●	
Team Group	U-DIMM	8000	8000	FF3D532G8000HC38DDC01	Hynix A-die	XMP	2x 16GB	SS	38-48-48-84	1.45	●	●	
Team Group	U-DIMM	8000	8000	FF4D532G8000HC38DDC01	Hynix A-die	XMP	2x 16GB	SS	38-48-48-84	1.45	●	●	
Team Group	U-DIMM	8000	8000	CTCED532G8000HC38DDC01	Hynix A-die	XMP	2x 16GB	SS	38-48-48-84	1.45	●	●	
Team Group	U-DIMM	8000	8000	CTCWD532G8000HC38DDC01	Hynix A-die	XMP	2x 16GB	SS	38-48-48-84	1.45	●	●	
UniWhen	U-DIMM	8000	8000	UWA16GU03CPAO80	Hynix A-die	XMP/EXPO	16GB	SS	38-50-50-128	1.5	●	●	
ADATA	CU-DIMM	8000	8000	AX5CU8000C4024G-B	Hynix M-die	XMP	24GB	SS	40-48-48-128	1.45	●	●	
G.SKILL	U-DIMM	8000	8000	F5-8000J4048F24GX2-TZ5K	SK Hynix	XMP	2x 24GB	SS	40-48-48-128	1.35	●	●	
G.SKILL	U-DIMM	8000	8000	F5-8000J4048F24GX2-TR5G	SK Hynix	XMP	2x 24GB	SS	40-48-48-128	1.35	●	●	
G.SKILL	U-DIMM	8000	8000	F5-8000J4048F24GX2-TR5S	SK Hynix	XMP	2x 24GB	SS	40-48-48-128	1.35	●	●	
Team Group	U-DIMM	8000	8000	FF3D548G8000HC38EDC01	SK Hynix	XMP	24GB	SS	38-49-49-84	1.4	●	●	
Team Group	U-DIMM	8000	8000	FF4D548G8000HC38EDC01	SK Hynix	XMP	24GB	SS	38-49-49-84	1.4	●	●	
Team Group	U-DIMM	8000	8000	FLBD548G8000HC38EDC01	SK Hynix	XMP	24GB	SS	38-49-49-84	1.4	●	●	
Team Group	U-DIMM	8000	8000	FLRD548G8000HC38EDC01	SK Hynix	XMP	24GB	SS	38-49-49-84	1.4	●	●	
Team Group	U-DIMM	8000	8000	CTCED548G8000HC38EDC01	SK Hynix	XMP	24GB	SS	38-49-49-84	1.4	●	●	
Team Group	U-DIMM	8000	8000	CTCWD548G8000HC38EDC01	SK Hynix	XMP	24GB	SS	38-49-49-84	1.4	●	●	
Team Group	U-DIMM	8000	8000	FFXD548G8000HC38EDC01	SK Hynix	XMP	24GB	SS	38-49-49-84	1.4	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-CCARGY	Hynix M-die	XMP	24GB	SS	40-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-DCCARGY	Hynix M-die	XMP	24GB	SS	40-48-48-128	1.45	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-BCARGY	Hynix M-die	XMP	24GB	SS	40-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-BB500G	Hynix M-die	XMP	24GB	SS	40-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-BW500G	Hynix M-die	XMP	24GB	SS	40-48-48-128	1.45	●	●	
G.SKILL	U-DIMM	8000	8000	F5-8000J4048F24GX2-TZ5RW	SK Hynix	XMP	2x 24GB	SS	40-48-48-128	1.35	●	●	
G.SKILL	U-DIMM	8000	8000	F5-8000J4048G24GX2-TR5NS	SK Hynix	EXPO	2x 24GB	SS	40-48-48-128	1.4	●	●	
Predator	U-DIMM	8000	8000	BL.9BWWR.588	SK Hynix	XMP/EXPO	16GB	SS	36-48-48-126	1.45	●	●	
V-color	CU-DIMM	8000	8000	TMXFCL1680838KSK	SK Hynix	XMP	16GB	SS	38-48-48-128	1.45	●	●	
V-color	CU-DIMM	8000	8000	TMXFCL2480838WSK	SK Hynix	XMP	24GB	SS	38-52-52-128	1.4	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-BLANRSG	SK Hynix	XMP/EXPO	16GB	SS	38-48-48-128	1.45	●	●	
CORSAIR	CU-DIMM	8000	8000	CMHC48GX5M2X8000C38 Ver 5.53.13	SK Hynix	XMP	2x 24GB	SS	38-50-50-128	1.4	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-BLANRSG	SK Hynix	XMP	24GB	SS	40-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-CLANRSG	SK Hynix	XMP/EXPO	16GB	SS	38-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-DCLANRSG	SK Hynix	XMP/EXPO	16GB	SS	38-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-BLARBK	SK Hynix	XMP/EXPO	16GB	SS	38-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-CLARBK	SK Hynix	XMP/EXPO	16GB	SS	38-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-DCLARBK	SK Hynix	XMP/EXPO	16GB	SS	38-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-BLARWH	SK Hynix	XMP/EXPO	16GB	SS	38-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-CLARWH	SK Hynix	XMP/EXPO	16GB	SS	38-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-DCLARWH	SK Hynix	XMP/EXPO	16GB	SS	38-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-BB500G	SK Hynix	XMP/EXPO	16GB	SS	38-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-BW500G	SK Hynix	XMP/EXPO	16GB	SS	38-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-DB500G	SK Hynix	XMP/EXPO	16GB	SS	38-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-DW500G	SK Hynix	XMP/EXPO	16GB	SS	38-48-48-128	1.45	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-BWROG	SK Hynix	XMP/EXPO	16GB	SS	38-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-BBROG	SK Hynix	XMP/EXPO	16GB	SS	38-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-DWROG	SK Hynix	XMP/EXPO	16GB	SS	38-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-DBROG	SK Hynix	XMP/EXPO	16GB	SS	38-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-CLANRSG	SK Hynix	XMP	24GB	SS	40-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-DCLANRSG	SK Hynix	XMP	24GB	SS	40-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-BLARBK	SK Hynix	XMP	24GB	SS	40-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-CLARBK	SK Hynix	XMP	24GB	SS	40-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-DCLARBK	SK Hynix	XMP	24GB	SS	40-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-BLARWH	SK Hynix	XMP	24GB	SS	40-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-CLARWH	SK Hynix	XMP	24GB	SS	40-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-DCLARWH	SK Hynix	XMP	24GB	SS	40-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-BB500G	SK Hynix	XMP	24GB	SS	40-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-BW500G	SK Hynix	XMP	24GB	SS	40-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-DB500G	SK Hynix	XMP	24GB	SS	40-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-DW500G	SK Hynix	XMP	24GB	SS	40-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-BBROG	SK Hynix	XMP	24GB	SS	40-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-BWROG	SK Hynix	XMP	24GB	SS	40-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-DBROG	SK Hynix	XMP	24GB	SS	40-48-48-128	1.45	●	●	
ADATA	U-DIMM	8000	8000	AX5U8000C4024G-DWROG	SK Hynix	XMP	24GB	SS	40-48-48-128	1.45	●	●	
KINGSTON	U-DIMM	8000	8000	KF580C38RSAK2-48	SK Hynix	XMP	24GB	SS	38-48-48-128	1.4	●	●	
BIWIN	U-DIMM	8000	8000	OCBXL53280DW1-D34HB□	SK Hynix	XMP/EXPO	16GB	SS	34-46-46-108	1.5	●	●	
BIWIN	U-DIMM	8000	8000	BXL53280DW1-D36FB	HYNIX-A	XMP/EXPO	2x 16GB	SS	36-48-48-126	1.4	●	●	

供应商	DeviceSet	内存频率	运行频率	型号	芯片	SPD Type	规格	SS/DS	时序	电压	1槽	2槽	4槽
Origin Code	U-DIMM	8000	8000	OCBXL53280DW1-D36GB	HYNIX-A	XMP/EXPO	2x 16GB	SS	36-48-48-126	1.4	●	●	
EpicGear	U-DIMM	8000	8000	GEV5OW524GB8000C40S	SK Hynix	XMP/EXPO	24GB	SS	40-50-50-128	1.35	●	●	
KLEVV	U-DIMM	8200	8133	KD5KGUD80-82D380G	SK Hynix	XMP/EXPO	24GB	SS	38-49-49-131	1.45	●	●	
KLEVV	U-DIMM	8200	8133	KD5KGUD80-82D380J	SK Hynix	XMP/EXPO	24GB	SS	38-49-49-131	1.45	●	●	
Team Group	U-DIMM	8200	8200	FFXD548G8200HC38EDC01	Hynix M-Die	XMP	2x 24GB	SS	38-49-49-84	1.4	●	●	
PREDATOR	U-DIMM	8200	8200	BL.9BWWR.521	Hynix M-die	XMP	2x 24GB	SS	40-50-50-132	1.4	●	●	
PREDATOR	U-DIMM	8200	8200	BL.9BWWR.519	Hynix M-die	XMP	2x 24GB	SS	40-50-50-132	1.4	●	●	
PREDATOR	U-DIMM	8200	8200	BL.9BWWR.520	Hynix M-die	XMP	2x 24GB	SS	40-50-50-132	1.4	●	●	
PREDATOR	U-DIMM	8200	8200	BL.9BWWR.456	Hynix M-die	XMP	2x 24GB	SS	40-50-50-132	1.4	●	●	
PREDATOR	U-DIMM	8200	8200	BL.9BWWR.457	Hynix M-die	XMP	2x 24GB	SS	40-50-50-132	1.4	●	●	
PREDATOR	U-DIMM	8200	8200	BL.9BWWR.458	Hynix M-die	XMP	2x 24GB	SS	40-50-50-132	1.4	●	●	
BIWIN	U-DIMM	8200	8200	B5DW100488240FR2G-CB012	Hynix M-die	XMP	2x 24GB	SS	40-50-50-132	1.4	●	●	
BIWIN	U-DIMM	8200	8200	B5DW100488240FR2G-CW012	Hynix M-die	XMP	2x 24GB	SS	40-50-50-132	1.4	●	●	
G.SKILL	CU-DIMM	8200	8200	F5-8200C4052G24GX2-TZ5CK	Hynix M-Die	XMP	2x 24GB	SS	40-52-52-131	1.4	●	●	
G.SKILL	U-DIMM	8400	8400	F5-8400J4052G24GX2-TZ5RW	SK Hynix	XMP	2x 24GB	SS	40-52-52-134	1.4	●	●	
G.SKILL	U-DIMM	8400	8400	F5-8400J4052G24GX2-TZ5RK	SK Hynix	XMP	2x 24GB	SS	40-52-52-134	1.4	●	●	
G.SKILL	U-DIMM	8400	8400	F5-8400J4052G24GX2-TZ5K	SK Hynix	XMP	2x 24GB	SS	40-52-52-134	1.4	●	●	
Biwin	U-DIMM	8666	8666	BXL54886DW2-D42GB	Hynix M-Die	XMP	24GB	SS	42-54-54-134	1.45	●	●	
Biwin	U-DIMM	8666	8666	BXL54886DW2-D42GW	Hynix M-Die	XMP	24GB	SS	42-54-54-134	1.45	●	●	