

B850M-D3H 搭配**Ryzen™ 9000**系列处理器的内存支持列表 (2026.9.1)

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
Asgard	U-DIMM	4800	4800	VMA5AEUA-MMAFR2L1	Micron	N/A	16GB	SS	40-40-40-77	1.1	●	●
Netac	U-DIMM	4800	4800	NCGXU1BD5164800UM8SP	Micron	N/A	16GB	SS	40-40-40-77	1.1	●	●
Colorful	U-DIMM	4800	4800	CDPC16G4800D5N8	Micron	N/A	4x 16GB	SS	40-40-40-77	1.1	●	●
Lexar	U-DIMM	4800	4800	LD5DU016G-H4800CNM2G8ST	Micron Y32A	N/A	16GB	SS	40-40-40-77	1.1	●	●
Crucial	U-DIMM	4800	4800	CT8G48C40U5.M4A1	Micron	XMP	8GB	SS	40-39-39-77	1.1	●	●
Kimtigo	U-DIMM	4800	4800	KTFGU5MA8-M	Micron	N/A	16GB	SS	40-40-40-77	1.1	●	●
KINGSTON	U-DIMM	4800	4800	KVR48U40BS8K2-32	Hynix-M die	N/A	2x 16GB	SS	40-39-39-77	1.1	●	●
KINGSTON	U-DIMM	4800	4800	KVR48U40BS8-16	Hynix-M die	N/A	16GB	SS	40-39-39-77	1.1	●	●
Asgard	U-DIMM	4800	4800	VMA5AEUA-MMAFRAV4	Micron	N/A	16GB	SS	40-40-40-77	1.1	●	●
Crucial	U-DIMM	4800	4800	CT16G48C40U5.M8A1	Micron	XMP	16GB	SS	40-39-39-77	1.1	●	●
Crucial	U-DIMM	4800	4800	CT32G48C40U5.M16A1	Micron	XMP	32GB	DS	40-39-39-77	1.1	●	●
Team Group	U-DIMM	4800	4800	FLBD516G4800HC36BK	MICRON A	XMP	16GB	SS	36-36-36-77	1.1	●	●
Team Group	U-DIMM	4800	4800	FLRD532G4800HC36DC01	MICRON A	XMP	2x 16GB	SS	36-36-36-77	1.1	●	●
Team Group	U-DIMM	4800	4800	FLBD532G4800HC36DC01	MICRON A	XMP	2x 16GB	SS	36-36-36-77	1.1	●	●
Team Group	U-DIMM	4800	4800	TED516G4800C40BK	MICRON A	N/A	16GB	SS	40-40-40-77	1.1	●	●
Team Group	U-DIMM	4800	4800	TED532G4800C40DC01	MICRON A	N/A	2x 16GB	SS	40-40-40-77	1.1	●	●
KINGSTON	U-DIMM	4800	4800	KF548C38BBK2-64	Micron-A die	XMP	2x 32GB	DS	38-38-38-70	1.1	●	●
KINGSTON	U-DIMM	4800	4800	KF548C38BB-32	Micron-A die	XMP	32GB	DS	38-38-38-70	1.1	●	●
ADATA	U-DIMM	4800	4800	AD5U480016G-B	Spectek Y32A	N/A	16GB	SS	40-40-40-77	1.1	●	●
ADATA	U-DIMM	4800	4800	AD5U480016G-S	Spectek Y32A	N/A	16GB	SS	40-40-40-77	1.1	●	●
ADATA	U-DIMM	4800	4800	AD5U480016G-R	Spectek Y32A	N/A	16GB	SS	40-40-40-77	1.1	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
ADATA	U-DIMM	4800	4800	AD5U480016G-DT	Spectek Y32A	N/A	16GB	SS	40-40-40-77	1.1	●	●
KINGSTON	U-DIMM	4800	4800	KF548C38BBAK2-64	Micron	XMP	2x 32GB	DS	38-38-38-70	1.1	●	●
KINGSTON	U-DIMM	4800	4800	KF548C38BBA-32	Micron	XMP	32GB	DS	38-38-38-70	1.1	●	●
Transcend	U-DIMM	4800	4800	TS4800ALE-16G	Samsung	N/A	16GB	SS	40-39-39-77	1.1	●	●
Transcend	U-DIMM	4800	4800	TS4800ALE-32G	Samsung	N/A	32GB	DS	40-39-39-77	1.1	●	●
ZVVN	U-DIMM	4800	4800	5U16E48ZVT0L01	Samsung	N/A	16GB	SS	40-39-39-77	1.1	●	●
mushkin	U-DIMM	4800	4800	MES5U480FD16GX2	Micron	N/A	2x 16GB	SS	40-39-39-77	1.1	●	●
KINGSTON	U-DIMM	4800	4800	KF548C38BBAK2-32	Micron	XMP	2x 16GB	SS	38-38-38-70	1.1	●	●
KINGSTON	U-DIMM	4800	4800	KF548C38BBA-16	Micron	XMP	16GB	SS	38-38-38-70	1.1	●	●
KINGBANK	U-DIMM	4800	4800	M323R2GA3BB0-CQKOD	Samsung	N/A	16GB	SS	40-39-39-77	1.1	●	●
Team Group	U-DIMM	4800	4800	TED58G4800C40BK6	Micron A	N/A	8GB	SS	40-40-40-77	1.1	●	●
Team Group	U-DIMM	4800	4800	TED58G4800C40016	Micron A	N/A	8GB	SS	40-40-40-77	1.1	●	●
Team Group	U-DIMM	4800	4800	TPBD58G4800C40016	Micron A	N/A	8GB	SS	40-40-40-77	1.1	●	●
Team Group	U-DIMM	4800	4800	TPSD58G4800C40016	Micron A	N/A	8GB	SS	40-40-40-77	1.1	●	●
Team Group	U-DIMM	4800	4800	TED516G4800C40DC016	Micron A	N/A	2x 8GB	SS	40-40-40-77	1.1	●	●
Team Group	U-DIMM	4800	4800	TPBD516G4800C40DC016	Micron A	N/A	2x 8GB	SS	40-40-40-77	1.1	●	●
Team Group	U-DIMM	4800	4800	TPSD516G4800C40DC016	Micron A	N/A	2x 8GB	SS	40-40-40-77	1.1	●	●
Team Group	U-DIMM	4800	4800	TED58G4800C40BK6	Samsung B	N/A	8GB	SS	40-40-40-77	1.1	●	●
Team Group	U-DIMM	4800	4800	TED58G4800C40016	Samsung B	N/A	8GB	SS	40-40-40-77	1.1	●	●
Team Group	U-DIMM	4800	4800	TPBD58G4800C40016	Samsung B	N/A	8GB	SS	40-40-40-77	1.1	●	●
Team Group	U-DIMM	4800	4800	TPSD58G4800C40016	Samsung B	N/A	8GB	SS	40-40-40-77	1.1	●	●
Team Group	U-DIMM	4800	4800	TED516G4800C40DC016	Samsung B	N/A	2x 8GB	SS	40-40-40-77	1.1	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
Team Group	U-DIMM	4800	4800	TPBD516G4800C40DC016	Samsung B	N/A	2x 8GB	SS	40-40-40-77	1.1	●	●
Team Group	U-DIMM	4800	4800	TPSD516G4800C40DC016	Samsung B	N/A	2x 8GB	SS	40-40-40-77	1.1	●	●
KINGSTON	ECC-UDIMM	4800	4800	KSM48E40BS8KM-16HM	SK Hynix	N/A	16GB	SS	40-39-39-77	1.1	●	●
KINGSTON	U-DIMM	4800	4800	KVR48U40BD8L-32-SP	HYNIX M	N/A	32GB	DS	40-39-39-77	1.1	●	●
KINGSTON	U-DIMM	4800	4800	KVR48U40BD8L-32-SP	Micron A	N/A	32GB	DS	40-39-39-77	1.1	●	●
GOLDKEY	U-DIMM	4800	4800	NMUD516F82-4800JA20	SK Hynix	N/A	16GB	SS	40-40-40-77	1.1	●	●
GOLDKEY	U-DIMM	4800	4800	NMUD580EA2-4800JA20	SK Hynix	N/A	8GB	SS	40-40-40-77	1.1	●	●
Asgard	U-DIMM	4800	4800	VAM5UX48C40AG-SFRES	Mircon	N/A	16GB	SS	40-40-40-77	1.1	●	●
Asgard	U-DIMM	4800	4800	VMA5AEU8-AMBDR2T3	Samsung	N/A	8GB	SS	40-40-40-77	1.1	●	●
Asgard	U-DIMM	4800	4800	VMA5AEU8-MMADR2T3	Mircon	N/A	8GB	SS	40-40-40-77	1.1	●	●
Asgard	U-DIMM	4800	4800	VMA5AEU8-MMADR2L1	Mircon	N/A	8GB	SS	40-40-40-77	1.1	●	●
Asgard	U-DIMM	4800	4800	VMA5AEU8-AMBDR2L1	Samsung	N/A	8GB	SS	40-40-40-77	1.1	●	●
OCPC	U-DIMM	4800	4800	MMPT2K16GD548C40T	Mircon	N/A	8GB	SS	40-40-40-77	1.1	●	●
ZADAK	U-DIMM	4800	4800	G02.37462T.001	Mircon	N/A	8GB	SS	40-39-39-77	1.1	●	●
Kingston	U-DIMM	5200	5200	KF552C40BB-16	Micron	XMP	16GB	SS	40-40-40-80	1.25	●	●
Kingston	U-DIMM	5200	5200	KF552C40BBK2-32	Micron	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●
CORSAIR	U-DIMM	5200	5200	CMK32GX5M2X5200C38 Ver 3.43.01	Micron	XMP	2x 16GB	SS	38-38-38-84	1.25	●	●
CORSAIR	U-DIMM	5200	5200	CMT32GX5M2X5200C38 Ver 3.43.01	Micron	XMP	2x 16GB	SS	38-38-38-84	1.25	●	●
G.SKILL	U-DIMM	5200	5200	F5-5200J3636C16GX2-TZ5RS	Samsung	XMP	2x 16GB	SS	36-36-36-83	1.2	●	●
G.SKILL	U-DIMM	5200	5200	F5-5200J3636C16GX2-TZ5RK	Samsung	XMP	2x 16GB	SS	36-36-36-83	1.2	●	●
G.SKILL	U-DIMM	5200	5200	F5-5200J3636C16GX2-RS5K	Samsung	XMP	2x 16GB	SS	36-36-36-83	1.2	●	●
G.SKILL	U-DIMM	5200	5200	F5-5200J3636C16GX2-RS5W	Samsung	XMP	2x 16GB	SS	36-36-36-83	1.2	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
Apacer	U-DIMM	5200	5200	AH5U32G52C502MBAA-2	MICRON	XMP	2x 16GB	SS	38-38-38-84	1.25	●	●
Team Group	U-DIMM	5200	5200	FLBD516G5200HC40CBK	MICRON A	XMP	16GB	SS	40-40-40-76	1.25	●	●
Team Group	U-DIMM	5200	5200	FLRD532G5200HC40CDC01	MICRON A	XMP	2x 16GB	SS	40-40-40-76	1.25	●	●
Team Group	U-DIMM	5200	5200	FLBD532G5200HC40CDC01	MICRON A	XMP	2x 16GB	SS	40-40-40-76	1.25	●	●
Team Group	U-DIMM	5200	5200	FF5D532G5200HC40CDC01	MICRON A	XMP	2x 16GB	SS	40-40-40-76	1.25	●	●
Team Group	U-DIMM	5200	5200	FLRD516G5200HC38BK	MICRON A	XMP	16GB	SS	38-38-38-84	1.2	●	●
Team Group	U-DIMM	5200	5200	FLRD532G5200HC38DC01	MICRON A	XMP	2x 16GB	SS	38-38-38-84	1.2	●	●
Team Group	U-DIMM	5200	5200	FLBD532G5200HC38DC01	MICRON A	XMP	2x 16GB	SS	38-38-38-84	1.2	●	●
Thermaltake	U-DIMM	5200	5200	RA50D516GX2-5200C38A	Hynix	XMP	2x 16GB	SS	38-38-38-76	1.15	●	●
Thermaltake	U-DIMM	5200	5200	RG30D516GX2-5200C38A	Hynix	XMP	2x 16GB	SS	38-38-38-76	1.15	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBK2-16	Micron-A die	XMP	2x 8GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BB-8	Micron-A die	XMP	8GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBK2-64	Hynix-M die	XMP	2x 32GB	DS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BB-32	Hynix-M die	XMP	32GB	DS	40-40-40-80	1.25	●	●
Asgard	U-DIMM	5200	5200	VMA5BCU8-AMBDR2T3	Samsung	XMP	8GB	SS	36-36-36-77	1.25	●	●
Team Group	U-DIMM	5200	5200	FF5D516G5200HC40CBK	MICRON A	XMP	16GB	SS	40-40-40-76	1.25	●	●
CORSAIR	U-DIMM	5200	5200	CMT64GX5M2B5200C40 Ver 3.43.01	Micron	XMP	2x 32GB	DS	40-40-40-77	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBAK2-16	Micron	XMP	2x 8GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBA-8	Micron	XMP	8GB	SS	40-40-40-80	1.25	●	●
OLOY	U-DIMM	5200	5200	MD5U1652361BRKDE	Micron	XMP	2x 16GB	SS	36-38-38-74	1.25	●	●
OLOY	U-DIMM	5200	5200	ND5U1652361BRKDE	Micron	XMP	16GB	SS	36-38-38-74	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBAK2-64	Micron	XMP	2x 32GB	DS	40-40-40-80	1.25	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
KINGSTON	U-DIMM	5200	5200	KF552C40BBA-32	Micron	XMP	32GB	DS	40-40-40-80	1.25	●	●
PREDATOR	U-DIMM	5200	5200	BL.9BWWR.316	Micron	XMP	16GB	SS	38-38-38-76	1.25	●	●
AORUS	U-DIMM	5200	5200	GP-ARS32G52D5	Spectek	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●
OLOY	U-DIMM	5200	5200	MD5U1652361BRSDE	Micron	XMP	16GB	SS	36-38-38-74	1.25	●	●
OLOY	U-DIMM	5200	5200	ND5U1652361BRSDE	Micron	XMP	16GB	SS	36-38-38-74	1.25	●	●
CORSAIR	U-DIMM	5200	5200	CMT32GX5M2B5200C40 Ver 3.43.01	Micron	XMP	2x 16GB	SS	40-40-40-77	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBAK2-32	Micron	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBA-16	Micron	XMP	16GB	SS	40-40-40-80	1.25	●	●
Asgard	U-DIMM	5200	5200	VAM5UX52C40AG-CFRES	Micron	XMP	16GB	SS	40-40-40-77	1.25	●	●
Team Group	U-DIMM	5200	5200	FLBD532G5200HC40CBK	Micron A	XMP	32GB	DS	40-40-40-76	1.25	●	●
Team Group	U-DIMM	5200	5200	FLRD532G5200HC40C01	Micron A	XMP	32GB	DS	40-40-40-76	1.25	●	●
Team Group	U-DIMM	5200	5200	FLBD532G5200HC40C01	Micron A	XMP	32GB	DS	40-40-40-76	1.25	●	●
Team Group	U-DIMM	5200	5200	FLRD564G5200HC40CDC01	Micron A	XMP	2x 32GB	DS	40-40-40-76	1.25	●	●
Team Group	U-DIMM	5200	5200	FLBD564G5200HC40CDC01	Micron A	XMP	2x 32GB	DS	40-40-40-76	1.25	●	●
ADATA	U-DIMM	5200	5200	AX5U5200C388G-SHTBK	Micron Y32A	XMP/EXPO	8GB	SS	38-38-38-76	1.25	●	●
ADATA	U-DIMM	5200	5200	AX5U5200C388G-BHTBK	Micron Y32A	XMP/EXPO	8GB	SS	38-38-38-76	1.25	●	●
ADATA	U-DIMM	5200	5200	AX5U5200C3816G-DCLARWH	Samsung B	XMP/EXPO	2x 16GB	SS	38-38-38-76	1.25	●	●
ADATA	U-DIMM	5200	5200	AX5U5200C3816G-CLARWH	Samsung B	XMP/EXPO	16GB	SS	38-38-38-76	1.25	●	●
ADATA	U-DIMM	5200	5200	AX5U5200C3816G-DCLARBK	Samsung B	XMP/EXPO	2x 16GB	SS	38-38-38-76	1.25	●	●
ADATA	U-DIMM	5200	5200	AX5U5200C3816G-CLARBK	Samsung B	XMP/EXPO	16GB	SS	38-38-38-76	1.25	●	●
ADATA	U-DIMM	5200	5200	AX5U5200C3816G-DWROG	Samsung B	XMP/EXPO	2x 16GB	SS	38-38-38-76	1.25	●	●
ADATA	U-DIMM	5200	5200	AX5U5200C3816G-SHTBK	Samsung B	XMP/EXPO	16GB	SS	38-38-38-76	1.25	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
ADATA	U-DIMM	5200	5200	AX5U5200C3816G-BHTBK	Samsung B	XMP/EXPO	16GB	SS	38-38-38-76	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C36BBEAK2-32	Micron A	XMP/EXPO	2x 16GB	SS	36-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C36BBEA-16	Micron A	XMP/EXPO	16GB	SS	36-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C36BBEK2-32	Micron A	XMP/EXPO	2x 16GB	SS	36-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C36BBE-16	Micron A	XMP/EXPO	16GB	SS	36-40-40-80	1.25	●	●
Apacer	U-DIMM	5200	5200	AU16GHB52CUBBGH	Micron A	N/A	16GB	SS	42-42-42-84	1.1	●	●
KINGSTON	U-DIMM	5200	5200	KF552C36BBEAK2-64	Micron A	XMP/EXPO	2x 32GB	DS	36-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C36BBEA-32	Micron A	XMP/EXPO	32GB	DS	36-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C36BBEK2-16	HYNIX A	XMP/EXPO	2x 8GB	SS	36-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C36BBE-8	HYNIX A	XMP/EXPO	8GB	SS	36-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C36BBEAK2-16	HYNIX A	XMP/EXPO	2x 8GB	SS	36-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C36BBEA-8	HYNIX A	XMP/EXPO	8GB	SS	36-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C36BBEK2-64	Micron A	XMP/EXPO	2x 32GB	DS	36-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C36BBE-32	Micron A	XMP/EXPO	32GB	DS	36-40-40-80	1.25	●	●
G.SKILL	U-DIMM	5200	5200	F5-5200J4040A16GX2-RS5K	Samsung	XMP	2x 16GB	SS	40-40-40-83	1.1	●	●
G.SKILL	U-DIMM	5200	5200	F5-5200J4040A16GX2-TZ5RK	Samsung	XMP	2x 16GB	SS	40-40-40-83	1.1	●	●
KINGSTON	U-DIMM	5200	5200	KVR52U42BS8K2-32	SK Hynix	N/A	2x 16GB	SS	42-42-42-84	1.1	●	●
KINGSTON	U-DIMM	5200	5200	KVR52U42BS8-16	SK Hynix	N/A	16GB	SS	42-42-42-84	1.1	●	●
KINGSTON	U-DIMM	5200	5200	KVR52U42BD8K2-64	SK Hynix	N/A	2x 32GB	DS	42-42-42-84	1.1	●	●
KINGSTON	U-DIMM	5200	5200	KVR52U42BD8-32	SK Hynix	N/A	32GB	DS	42-42-42-84	1.1	●	●
KINGSTON	U-DIMM	5200	5200	KVR52U42BS6K2-16	SK Hynix	N/A	2x 8GB	SS	42-42-42-84	1.1	●	●
KINGSTON	U-DIMM	5200	5200	KVR52U42BS6-8	SK Hynix	N/A	8GB	SS	42-42-42-84	1.1	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
CORSAIR	U-DIMM	5200	5200	CMH192GX5M4B5200C38 Ver 3.53.02	Spectek B	XMP	4x 48GB	DS	38-38-38-84	1.25	●	●
CORSAIR	U-DIMM	5200	5200	CMK192GX5M4B5200C38 Ver 3.53.02	Spectek B	XMP	4x 48GB	DS	38-38-38-84	1.25	●	●
CORSAIR	U-DIMM	5200	5200	CMH32GX5M2B5200C40 Ver 4.43.02	Samsung	XMP	2x 16GB	SS	40-40-40-77	1.25	●	●
CORSAIR	U-DIMM	5200	5200	CMK64GX5M2B5200C40 Ver 3.43.01	Spectek	XMP	2x 32GB	DS	40-40-40-77	1.25	●	●
CORSAIR	U-DIMM	5200	5200	CMH64GX5M2B5200Z40K Ver 3.43.01	Spectek	EXPO	2x 32GB	DS	40-40-40-77	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C36BWEK2-32	SK Hynix	XMP/EXPO	2x 16GB	SS	36-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C36BWE-16	SK Hynix	XMP/EXPO	16GB	SS	36-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C36BWEAK2-32	SK Hynix	XMP/EXPO	2x 16GB	SS	36-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C36BWEA-16	SK Hynix	XMP/EXPO	16GB	SS	36-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BWK2-32	SK Hynix	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BW-16	SK Hynix	XMP	16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BWK2-64	SK Hynix	XMP	2x 32GB	DS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BW-32	SK Hynix	XMP	32GB	DS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BWAK2-64	SK Hynix	XMP	2x 32GB	DS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BWA-32	SK Hynix	XMP	32GB	DS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C36BWEAK2-64	SK Hynix	XMP/EXPO	2x 32GB	DS	36-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C36BWEA-32	SK Hynix	XMP/EXPO	32GB	DS	36-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBK4-128	HYNIX A	XMP	4x 32GB	DS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBK2-64	HYNIX A	XMP	2x 32GB	DS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BB-32	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BWK4-128	HYNIX A	XMP	4x 32GB	DS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BWK2-64	HYNIX A	XMP	2x 32GB	DS	40-40-40-80	1.25	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
KINGSTON	U-DIMM	5200	5200	KF552C40BW-32	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBAK4-64	HYNIX A	XMP	4x 16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBAK2-32	HYNIX A	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBA-16	HYNIX A	XMP	16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBAK4-128	HYNIX A	XMP	4x 32GB	DS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBAK2-64	HYNIX A	XMP	2x 32GB	DS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBA-32	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BWAK4-64	HYNIX A	XMP	4x 16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BWAK2-32	HYNIX A	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BWA-16	HYNIX A	XMP	16GB	SS	40-40-40-80	1.25	●	●
Kingston	U-DIMM	5200	5200	KF552C36BBEAK2-16	Mircon-D	XMP/EXPO	2x 8GB	SS	36-40-40-80	1.25	●	●
Kingston	U-DIMM	5200	5200	KF552C36BBEA-8	Mircon-D	XMP/EXPO	8GB	SS	36-40-40-80	1.25	●	●
CORSAIR	U-DIMM	5200	5200	CMK64GX5M2B5200C40 Ver 3.43.02	Spectek	XMP	2x 32GB	DS	40-40-40-77	1.25	●	●
CORSAIR	U-DIMM	5200	5200	CMH192GX5M4B5200C38 Ver 5.53.13	SK Hynix	XMP	4x 48GB	DS	38-38-38-84	1.25	●	●
GLOWAY	U-DIMM	5200	5200	VGM5UX52C40AG-STACW	Samsung	XMP/EXPO	2x 16GB	DS	40-40-40-77	1.25	●	●
GLOWAY	U-DIMM	5200	5200	VGM5UX52C40AG-DTACW	Samsung	XMP/EXPO	16GB	DS	40-40-40-77	1.25	●	●
GEIL	U-DIMM	5200	5200	GVSG532GB5200C34ADC	SK Hynix	XMP/EXPO	16GB	SS	34-38-38-78	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBK2-32WP	CXSH-A	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BB-16WP	CXSH-A	XMP	16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBAK2-32WP	CXSH-A	XMP	16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBA-16WP	CXSH-A	XMP	16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5200	5200	KF552C40BBK2-32WP	CXSH-A	XMP	16GB	SS	40-40-40-80	1.25	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
Kingston	U-DIMM	5600	5600	KF556C40BBK2-32	Hynix-M die	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●
Kingston	U-DIMM	5600	5600	KF556C40BB-16	Hynix-M die	XMP	16GB	SS	40-40-40-80	1.25	●	●
CORSAIR	U-DIMM	5600	5600	CMT32GX5M2X5600C36 Ver 4.43.02	Samsung	XMP	2x 16GB	SS	36-36-36-76	1.25	●	●
G.SKILL	U-DIMM	5600	5600	F5-5600J3636C16GX2-TZ5RS	Samsung	XMP	2x 16GB	SS	36-36-36-89	1.2	●	●
G.SKILL	U-DIMM	5600	5600	F5-5600J3636C16GA2-RS5K	Samsung	XMP	2x 16GB	SS	36-36-36-89	1.2	●	●
G.SKILL	U-DIMM	5600	5600	F5-5600J3636C16GA2-RS5W	Samsung	XMP	2x 16GB	SS	36-36-36-89	1.2	●	●
G.SKILL	U-DIMM	5600	5600	F5-5600J3636C16GA2-TZ5S	Samsung	XMP	2x 16GB	SS	36-36-36-89	1.2	●	●
G.SKILL	U-DIMM	5600	5600	F5-5600J3636C16GA2-TZ5K	Samsung	XMP	2x 16GB	SS	36-36-36-89	1.2	●	●
G.SKILL	U-DIMM	5600	5600	F5-5600J3636C16GA2-TZ5RS	Samsung	XMP	2x 16GB	SS	36-36-36-89	1.2	●	●
G.SKILL	U-DIMM	5600	5600	F5-5600J3636C16GA2-TZ5RK	Samsung	XMP	2x 16GB	SS	36-36-36-89	1.2	●	●
Thermaltake	U-DIMM	5600	5600	RA50D516GX2-5600C36A	Hynix	XMP	2x 16GB	SS	36-36-36-76	1.25	●	●
Thermaltake	U-DIMM	5600	5600	RG30D516GX2-5600C36A	Hynix	XMP	2x 16GB	SS	36-36-36-76	1.25	●	●
G.SKILL	U-DIMM	5600	5600	F5-5600J4040C16GX2-TZ5RS	Samsung	XMP	2x 16GB	SS	40-40-40-89	1.2	●	●
G.SKILL	U-DIMM	5600	5600	F5-5600J4040C16GX2-TZ5RK	Samsung	XMP	2x 16GB	SS	40-40-40-89	1.2	●	●
G.SKILL	U-DIMM	5600	5600	F5-5600J4040C16GA2-TZ5RS	Samsung	XMP	2x 16GB	SS	40-40-40-89	1.2	●	●
G.SKILL	U-DIMM	5600	5600	F5-5600J4040C16GA2-TZ5RK	Samsung	XMP	2x 16GB	SS	40-40-40-89	1.2	●	●
GALAX	U-DIMM	5600	5600	GAM5DJL4BSE5600B36DJ162C	Samsung	XMP	2x 8GB	SS	36-38-38-76	1.25	●	●
OLOY	U-DIMM	5600	5600	MD5U0856360BRKDE	Samsung	XMP	2x 8GB	SS	36-38-38-76	1.25	●	●
OLOY	U-DIMM	5600	5600	ND5U0856360BRKDE	Samsung	XMP	8GB	SS	36-38-38-76	1.25	●	●
Thermaltake	U-DIMM	5600	5600	RG34D516GX2-5600C36B	SK Hynix	XMP	16GB	SS	36-36-36-76	1.25	●	●
V-COLOR	U-DIMM	5600	5600	TMXPL1656836WWK	SK Hynix	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●
V-COLOR	U-DIMM	5600	5600	TMXPL1656836KW-DK	SK Hynix	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
OLOY	U-DIMM	5600	5600	MD5U0856360BRSDE	Samsung	XMP	8GB	SS	36-38-38-76	1.25	●	●
OLOY	U-DIMM	5600	5600	ND5U0856360BRSDE	Samsung	XMP	8GB	SS	36-38-38-76	1.25	●	●
CORSAIR	U-DIMM	5600	5600	CMK32GX5M2X5600C32 Ver 4.43.02	Samsung	XMP	2x 16GB	SS	32-36-36-76	1.35	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BBAK2-32	SK Hynix	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BBA-16	SK Hynix	XMP	16GB	SS	40-40-40-80	1.25	●	●
CORSAIR	U-DIMM	5600	5600	CMH32GX5M2B5600C36 Ver 4.43.02	Samsung	XMP	2x 16GB	SS	36-36-36-76	1.25	●	●
CORSAIR	U-DIMM	5600	5600	CMH32GX5M2B5600C40 Ver 4.43.02	Samsung	XMP	2x 16GB	SS	40-40-40-77	1.25	●	●
Thermaltake	U-DIMM	5600	5600	RG33D516GX2-5600C36B	SK Hynix	XMP/EXPO	16GB	SS	36-36-36-76	1.25	●	●
Team Group	U-DIMM	5600	5600	TED516G5600C46BK	HYNIX M	N/A	16GB	SS	46-46-46-90	1.1	●	●
Team Group	U-DIMM	5600	5600	TED516G5600C4601	HYNIX M	N/A	16GB	SS	46-46-46-90	1.1	●	●
Team Group	U-DIMM	5600	5600	TPBD516G5600C4601	HYNIX M	N/A	16GB	SS	46-46-46-90	1.1	●	●
Team Group	U-DIMM	5600	5600	TPSD516G5600C4601	HYNIX M	N/A	16GB	SS	46-46-46-90	1.1	●	●
Team Group	U-DIMM	5600	5600	TED532G5600C46DC01	HYNIX M	N/A	2x 16GB	SS	46-46-46-90	1.1	●	●
Team Group	U-DIMM	5600	5600	TPBD532G5600C46DC01	HYNIX M	N/A	2x 16GB	SS	46-46-46-90	1.1	●	●
Team Group	U-DIMM	5600	5600	TPSD532G5600C46DC01	HYNIX M	N/A	2x 16GB	SS	46-46-46-90	1.1	●	●
Team Group	U-DIMM	5600	5600	FF3D516G5600HC32BK	HYNIX M	XMP	16GB	SS	32-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FLRD516G5600HC3201	HYNIX M	XMP	16GB	SS	32-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FLBD516G5600HC3201	HYNIX M	XMP	16GB	SS	32-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FF3D516G5600HC3201	HYNIX M	XMP	16GB	SS	32-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FF4D516G5600HC3201	HYNIX M	XMP	16GB	SS	32-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FLRD532G5600HC32DC01	HYNIX M	XMP	2x 16GB	SS	32-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FLBD532G5600HC32DC01	HYNIX M	XMP	2x 16GB	SS	32-36-36-76	1.2	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
Team Group	U-DIMM	5600	5600	FF3D532G5600HC32DC01	HYNIX M	XMP	2x 16GB	SS	32-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FF4D532G5600HC32DC01	HYNIX M	XMP	2x 16GB	SS	32-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FF3D516G5600HC36BBK	Samsung B	XMP	16GB	SS	36-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FLRD516G5600HC36B01	Samsung B	XMP	16GB	SS	36-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FLBD516G5600HC36B01	Samsung B	XMP	16GB	SS	36-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FF3D516G5600HC36B01	Samsung B	XMP	16GB	SS	36-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FF4D516G5600HC36B01	Samsung B	XMP	16GB	SS	36-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FLRD532G5600HC36BDC01	Samsung B	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FLBD532G5600HC36BDC01	Samsung B	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FF3D532G5600HC36BDC01	Samsung B	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FF4D532G5600HC36BDC01	Samsung B	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FF3D516G5600HC36BBK	HYNIX M	XMP	16GB	SS	36-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FLRD516G5600HC36B01	HYNIX M	XMP	16GB	SS	36-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FLBD516G5600HC36B01	HYNIX M	XMP	16GB	SS	36-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FF3D516G5600HC36B01	HYNIX M	XMP	16GB	SS	36-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FF4D516G5600HC36B01	HYNIX M	XMP	16GB	SS	36-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FLRD532G5600HC36BDC01	HYNIX M	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FLBD532G5600HC36BDC01	HYNIX M	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FF3D532G5600HC36BDC01	HYNIX M	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●
Team Group	U-DIMM	5600	5600	FF4D532G5600HC36BDC01	HYNIX M	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●
G.SKILL	U-DIMM	5600	5600	F5-5600J2834F16GX2-TZ5NR	SK Hynix	EXPO	2x 16GB	SS	28-34-34-89	1.35	●	●
G.SKILL	U-DIMM	5600	5600	F5-5600J2834F16GX2-TZ5RK	SK Hynix	EXPO	2x 16GB	SS	28-34-34-89	1.35	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
G.SKILL	U-DIMM	5600	5600	F5-5600J2834F16GX2-TZ5RS	SK Hynix	EXPO	2x 16GB	SS	28-34-34-89	1.35	●	●
ADATA	U-DIMM	5600	5600	AX5U5600C3616G-DCLARBK	Samsung B	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.25	●	●
ADATA	U-DIMM	5600	5600	AX5U5600C3616G-CLARBK	Samsung B	XMP/EXPO	16GB	SS	36-36-36-76	1.25	●	●
ADATA	U-DIMM	5600	5600	AX5U5600C3616G-CCARGY	Samsung B	XMP/EXPO	16GB	SS	36-36-36-76	1.25	●	●
ADATA	U-DIMM	5600	5600	AX5U5600C3616G-DCCARGY	Samsung B	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.25	●	●
ADATA	U-DIMM	5600	5600	AX5U5600C3616G-DWROG	Samsung B	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.25	●	●
Galaxy	U-DIMM	5600	5600	HOF5CXL4BSD5600B36CK322C	Samsung	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.25	●	●
Galaxy	U-DIMM	5600	5600	HOF5TJL4BSD5600B36CK322C	Samsung	XMP/EXPO	2x 16GB	SS	36-36-36-76	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C36BBEK2-64	HYNIX A	XMP/EXPO	2x 32GB	DS	36-38-38-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C36BBE-32	HYNIX A	XMP/EXPO	32GB	DS	36-38-38-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C36BBEAK2-64	HYNIX M	XMP/EXPO	2x 32GB	DS	36-38-38-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C36BBEA-32	HYNIX M	XMP/EXPO	32GB	DS	36-38-38-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C36BBEK2-16	HYNIX A	XMP/EXPO	2x 8GB	SS	36-38-38-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C36BBE-8	HYNIX A	XMP/EXPO	8GB	SS	36-38-38-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C36BBEAK2-16	HYNIX A	XMP/EXPO	2x 8GB	SS	36-38-38-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C36BBEA-8	HYNIX A	XMP/EXPO	8GB	SS	36-38-38-80	1.25	●	●
Hynix	U-DIMM	5600	5600	HMCG78AGBUA081N	SK Hynix	N/A	16GB	SS	46-45-45-90	1.1	●	●
CORSAIR	U-DIMM	5600	5600	CMH64GX5M4B5600C36 Ver 4.43.02	Samsung	XMP	4x 16GB	SS	36-36-36-76	1.25	●	●
CORSAIR	U-DIMM	5600	5600	CM164GX5M4B5600C36 Ver 4.43.02	Samsung	XMP	4x 16GB	SS	36-36-36-76	1.25	●	●
CORSAIR	U-DIMM	5600	5600	CMH48GX5M2B5600C40K Ver 3.53.02	Spectek	XMP	2x 24GB	SS	40-40-40-77	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C36BWEK2-64	SK Hynix	XMP/EXPO	2x 32GB	DS	36-38-38-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C36BWE-32	SK Hynix	XMP/EXPO	32GB	DS	36-38-38-80	1.25	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
KINGSTON	U-DIMM	5600	5600	KF556C40BWAK2-32	SK Hynix	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BWA-16	SK Hynix	XMP	16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C36BWEAK2-64	SK Hynix	XMP/EXPO	2x 32GB	DS	36-38-38-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C36BWEA-32	SK Hynix	XMP/EXPO	32GB	DS	36-38-38-80	1.25	●	●
KLEVV	U-DIMM	5600	5200	KD5BGUA80-56G4600	SK Hynix	N/A	32GB	DS	46-46-46-90	1.1	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BWK4-64	HYNIX A	XMP	4x 16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BWK2-32	HYNIX A	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BW-16	HYNIX A	XMP	16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BBAK4-64	HYNIX A	XMP	4x 16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BBAK2-32	HYNIX A	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BBA-16	HYNIX A	XMP	16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BWAK4-64	HYNIX A	XMP	4x 16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BWAK2-32	HYNIX A	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BWA-16	HYNIX A	XMP	16GB	SS	40-40-40-80	1.25	●	●
ADATA	U-DIMM	5600	5600	AD5U56008G-B	Hynix A	N/A	8GB	SS	46-45-45-90	1.1	●	●
ADATA	U-DIMM	5600	5600	AD5U56008G-S	Hynix A	N/A	8GB	SS	46-45-45-90	1.1	●	●
ADATA	U-DIMM	5600	5600	AD5U56008G-DT	Hynix A	N/A	2x 8GB	SS	46-45-45-90	1.1	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BWAK4-128	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BWA-32	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BWAK2-64	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BBAK4-128	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BBA-32	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
KINGSTON	U-DIMM	5600	5600	KF556C40BBAK2-64	HYNIX A	XMP	32GB	DS	40-40-40-80	1.25	●	●
ADATA	U-DIMM	5600	5600	AD5U560024G-B	Spectek	N/A	24GB	SS	46-45-45-90	1.1	●	●
ADATA	U-DIMM	5600	5600	AD5U560024G-S	Spectek	N/A	24GB	SS	46-45-45-90	1.1	●	●
ADATA	U-DIMM	5600	5600	AD5U560024G-DT	Spectek	N/A	2x 24GB	SS	46-45-45-90	1.1	●	●
SK Hynix	U-DIMM	5600	5600	HMCG66AGBUA084N BA	SK Hynix	N/A	8GB	SS	46-45-45-90	1.1	●	●
Samsung	U-DIMM	5600	5200	M323R2GA3DB0-CWMOD	Samsung	N/A	16GB	SS	46-45-45-90	1.1	●	●
SK Hynix	U-DIMM	5600	5600	HMCG78AGBUA084N BA	SK Hynix	N/A	16GB	SS	46-45-45-90	1.1	●	●
ADATA	U-DIMM	5600	5600	AD5U560048G-B	Hynix M-Die	N/A	48GB	DS	46-45-45-90	1.1	●	●
ADATA	U-DIMM	5600	5600	AD5U560048G-S	Hynix M-Die	N/A	48GB	DS	46-45-45-90	1.1	●	●
ADATA	U-DIMM	5600	5600	AD5U560048G-DT	Hynix M-Die	N/A	2x 48GB	DS	46-45-45-90	1.1	●	●
V-color	U-DIMM	5600	5600	GTMXPL1656836KWK	SK Hynix	XMP	2x 16GB	SS	36-36-36-76	1.2	●	●
GOLDKEY	U-DIMM	5600	5600	NMGD532F82-5600EI20	SK Hynix	XMP/EXPO	32GB	DS	40-40-40-77	1.2	●	●
GOLDKEY	U-DIMM	5600	5600	NMGD516F82-5600EI20	SK Hynix	XMP/EXPO	16GB	SS	40-40-40-77	1.2	●	●
Kingston	U-DIMM	5600	5600	KF556C40BBAK2-16	Mircon-D	XMP	2x 8GB	SS	40-40-40-80	1.25	●	●
Kingston	U-DIMM	5600	5600	KF556C40BBA-8	Mircon-D	XMP	8GB	SS	40-40-40-80	1.25	●	●
Kingston	U-DIMM	5600	5600	KF556C40BBAK2-32	Mircon-D	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●
Kingston	U-DIMM	5600	5600	KF556C40BBA-16	Mircon-D	XMP	16GB	SS	40-40-40-80	1.25	●	●
Kingston	U-DIMM	5600	5600	KF556C40BWA-16	Mircon-D	XMP	16GB	SS	40-40-40-80	1.25	●	●
Kingston	U-DIMM	5600	5600	KF556C40BWAK2-32	Mircon-D	XMP	2x 16GB	SS	40-40-40-80	1.25	●	●
Kingston	U-DIMM	5600	5600	KF556C36BBEAK2-32	Mircon-D	XMP/EXPO	2x 16GB	SS	36-38-38-80	1.25	●	●
Kingston	U-DIMM	5600	5600	KF556C36BBEA-16	Mircon-D	XMP/EXPO	16GB	SS	36-38-38-80	1.25	●	●
Kingston	U-DIMM	5600	5600	KF556C36BWEA-16	Mircon-D	XMP/EXPO	16GB	SS	36-38-38-80	1.25	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
Kingston	U-DIMM	5600	5600	KF556C36BWEAK2-32	Mircon-D	XMP/EXPO	2x 16GB	SS	36-38-38-80	1.25	●	●
CORSAIR	U-DIMM	5600	5600	CMH128GX5M4B5600C40 Ver 5.43.01	SK Hynix	XMP	4x 32GB	DS	40-40-40-77	1.25	●	●
Dynac	U-DIMM	5600	5600	DD5U560016G/S	Spectek	N/A	16GB	SS	46-46-46-90	1.1	●	●
Dynac	U-DIMM	5600	5600	DWC5U560016G/D	Hynix	XMP/EXPO	16GB	SS	40-40-40-80 38-38-38-76	1.2	●	●
KINGSTON	U-DIMM	5600	5600	KVR56U46BS8K2-32	Mircon-D	N/A	2x 16GB	SS	46-45-45-90	1.1	●	●
KINGSTON	U-DIMM	5600	5600	KVR56U46BS8-16	Mircon-D	N/A	16GB	SS	46-45-45-90	1.1	●	●
KINGSTON	U-DIMM	5600	5600	KVR56U46BS6K2-16	Mircon-D	N/A	2x 8GB	SS	46-45-45-90	1.1	●	●
KINGSTON	U-DIMM	5600	5600	KVR56U46BS6-8	Mircon-D	N/A	8GB	SS	46-45-45-90	1.1	●	●
KINGSTON	U-DIMM	5600	5600	KVR56U46BD8K2-64	Mircon-D	N/A	2x 32GB	DS	46-45-45-90	1.1	●	●
KINGSTON	U-DIMM	5600	5600	KVR56U46BD8-32	Mircon-D	N/A	32GB	DS	46-45-45-90	1.1	●	●
Zentel	U-DIMM	5600	5600	Z6A8GH4SAAA-QE	Hynix A-die	N/A	8GB	SS	46-45-45-90	1.1	●	●
Zentel	U-DIMM	5600	5600	Z6AAGH3SAAA-QE	Hynix A-die	N/A	16GB	SS	46-45-45-90	1.1	●	●
CXMT	U-DIMM	5600	5600	CXMR4E816U6AS-AN1C	CXMT	N/A	16GB	SS	46-45-45-90	1.1	●	●
CXMT	U-DIMM	5600	5600	CXMR4E816U6AS-CN1C	CXMT	N/A	32GB	DS	46-45-45-90	1.1	●	●
Crucial	U-DIMM	5600	5600	CP64G56C46U5.M16B1	Spectek	XMP/EXPO	64GB	DS	46-45-45-90	1.1	●	●
Crucial	U-DIMM	5600	5600	CT64G56C46U5.M16B1	Spectek	XMP/EXPO	64GB	DS	46-46-45-90	1.1	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BBAK2-128	Samsung M-die	XMP/EXPO	64GB	DS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BBA-64	Samsung M-die	XMP/EXPO	64GB	DS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C36BBEAK2-128	Samsung M-die	XMP/EXPO	64GB	DS	36-38-38-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C36BBEA-64	Samsung M-die	XMP/EXPO	64GB	DS	36-38-38-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BBK2-128	Samsung M-die	XMP/EXPO	64GB	DS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BB-64	Samsung M-die	XMP/EXPO	64GB	DS	40-40-40-80	1.25	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
KINGSTON	U-DIMM	5600	5600	KF556C36BBEK2-128	Samsung M-die	XMP/EXPO	64GB	DS	36-38-38-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C36BBE-64	Samsung M-die	XMP/EXPO	64GB	DS	36-38-38-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BB-16-SP	CXSH A-die	XMP	16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BB-16-SPBK	CXSH A-die	XMP	16GB	SS	40-40-40-80	1.25	●	●
CORSAIR	U-DIMM	5600	5600	CMK128GX5M2D5600C40 Ver3.63.01	Mircon & SpecTek	XMP	2x 64GB	DS	40-44-44-90	1.25	●	●
CORSAIR	U-DIMM	5600	5600	CMH128GX5M2D5600C40 Ver3.63.01	Mircon & SpecTek	XMP	2x 64GB	DS	40-44-44-90	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BB-16WP	CXSH-A	XMP	16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BBK2-32WP	CXSH-A	XMP	16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	F556C40BBA-16WP	CXSH-A	XMP	16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KF556C40BBAK2-32WP	CXSH-A	XMP	16GB	SS	40-40-40-80	1.25	●	●
KINGSTON	U-DIMM	5600	5600	KVR56U46BS8-16WP	CXSH-A	N/A	16GB	SS	46-45-45-90	1.1	●	●
KINGSTON	U-DIMM	5600	5600	KVR56U46BD8-64	SAMSUNG	N/A	64GB	DS	46-45-45-90	1.1	●	●
ADATA	U-DIMM	5600	5600	AD5U560064G-B	SK Hynix	N/A	64GB	DS	46-45-45-90	1.1	●	●
ADATA	U-DIMM	5600	5600	AD5U560064G-S	SK Hynix	N/A	64GB	DS	46-45-45-90	1.1	●	●
ADATA	U-DIMM	5600	5600	CBDAD5U560016G-BCX	CXSH-A	N/A	16GB	SS	46-45-45-90	1.1	●	●
Lexar	U-DIMM	5600	5600	CBD56U46BD8MH-32	CXMT	N/A	16GB	SS	46-45-45-90	1.1	●	●
Lexar	U-DIMM	5600	5600	CBD56U46BD8HA-32	CXMT	N/A	16GB	SS	46-45-45-90	1.1	●	●
Lexar	U-DIMM	5600	5600	B45DUBG75646B-TD23	CXMT	N/A	16GB	SS	46-45-45-90	1.1	●	●
Kimtigo	U-DIMM	5600	5600	B45DUAG75646B-TD21	CXSH-A	XMP/EXPO	16GB	SS	46-45-45-90	1.1	●	●
Galaxy	U-DIMM	5800	5800	HOF5CXL4BSD5800F38DJ322C	Samsung	XMP/EXPO	2x 16GB	SS	38-38-38-83	1.3	●	●
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-DCLARBK	Hynix M-Die	XMP	2x 16GB	SS	40-40-40-76	1.35	●	●
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-CLARBK	Hynix M-Die	XMP	2x 16GB	SS	40-40-40-76	1.35	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-BLARBK	Hynix M-Die	XMP	2x 16GB	SS	40-40-40-76	1.35	●	●
Team Group	U-DIMM	6000	6000	FF3D516G6000HC38ABK	Hynix	XMP	16GB	SS	38-38-38-78	1.25	●	●
Team Group	U-DIMM	6000	6000	FF3D532G6000HC38ADC01	Hynix	XMP	2x 16GB	SS	38-38-38-78	1.25	●	●
Team Group	U-DIMM	6000	6000	FF4D532G6000HC38ADC01	Hynix	XMP	2x 16GB	SS	38-38-38-78	1.25	●	●
KINGSTON	U-DIMM	6000	6000	KF560C40BBK2-16	Hynix-M die	XMP	2x 8GB	SS	40-40-40-80	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C40BB-8	Hynix-M die	XMP	8GB	SS	40-40-40-80	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C40BBAK2-16	SK Hynix	XMP	2x 8GB	SS	40-40-40-80	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C40BBA-8	SK Hynix	XMP	8GB	SS	40-40-40-80	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C40BBAK2-32	SK Hynix	XMP	2x 16GB	SS	40-40-40-80	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C40BBA-16	SK Hynix	XMP	16GB	SS	40-40-40-80	1.35	●	●
CORSAIR	U-DIMM	6000	6000	CMT32GX5M2D6000C36 Ver 4.43.02	Samsung	XMP	2x 16GB	SS	36-36-36-76	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C32RSAK2-32	Hynix-M die	XMP	2x 16GB	SS	32-38-38-80	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C32RSA-16	Hynix-M die	XMP	16GB	SS	32-38-38-80	1.35	●	●
GEIL	U-DIMM	6000	6000	GAESW532GB6000C38ADC	SK Hynix	XMP	16GB	SS	38-40-40-82	1.25	●	●
GEIL	U-DIMM	6000	6000	GAESG532GB6000C38ADC	SK Hynix	XMP	16GB	SS	38-40-40-82	1.25	●	●
GEIL	U-DIMM	6000	6000	GAESG532GB6000C32ADC	SK Hynix	EXPO	2x 16GB	SS	38-40-40-82	1.35	●	●
GEIL	U-DIMM	6000	6000	GAESW532GB6000C32ADC	SK Hynix	EXPO	2x 16GB	SS	38-40-40-82	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C32RSK2-32	Hynix-M die	XMP	2x 16GB	SS	32-38-38-80	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C32RS-16	Hynix-M die	XMP	16GB	SS	32-38-38-80	1.35	●	●
Thermaltake	U-DIMM	6000	6000	RG33D516GX2-6000C36B	SK Hynix	XMP/EXPO	16GB	SS	36-38-38-76	1.3	●	●
Thermaltake	U-DIMM	6000	6000	RG34D516GX2-6000C36B	SK Hynix	XMP/EXPO	16GB	SS	36-38-38-76	1.3	●	●
KINGSTON	U-DIMM	6000	6000	KF560C36BBEK2-32	SK Hynix	XMP/EXPO	2x 16GB	SS	36-38-38-80	1.35	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
KINGSTON	U-DIMM	6000	6000	KF560C36BBE-16	SK Hynix	XMP/EXPO	16GB	SS	36-38-38-80	1.35	●	●
G.SKILL	U-DIMM	6000	6000	F5-6000J3636F16GX2-TZ5NR	Samsung	EXPO	2x 16GB	SS	36-36-36-96	1.35	●	●
Thermaltake	U-DIMM	6000	6000	RG33D516GX2-6000C36P	SK Hynix	XMP	16GB	SS	36-38-38-76	1.3	●	●
Thermaltake	U-DIMM	6000	6000	RG34D516GX2-6000C36P	SK Hynix	XMP	16GB	SS	36-38-38-76	1.3	●	●
Team Group	U-DIMM	6000	6000	FF3D516G6000HC30BK	HYNIX M	XMP	16GB	SS	30-36-36-76	1.35	●	●
Team Group	U-DIMM	6000	6000	FF3D516G6000HC3001	HYNIX M	XMP	16GB	SS	30-36-36-76	1.35	●	●
Team Group	U-DIMM	6000	6000	FF4D516G6000HC3001	HYNIX M	XMP	16GB	SS	30-36-36-76	1.35	●	●
Team Group	U-DIMM	6000	6000	FF3D532G6000HC30DC01	HYNIX M	XMP	2x 16GB	SS	30-36-36-76	1.35	●	●
Team Group	U-DIMM	6000	6000	FF4D532G6000HC30DC01	HYNIX M	XMP	2x 16GB	SS	30-36-36-76	1.35	●	●
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-CLABK	HYNIX M	XMP/EXPO	16GB	SS	40-40-40-76	1.35	●	●
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-DCLABK	HYNIX M	XMP/EXPO	2x 16GB	SS	40-40-40-76	1.35	●	●
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-CCAGY	HYNIX M	XMP/EXPO	16GB	SS	40-40-40-76	1.35	●	●
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-DCCAGY	HYNIX M	XMP/EXPO	2x 16GB	SS	40-40-40-76	1.35	●	●
CORSAIR	U-DIMM	6000	6000	CMH32GX5M2X6000C30 Ver 5.43.13	SK Hynix	XMP	2x 16GB	SS	30-36-36-76	1.4	●	●
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-BLARWH	HYNIX M	XMP/EXPO	16GB	SS	40-40-40-76	1.35	●	●
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-CLARBK	HYNIX M	XMP/EXPO	16GB	SS	40-40-40-76	1.35	●	●
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-DCLARBK	HYNIX M	XMP/EXPO	2x 16GB	SS	40-40-40-76	1.35	●	●
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-CCARGY	HYNIX M	XMP/EXPO	16GB	SS	40-40-40-76	1.35	●	●
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-DCCARGY	HYNIX M	XMP/EXPO	2x 16GB	SS	40-40-40-76	1.35	●	●
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-DWROG	HYNIX M	XMP/EXPO	2x 16GB	SS	40-40-40-76	1.35	●	●
ADATA	U-DIMM	6000	6000	AX5U6000C4016G-DBROG	HYNIX M	XMP/EXPO	2x 16GB	SS	40-40-40-76	1.35	●	●
CORSAIR	U-DIMM	6000	6000	CMH32GX5M2B6000Z30 ver. 5.43.13	SK Hynix	EXPO	2x 16GB	SS	30-36-36-76	1.4	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
G.SKILL	U-DIMM	6000	6000	F5-6000J3040F16GX2-RS5W	SK Hynix	XMP	2x 16GB	SS	30-40-40-96	1.35	●	●
G.SKILL	U-DIMM	6000	6000	F5-6000J3040F16GX2-TZ5S	SK Hynix	XMP	2x 16GB	SS	30-40-40-96	1.35	●	●
G.SKILL	U-DIMM	6000	6000	F5-6000J3040F16GX2-TZ5K	SK Hynix	XMP	2x 16GB	SS	30-40-40-96	1.35	●	●
G.SKILL	U-DIMM	6000	6000	F5-6000J3040F16GX2-TZ5RS	SK Hynix	XMP	2x 16GB	SS	30-40-40-96	1.35	●	●
G.SKILL	U-DIMM	6000	6000	F5-6000J3040F16GX2-TZ5RK	SK Hynix	XMP	2x 16GB	SS	30-40-40-96	1.35	●	●
G.SKILL	U-DIMM	6000	6000	F5-6000J3040F16GX2-RS5K	SK Hynix	XMP	2x 16GB	SS	30-40-40-96	1.35	●	●
Galaxy	U-DIMM	6000	6000	HOF5TJL4BSD6000D38DE322C	Samsung	XMP/EXPO	2x 16GB	SS	38-38-38-93	1.35	●	●
Galaxy	U-DIMM	6000	6000	HOF5CXL4BSD6000D38DE322C	Samsung	XMP/EXPO	2x 16GB	SS	38-38-38-93	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C36BBEK2-16	HYNIX A	XMP/EXPO	2x 8GB	SS	36-38-38-80	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C36BBE-8	HYNIX A	XMP/EXPO	8GB	SS	36-38-38-80	1.35	●	●
CORSAIR	U-DIMM	6000	6000	CMH32GX5M2B6000Z30K Ver 5.43.13	SK Hynix	EXPO	2x 16GB	SS	30-36-36-76	1.4	●	●
CORSAIR	U-DIMM	6000	6000	CMT32GX5M2X6000C30 Ver 5.43.13	SK Hynix	XMP	2x 16GB	SS	30-36-36-76	1.4	●	●
KINGSTON	U-DIMM	6000	6000	KF560C32RWK2-32	SK Hynix	XMP	2x 16GB	SS	32-38-38-80	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C32RW-16	SK Hynix	XMP	2x 16GB	SS	32-38-38-80	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C40BWK2-32	SK Hynix	XMP	2x 16GB	SS	40-40-40-80	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C40BW-16	SK Hynix	XMP	2x 16GB	SS	40-40-40-80	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C36BWEK2-32	SK Hynix	XMP/EXPO	2x 16GB	SS	36-38-38-80	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C36BWE-16	SK Hynix	XMP/EXPO	2x 16GB	SS	36-38-38-80	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C40BWAK2-32	SK Hynix	XMP	2x 16GB	SS	40-40-40-80	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C40BWA-16	SK Hynix	XMP	2x 16GB	SS	40-40-40-80	1.35	●	●
CORSAIR	U-DIMM	6000	6000	CMT32GX5M2E6000C36 Ver 3.43.02	Micron	XMP	2x 16GB	SS	36-44-44-96	1.4	●	●
KINGSTON	U-DIMM	6000	6000	KF560C40BBK4-64	HYNIX A	XMP	4x 16GB	SS	40-40-40-80	1.35	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
KINGSTON	U-DIMM	6000	6000	KF560C40BBK2-32	HYNIX A	XMP	2x 16GB	SS	40-40-40-80	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C40BB-16	HYNIX A	XMP	16GB	SS	40-40-40-80	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C40BBAK4-64	HYNIX A	XMP	4x 16GB	SS	40-40-40-80	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C40BBAK2-32	HYNIX A	XMP	2x 16GB	SS	40-40-40-80	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C40BBA-16	HYNIX A	XMP	16GB	SS	40-40-40-80	1.35	●	●
G.SKILL	U-DIMM	6000	6000	F5-6000J3636F16GX2-FX5	Samsung	EXPO	2x 16GB	SS	36-36-36-96	1.35	●	●
KINGBANK	U-DIMM	6000	6000	KPR516G60SB	Samsung	XMP/EXPO	2x 16GB	SS	36-36-36-80	1.35	●	●
CORSAIR	U-DIMM	6000	6000	CMK48GX5M2E6000C36 Ver3.53.02	Spectek	XMP	2x 24GB	SS	36-44-44-96	1.4	●	●
PREDATOR	U-DIMM	6000	6000	BL.9BWWR.327	SK Hynix	XMP/EXPO	2x 16GB	SS	30-38-38-76	1.35	●	●
PREDATOR	U-DIMM	6000	6000	BL.9BWWR.366	SK Hynix	XMP/EXPO	2x 16GB	SS	30-38-38-76	1.35	●	●
CORSAIR	U-DIMM	6000	6000	CMK32GX5M2B6000Z30 Ver 5.43.01	SK Hynix	EXPO	2x 16GB	SS	30-36-36-76	1.4	●	●
PREDATOR	U-DIMM	6000	6000	BL.9BWWR.350	SK Hynix	XMP	16GB	SS	30-38-38-76	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GDGA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GDWA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GDLA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GSGA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GSWA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GSLA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CDGA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CDWA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CDLA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CSGA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CSWA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CSLA	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GD2A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GD1A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GD0A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GS2A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GS1A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000GS0A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CD2A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CD1A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CD0A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CS2A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CS1A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5BU016G-R6000CS0A	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-68	1.35	●	●
SAMNIX	U-DIMM	6000	6000	SXD5BR32G160C32-2W	SK Hynix	XMP/EXPO	2x 16GB	SS	32-40-40-96	1.35	●	●
Kingston	U-DIMM	6000	6000	KF560C32RSAK2-96	SK Hynix M-Die	XMP	2x 48GB	DS	32-38-38-80	1.35	●	●
Kingston	U-DIMM	6000	6000	KF560C32RSA-48	SK Hynix M-Die	XMP	48GB	DS	32-38-38-80	1.35	●	●
PREDATOR	U-DIMM	6000	6000	BL.9BWWR.350	SK Hynix	XMP/EXPO	2x 16GB	SS	30-38-38-76	1.35	●	●
CORSAIR	U-DIMM	6000	6000	CMP32GX5M2B6000Z30 Ver 5.43.01	SK Hynix	EXPO	2x 16GB	SS	30-36-36-76	1.4	●	●
CORSAIR	U-DIMM	6000	6000	CMP48GX5M2B6000C30 Ver 5.53.13	SK Hynix	XMP	2x 24GB	SS	30-36-36-76	1.4	●	●
CORSAIR	U-DIMM	6000	6000	CMH32GX5M2B6000C30W Ver 5.43.01	SK Hynix	XMP	2x 16GB	SS	30-36-36-76	1.4	●	●
CORSAIR	U-DIMM	6000	6000	CMP96GX5M4B6000C30 Ver 5.53.13	SK Hynix	XMP	4x 24GB	SS	30-36-36-76	1.4	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
GOLDKEY	U-DIMM	6000	6000	NMGD516F82-6000L120	SK Hynix	XMP/EXPO	16GB	SS	40-40-40-77	1.3	●	●
Colorful	U-DIMM	6000	6000	BA16G6000D5TP36R H81C03	SK Hynix	XMP/EXPO	16GB	DS	36-40-40-96	1.35	●	●
CORSAIR	U-DIMM	6000	6000	CMK64GX5M2B6000C38 Ver 4.43.19	samsung	XMP	2x 32GB	DS	38-44-44-96	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C30BBEAK2-32	Hynix A-die	XMP/EXPO	2x 16GB	SS	30-36-36-80	1.4	●	●
KINGSTON	U-DIMM	6000	6000	KF560C30BBEA-16	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-80	1.4	●	●
KINGSTON	U-DIMM	6000	6000	KF560C30BWEA-16	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-80	1.4	●	●
KINGSTON	U-DIMM	6000	6000	KF560C30BWEAK2-32	Hynix A-die	XMP/EXPO	2x 16GB	SS	30-36-36-80	1.4	●	●
KINGSTON	U-DIMM	6000	6000	KF560C30BWK2-32	Hynix A-die	XMP	2x 16GB	SS	30-36-36-80	1.4	●	●
KINGSTON	U-DIMM	6000	6000	KF560C30BB-16	Hynix A-die	XMP	16GB	SS	30-36-36-80	1.4	●	●
KINGSTON	U-DIMM	6000	6000	KF560C30BBK2-32	Hynix A-die	XMP	2x 16GB	SS	30-36-36-80	1.4	●	●
KINGSTON	U-DIMM	6000	6000	KF560C30BW-16	Hynix A-die	XMP	16GB	SS	30-36-36-80	1.4	●	●
KINGSTON	U-DIMM	6000	6000	KF560C30BWEK2-32	Hynix A-die	XMP/EXPO	2x 16GB	SS	30-36-36-80	1.4	●	●
KINGSTON	U-DIMM	6000	6000	KF560C30BBE-16	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-80	1.4	●	●
KINGSTON	U-DIMM	6000	6000	KF560C30BBEK2-32	Hynix A-die	XMP/EXPO	2x 16GB	SS	30-36-36-80	1.4	●	●
KINGSTON	U-DIMM	6000	6000	KF560C30BWE-16	Hynix A-die	XMP/EXPO	16GB	SS	30-36-36-80	1.4	●	●
Dynac	U-DIMM	6000	6000	DWC5U600016G/D	Hynix	XMP/EXPO	16GB	SS	40-40-40-76	1.3	●	●
CORSAIR	U-DIMM	6000	6000	CMH32GX5M2E6000C36K Ver 3.43.04	Spectek	XMP	2x 16GB	SS	36-44-44-96	1.4	●	●
KINGSTON	U-DIMM	6000	6000	KF560C30BBAK2-16	Hynix A-die	XMP	2x 8GB	SS	30-36-36-80	1.4	●	●
KINGSTON	U-DIMM	6000	6000	KF560C30BBA-8	Hynix A-die	XMP	8GB	SS	30-36-36-80	1.4	●	●
KINGSTON	U-DIMM	6000	6000	KF560C30BBEK2-16	Hynix A-die	XMP/EXPO	2x 8GB	SS	30-36-36-80	1.4	●	●
KINGSTON	U-DIMM	6000	6000	KF560C30BBE-8	Hynix A-die	XMP/EXPO	8GB	SS	30-36-36-80	1.4	●	●
KINGSTON	U-DIMM	6000	6000	KF560C30BBK2-16	Hynix A-die	XMP	2x 8GB	SS	30-36-36-80	1.4	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
KINGSTON	U-DIMM	6000	6000	KF560C30BB-8	Hynix A-die	XMP	8GB	SS	30-36-36-80	1.4	●	●
Crucial	U-DIMM	6000	6000	CP24G60C48U5.M8BR	Spectek	XMP/EXPO	24GB	SS	48-48-48-96	1.1	●	●
KINGBANK	U-DIMM	6000	6000	KPR516G600K9-C28	Hynix	XMP/EXPO	16GB	SS	28-35-35-76	1.45	●	●
Asgard	U-DIMM	6000	6000	VAM5UX60C30AG-CFRESM	SK Hynix	XMP/EXPO	16GB	SS	30-38-38-77	1.4	●	●
Asgard	U-DIMM	6000	6000	VAM5UX60C30AG-CGUPBM	SK Hynix	XMP/EXPO	16GB	SS	30-38-38-77	1.4	●	●
Asgard	U-DIMM	6000	6000	VAM5UX60C30AG-DGUPBM	SK Hynix	XMP/EXPO	16GB	SS	30-38-38-77	1.4	●	●
GLOWAY	U-DIMM	6000	6000	VGM5UH60C30AG-DTBCWM	SK Hynix	XMP/EXPO	16GB	SS	30-38-38-77	1.4	●	●
GLOWAY	U-DIMM	6000	6000	VGM5UH60C30AG-DTACWM	SK Hynix	XMP/EXPO	16GB	SS	30-38-38-77	1.4	●	●
GLOWAY	U-DIMM	6000	6000	VGM5UH60C30AG-DVDASM	SK Hynix	XMP/EXPO	16GB	SS	30-38-38-77 36-38-38-80	1.4	●	●
Asgard	U-DIMM	6000	6000	VAM5UX60C30AG-CFRESN	SK Hynix	XMP/EXPO	16GB	SS	30-36-36-77	1.35	●	●
Asgard	U-DIMM	6000	6000	VAM5UX60C30AG-CGUPBN	SK Hynix	XMP/EXPO	16GB	SS	30-36-36-77	1.35	●	●
GEIL	U-DIMM	6000	6000	GEJYSW532GB6000C40DC	Mircon	XMP/EXPO	16GB	SS	40-48-48-96	1.35	●	●
V-color	U-DIMM	6000	6000	RTMXSL1660836KWK	SK Hynix	XMP	16GB	SS	36-38-38-76	1.25	●	●
CORSAIR	U-DIMM	6000	6000	CMH5X16G1B60C36A2W-CNR Ver 4.43.02	Samsung	XMP	16GB	SS	36-36-36-76	1.35	●	●
Team Group	U-DIMM	6000	6000	FF4D516G6000HC38ABK	Hynix A-die	XMP/EXPO	16GB	SS	38-38-38-78	1.25	●	●
Team Group	U-DIMM	6000	6000	FF3D516G6000HC38A01	Hynix A-die	XMP/EXPO	16GB	SS	38-38-38-78	1.25	●	●
Team Group	U-DIMM	6000	6000	FF4D516G6000HC38A01	Hynix A-die	XMP/EXPO	16GB	SS	38-38-38-78	1.25	●	●
Team Group	U-DIMM	6000	6000	FF7D516G6000HC38A01	Hynix A-die	XMP/EXPO	16GB	SS	38-38-38-78	1.25	●	●
Team Group	U-DIMM	6000	6000	FF8D516G6000HC38A01	Hynix A-die	XMP/EXPO	16GB	SS	38-38-38-78	1.25	●	●
Team Group	U-DIMM	6000	6000	FLABD516G6000HC38A01	Hynix A-die	XMP/EXPO	16GB	SS	38-38-38-78	1.25	●	●
Team Group	U-DIMM	6000	6000	FLARD516G6000HC38A01	Hynix A-die	XMP/EXPO	16GB	SS	38-38-38-78	1.25	●	●
Team Group	U-DIMM	6000	6000	FLBD516G6000HC38A01	Hynix A-die	XMP/EXPO	16GB	SS	38-38-38-78	1.25	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
Team Group	U-DIMM	6000	6000	FLRD516G6000HC38A01	Hynix A-die	XMP/EXPO	16GB	SS	38-38-38-78	1.25	●	●
Team Group	U-DIMM	6000	6000	FF3D532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●
Team Group	U-DIMM	6000	6000	FF4D532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●
Team Group	U-DIMM	6000	6000	FF7D532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●
Team Group	U-DIMM	6000	6000	FF8D532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●
Team Group	U-DIMM	6000	6000	FLABD532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●
Team Group	U-DIMM	6000	6000	FLARD532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●
Team Group	U-DIMM	6000	6000	FLBD532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●
Team Group	U-DIMM	6000	6000	FLRD532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●
Team Group	U-DIMM	6000	6000	CTCED532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●
Team Group	U-DIMM	6000	6000	CTCWD532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●
Team Group	U-DIMM	6000	6000	FLESD532G6000HC38ADC01	Hynix A-die	XMP/EXPO	2x 16GB	SS	38-38-38-78	1.25	●	●
Patriot	U-DIMM	6000	6000	PVV532G600C30K	SK Hynix	XMP/EXPO	2x 16GB	SS	30-40-40-76	1.35	●	●
kingbank	U-DIMM	6000	6000	KPR516G60C36SH	CXSH	XMP/EXPO	16GB	SS	36-38-38-86	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2-16-SP	CXSH A-die	XMP/EXPO	16GB	SS	36-44-44-90	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2-16-SPBK	CXSH A-die	XMP/EXPO	16GB	SS	36-44-44-90	1.35	●	●
CORSAIR	U-DIMM	6000	6000	CMK128GX5M2D6000C40 Ver3.63.01	Mircon & SpecTek	XMP	2x 64GB	DS	40-50-50-96	1.35	●	●
KINGBANK	U-DIMM	6000	6000	KPR516G60C36SH-E	CXSH A-die	XMP/EXPO	16GB	SS	36-38-38-88	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2-16WP	CXSH-A	XMP/EXPO	16GB	SS	36-44-44-90	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2K2-32WP	CXSH-A	XMP/EXPO	16GB	SS	36-44-44-90	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2A-16WP	CXSH-A	XMP/EXPO	16GB	SS	36-44-44-90	1.35	●	●
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2AK2-32WP	CXSH-A	XMP/EXPO	16GB	SS	36-44-44-90	1.35	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
KINGSTON	U-DIMM	6000	6000	KF560C36BBE2AK2-32WP	CXSH-A	XMP/EXPO	2x 16GB	SS	36-44-44-90	1.35	●	●
ADATA	U-DIMM	6000	6000	AX5U6000C3616G-BCAGY	CXSH	XMP/EXPO	16GB	SS	36-38-38-80	1.35	●	●
G.SKILL	U-DIMM	6000	6000	F5-6000J3244G64GX2-FX5	Samsung	EXPO	2x 64GB	DS	46-45-45-90	1.4	●	●
Lexar	U-DIMM	6000	6000	LD5U64G60C40BV-RGD	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	40-48-48-96	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5U64G60C40SV-RGD	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	40-48-48-96	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5U64G60C40LV-RGD	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	40-48-48-96	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5U64G60C40EV-RGD	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	40-48-48-96	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5U64G60C40BV-RGS	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	40-48-48-96	1.35	●	●
Lexar	U-DIMM	6000	6000	LD5U64G60C40SV-RGS	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	40-48-48-96	1.35	●	●
Thermaltake	U-DIMM	6000	6000	RG33D516GX2-6000M36B	CXSH	XMP/EXPO	2x 16GB	SS	36-38-38-76	1.3	●	●
Thermaltake	U-DIMM	6000	6000	RG34D516GX2-6000M36B	CXSH	XMP/EXPO	2x 16GB	SS	36-38-38-76	1.3	●	●
Thermaltake	U-DIMM	6000	6000	RG30D516GX2-6000M40A	CXSH	XMP/EXPO	2x 16GB	SS	40-40-40-77	1.3	●	●
Thermaltake	U-DIMM	6000	6000	RG31D516GX2-6000M36A	CXSH	XMP/EXPO	2x 16GB	SS	36-38-38-76	1.3	●	●
Thermaltake	U-DIMM	6000	6000	RG32D516GX2-6000M36A	CXSH	XMP/EXPO	2x 16GB	SS	36-38-38-76	1.3	●	●
Lexar	U-DIMM	6000	6000	LD5U16G60C36SV-RGD	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●
Lexar	U-DIMM	6000	6000	LD5U16G60C36BV-RGS	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●
Lexar	U-DIMM	6000	6000	LD5U16G60C36SV-RGS	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●
Lexar	U-DIMM	6000	6000	LD5U16G60C36BV-RGD	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●
Lexar	U-DIMM	6000	6000	LD5U16G60C36BV-KGN	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●
Lexar	U-DIMM	6000	6000	LD5U16G60C36SV-KGN	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●
Lexar	U-DIMM	6000	6000	LD5U16G60C36LV-RGD	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●
Lexar	U-DIMM	6000	6000	LD5U16G60C36EV-RGD	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
Lexar	U-DIMM	6000	6000	LD5U16G60C36LG-RGD	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●
Lexar	U-DIMM	6000	6000	LD5U16G60C360V-RGD	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●
Lexar	U-DIMM	6000	6000	LD5U16G60C361V-RGD	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●
Lexar	U-DIMM	6000	6000	LD5U16G60C360V-RGS	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●
Lexar	U-DIMM	6000	6000	LD5U16G60C361V-RGS	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●
Lexar	U-DIMM	6000	6000	LD5U16G60C360V-KGN	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●
Lexar	U-DIMM	6000	6000	LD5U16G60C361V-KGN	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●
Lexar	U-DIMM	6000	6000	LD5U16G60C362V-RGD	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●
Lexar	U-DIMM	6000	6000	LD5U16G60C363V-RGD	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●
Lexar	U-DIMM	6000	6000	LD5U16G60C36WG-RGD	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●
Lexar	U-DIMM	6000	6000	LD5U16G60C36LG-RGS	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●
Lexar	U-DIMM	6000	6000	LD5U16G60C36WG-RGS	CXSH-A	XMP/EXPO	16GB	SS	36-40-40-96	1.4	●	●
KLEVV	U-DIMM	6000	6000	KD5CGUB80-60A320G	SK Hynix	XMP/EXPO	64GB	DS	32-44-44-76	1.35	●	●
KINGBANK	U-DIMM	6000	6000	KPR516G60C36SH-U	CXMT-A	XMP/EXPO	16GB	SS	36-46-46-96	1.4	●	●
Kimtigo	U-DIMM	6000	5600	KM5UFG878B-6000XMegrezC	CXSH	N/A	16GB	SS	36-38-38-86	1.4	●	●
Kimtigo	U-DIMM	6000	5600	KM5UFG878B-6000X	CXMT	N/A	16GB	SS	36-38-38-86	1.4	●	●
Kimtigo	U-DIMM	6000	5600	KM5GFG878B-6000X	CXMT	N/A	16GB	SS	36-38-38-86	1.4	●	●
KORX	U-DIMM	6000	6000	QD032GU5E60L0H2	CXMT	XMP/EXPO	16GB	SS	38-48-48-96	1.2	●	●
Kingmax	U-DIMM	6000	6000	KMLD536000116GSHZ38	CXMT-A	XMP/EXPO	16GB	SS	38-48-48-96	1.2	●	●
Team Group	U-DIMM	6200	6200	FF3D532G6200HC38ADC01	Hynix	XMP	2x 16GB	SS	38-38-38-78	1.25	●	●
Team Group	U-DIMM	6200	6200	FF4D532G6200HC38ADC01	Hynix	XMP	2x 16GB	SS	38-38-38-78	1.25	●	●
OLOY	U-DIMM	6200	6200	MD5U1662320BRSE	SK Hynix	XMP	2x 16GB	DS	32-38-38-76	1.35	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
OLOY	U-DIMM	6200	6200	ND5U1662320BRSDE	SK Hynix	XMP	16GB	DS	32-38-38-76	1.35	●	●
V-COLOR	U-DIMM	6200	6200	TMXPL1662836KWK	SK Hynix	XMP	2x 16GB	SS	36-39-39-76	1.3	●	●
V-COLOR	U-DIMM	6200	6200	TMXPL1662836WWK	SK Hynix	XMP	2x 16GB	SS	36-39-39-76	1.3	●	●
OLOY	U-DIMM	6200	6200	MD5U1662320BRKDE	SK Hynix	XMP	16GB	DS	32-38-38-76	1.35	●	●
OLOY	U-DIMM	6200	6200	ND5U1662320BRKDE	SK Hynix	XMP	16GB	DS	32-38-38-76	1.35	●	●
OLOY	U-DIMM	6200	6200	M-POWER6232AW16	SK Hynix	XMP	16GB	DS	32-38-38-76	1.35	●	●
GEIL	U-DIMM	6200	6200	GAESG532GB6200C38ADC	SK Hynix	EXPO	2x 16GB	SS	38-40-40-82	1.35	●	●
GEIL	U-DIMM	6200	6200	GAESW532GB6200C38ADC	SK Hynix	EXPO	2x 16GB	SS	38-40-40-82	1.35	●	●
CORSAIR	U-DIMM	6200	6200	CMH32GX5M2B6200C36 Ver 5.43.13	SK Hynix	XMP	2x 16GB	SS	36-39-39-76	1.3	●	●
CORSAIR	U-DIMM	6200	6200	CMK32GX5M2B6200C36 Ver 5.43.13	SK Hynix	XMP	2x 16GB	SS	36-39-39-76	1.3	●	●
Thermaltake	U-DIMM	6200	6200	RG33D516GX2-6200C32P	SK Hynix	XMP	16GB	SS	32-38-38-80	1.3	●	●
Thermaltake	U-DIMM	6200	6200	RG34D516GX2-6200C32P	SK Hynix	XMP	16GB	SS	32-38-38-80	1.3	●	●
CORSAIR	U-DIMM	6200	6200	CMH32GX5M2X6200C32 ver. 5.43.13	SK Hynix	XMP	2x 16GB	SS	32-38-38-80	1.4	●	●
Netac	U-DIMM	6200	6200	NZCSU1BD5326200BH8DP	SK Hynix	XMP	2x 16GB	SS	32-38-38-96	1.35	●	●
Galaxy	U-DIMM	6200	6200	BMS5CRL4CHE6200A32DD322C	SK Hynix	XMP/EXPO	2x 16GB	SS	32-38-38-76	1.35	●	●
CORSAIR	U-DIMM	6200	6200	CMK5X16G1E62C36A2-CN Ver 3.43.02	Mircon	XMP	16GB	SS	36-46-46-100	1.4	●	●
Galax	U-DIMM	6200	6200	BMS5BRL4BHE6200A32DD322C	SK Hynix	XMP/EXPO	2x 16GB	SS	32-38-38-76	1.35	●	●
Team Group	U-DIMM	6400	6400	FF3D516G6400HC40BBK	Hynix	XMP	16GB	SS	40-40-40-84	1.35	●	●
Team Group	U-DIMM	6400	6400	FF3D532G6400HC40BDC01	Hynix	XMP	2x 16GB	SS	40-40-40-84	1.35	●	●
Team Group	U-DIMM	6400	6400	FF4D532G6400HC40BDC01	Hynix	XMP	2x 16GB	SS	40-40-40-84	1.35	●	●
CORSAIR	U-DIMM	6400	6400	CMT32GX5M2X6400C38 Ver 5.43.13	SK Hynix	XMP	2x 16GB	SS	38-40-40-84	1.35	●	●
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400GDGA	SK Hynix	XMP	16GB	SS	32-38-38-76	1.4	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400GDWA	SK Hynix	XMP	16GB	SS	32-38-38-76	1.4	●	●
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400GDLA	SK Hynix	XMP	16GB	SS	32-38-38-76	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-BLACK	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-CLABK	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-DCLABK	SK Hynix M-Die	XMP/EXPO	2x 24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-BLAWH	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-CLAWH	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-DCLAWH	SK Hynix M-Die	XMP/EXPO	2x 24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-BCAGY	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-CCAGY	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-DCCAGY	SK Hynix M-Die	XMP/EXPO	2x 24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-BLABBK	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-SLABBK	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-DTLABBK	SK Hynix M-Die	XMP/EXPO	2x 24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-BLABWH	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-SLABWH	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-DTLABWH	SK Hynix M-Die	XMP/EXPO	2x 24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-BLARBK	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-CLARBK	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-DCLARBK	SK Hynix M-Die	XMP/EXPO	2x 24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-BLARWH	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-CLARWH	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-DCLARWH	SK Hynix M-Die	XMP/EXPO	2x 24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-BCARGY	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-CCARGY	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-DCCARGY	SK Hynix M-Die	XMP/EXPO	2x 24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-BLARBBK	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-SLARBBK	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-DTLARBBK	SK Hynix M-Die	XMP/EXPO	2x 24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-BLARBWH	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-SLARBWH	SK Hynix M-Die	XMP/EXPO	24GB	SS	32-39-39-89	1.4	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3224G-DTLARBWH	SK Hynix M-Die	XMP/EXPO	2x 24GB	SS	32-39-39-89	1.4	●	●
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400GD0A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400GS2A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400GS1A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400GS0A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400CD2A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400CD1A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400CD0A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400CS2A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400CS1A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400CS0A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400CS1A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●
Lexar	U-DIMM	6400	6400	LD5EU016G-R6400CS0A	Hynix A-die	XMP	16GB	SS	32-38-38-76	1.4	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
Kingston	U-DIMM	6400	6400	KF564C32RSK2-48	SK Hynix M-Die	XMP	2x 24GB	SS	32-39-39-80	1.4	●	●
Kingston	U-DIMM	6400	6400	KF564C32RSA-24	SK Hynix M-Die	XMP	24GB	SS	32-39-39-80	1.4	●	●
Kingston	U-DIMM	6400	6400	KF564C32RSK2-48	SK Hynix M-Die	XMP	2x 24GB	SS	32-39-39-80	1.4	●	●
Kingston	U-DIMM	6400	6400	KF564C32RS-24	SK Hynix M-Die	XMP	24GB	SS	32-39-39-80	1.4	●	●
Kingston	U-DIMM	6400	6400	KF564C32RSK2-96	SK Hynix M-Die	XMP	2x 48GB	DS	32-39-39-80	1.4	●	●
Kingston	U-DIMM	6400	6400	KF564C32RS-48	SK Hynix M-Die	XMP	48GB	DS	32-39-39-80	1.4	●	●
CORSAIR	U-DIMM	6400	6400	CMH96GX5M4B6400C32 Ver 5.53.13	SK Hynix	XMP	4x 24GB	SS	32-40-40-84	1.4	●	●
Kingston	U-DIMM	6400	6400	KF564C32RSK2-64	Hynix A-die	XMP	2x 32GB	DS	32-39-39-80	1.4	●	●
Kingston	U-DIMM	6400	6400	KF564C32RS-32	Hynix A-die	XMP	32GB	DS	32-39-39-80	1.4	●	●
Kingston	U-DIMM	6400	6400	KF564C32RWK2-64	Hynix A-die	XMP	2x 32GB	DS	32-39-39-80	1.4	●	●
Kingston	U-DIMM	6400	6400	KF564C32RW-32	Hynix A-die	XMP	32GB	DS	32-39-39-80	1.4	●	●
CORSAIR	U-DIMM	6400	6400	CMP96GX5M4B6400C32 Ver 5.53.13	SK Hynix	XMP	4x 24GB	SS	32-40-40-84	1.4	●	●
V-color	U-DIMM	6400	6400	GTMXPL1664832KWK	SK Hynix	XMP	2x 16GB	SS	32-39-39-102	1.4	●	●
CORSAIR	U-DIMM	6400	6400	CMP32GX5M2B6400C32W Ver 5.43.01	SK Hynix	XMP	2x 16GB	SS	32-40-40-84	1.4	●	●
GOLDKEY	U-DIMM	6400	6400	NMGD516F82-6400FI20	SK Hynix	XMP/EXPO	16GB	SS	40-40-40-77	1.4	●	●
GOLDKEY	U-DIMM	6400	6400	NMUD516F82-6400FI20	SK Hynix	XMP/EXPO	16GB	SS	40-40-40-77	1.4	●	●
CORSAIR	U-DIMM	6400	6400	CMP64GX5M4B6400C32W Ver 5.43.01	SK Hynix	XMP	4x 16GB	SS	32-40-40-84	1.4	●	●
Biwin	U-DIMM	6400	6400	B45BUAG76436B-TD21	Micro Y52K	XMP	16GB	SS	36-48-48-104	1.35	●	●
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32CG-DVDASM	SK Hynix	XMP/EXPO	24GB	SS	32-39-39-102	1.35	●	●
ADATA	U-DIMM	6400	6400	AX5U6400C3216G-BB300	SK Hynix	XMP/EXPO	16GB	DS	32-39-39-89	1.35	●	●
Asint	U-DIMM	6400	6400	ASLD5640016G8b325	SK Hynix	XMP/EXPO	16GB	SS	32-39-39-80	1.4	●	●
GEIL	U-DIMM	6400	6400	GCB516GB6400C32SC	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-40-40-102	1.35	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
KINGSTON	U-DIMM	6400	6400	KF564C32BBAK2-32	Hynix A-die	XMP	2x 16GB	SS	32-39-39-80	1.4	●	●
KINGSTON	U-DIMM	6400	6400	KF564C32BBA-16	Hynix A-die	XMP	16GB	SS	32-39-39-80	1.4	●	●
KINGSTON	U-DIMM	6400	6400	KF564C32BWA-16	Hynix A-die	XMP	16GB	SS	32-39-39-80	1.4	●	●
KINGSTON	U-DIMM	6400	6400	KF564C32BWAK2-32	Hynix A-die	XMP	2x 16GB	SS	32-39-39-80	1.4	●	●
KINGSTON	U-DIMM	6400	6400	KF564C32BWK2-32	Hynix A-die	XMP	2x 16GB	SS	32-39-39-80	1.4	●	●
KINGSTON	U-DIMM	6400	6400	KF564C32BB-16	Hynix A-die	XMP	16GB	SS	32-39-39-80	1.4	●	●
KINGSTON	U-DIMM	6400	6400	KF564C32BBK2-32	Hynix A-die	XMP	2x 16GB	SS	32-39-39-80	1.4	●	●
KINGSTON	U-DIMM	6400	6400	KF564C32BW-16	Hynix A-die	XMP	16GB	SS	32-39-39-80	1.4	●	●
KINGSTON	U-DIMM	6400	6400	KF564C32BWEK2-32	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-39-39-80	1.4	●	●
KINGSTON	U-DIMM	6400	6400	KF564C32BBE-16	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-80	1.4	●	●
KINGSTON	U-DIMM	6400	6400	KF564C32BBEK2-32	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-39-39-80	1.4	●	●
KINGSTON	U-DIMM	6400	6400	KF564C32BWE-16	Hynix A-die	XMP/EXPO	16GB	SS	32-39-39-80	1.4	●	●
Thermaltake	U-DIMM	6400	6400	RG31D516GX2-6400C32A	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-40-40-84	1.4	●	●
Thermaltake	U-DIMM	6400	6400	RG32D516GX2-6400C32A	Hynix A-die	XMP/EXPO	2x 16GB	SS	32-40-40-84	1.4	●	●
Asgard	U-DIMM	6400	6400	VAM5UX64C32AG-CBRAM	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●
Asgard	U-DIMM	6400	6400	VAM5UX64C32AG-CVALCN	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32AG-DTBRWA	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32AG-DVDASA	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●
Asgard	U-DIMM	6400	6400	VAM5UX64C32AG-CBR SXN	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●
Asgard	U-DIMM	6400	6400	VAM5UH64C32AG-DVALWA	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●
Asgard	U-DIMM	6400	6400	VAM5UX64C32AG-CGURBN	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●
Asgard	U-DIMM	6400	6400	VAM5UX64C32AG-CVALW	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
Asgard	U-DIMM	6400	6400	VAM5UX64C32AG-DGURBN	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32AG-CSCJWA	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32AG-CSWURA	Hynix A-die	XMP/EXPO	16GB	SS	32-38-38-90	1.35	●	●
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32CG-DVDASM	SK Hynix	XMP/EXPO	24GB	SS	32-39-39-102	1.35	●	●
Asgard	U-DIMM	6400	6400	VAM5UH64C32CG-DHELISM	SK Hynix	XMP/EXPO	24GB	SS	32-39-39-102	1.35	●	●
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32AG-DVDASM	SK Hynix	XMP/EXPO	16GB	SS	32-39-39-102	1.4	●	●
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32AG-SVDASM	SK Hynix	XMP/EXPO	16GB	SS	32-39-39-102	1.4	●	●
GLOWAY	U-DIMM	6400	6400	VGM5UH64C32AG-DTACWM	SK Hynix	XMP/EXPO	16GB	SS	32-39-39-102	1.4	●	●
Asgard	U-DIMM	6400	6400	VAM5UH64C32AG-DGUPBM	SK Hynix	XMP/EXPO	16GB	SS	32-39-39-102	1.4	●	●
Asgard	U-DIMM	6400	6400	VAM5UH64C32AG-DFRESM	SK Hynix	XMP/EXPO	16GB	SS	32-39-39-102	1.4	●	●
Asgard	U-DIMM	6400	6400	VAM5UH64C32AG-CGUPBM	SK Hynix	XMP/EXPO	16GB	SS	32-39-39-102	1.4	●	●
CORSAIR	U-DIMM	6400	6400	CMH5X16G1B64C36A2W-CNR Ver 3.43.04	Mircon	XMP	16GB	SS	36-48-48-104	1.4	●	●
Thermaltake	U-DIMM	6400	6400	RG31D524GX2-6400C34A	Hynix M-die	XMP/EXPO	2x 24GB	SS	34-40-40-80	1.4	●	●
Thermaltake	U-DIMM	6400	6400	RG32D524GX2-6400C34A	Hynix M-die	XMP/EXPO	2x 24GB	SS	34-40-40-80	1.4	●	●
HIKSEMI	U-DIMM	6400	6400	HSC532U64C5	SK Hynix	XMP/EXPO	2x 16GB	DS	34-40-40-84	1.35	●	●
G.SKILL	U-DIMM	6400	6400	F5-6400J3239F48GX2-TZ5RK	SK Hynix	XMP	2x 48GB	DS	32-39-39-102	1.35	●	●
G.SKILL	U-DIMM	6400	6400	F5-6400J3239F48GX2-TZ5RW	SK Hynix	XMP	2x 48GB	DS	32-39-39-102	1.35	●	●
G.SKILL	U-DIMM	6400	6400	F5-6400J3239F48GX2-TZ5RS	SK Hynix	XMP	2x 48GB	DS	32-39-39-102	1.35	●	●
G.SKILL	U-DIMM	6400	6400	F5-6400J3239F48GX2-RM5RW	SK Hynix	XMP	2x 48GB	DS	32-39-39-102	1.35	●	●
G.SKILL	U-DIMM	6400	6400	F5-6400J3239F48GX2-RS5K	SK Hynix	XMP	2x 48GB	DS	32-39-39-102	1.35	●	●
Kingston	CU-DIMM	6400	5600	KVR64A52BD8-64	Micron	N/A	64GB	DS	52-52-52-103	1.1	●	●
CORSAIR	U-DIMM	6400	6400	CMK128GX5M2B6400C42W Ver3.63.01	Mircon & SpecTek	XMP	2x 64GB	DS	42-52-52-104	1.35	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
CORSAIR	U-DIMM	6400	6400	CMH128GX5M2B6400C42W Ver3.63.01	Mircon & SpecTek	XMP	2x 64GB	DS	42-52-52-104	1.35	●	●
Lexar	U-DIMM	6400	6400	LD5U64G64C42SV-RGD	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	42-52-52-104	1.35	●	●
Lexar	U-DIMM	6400	6400	LD5U64G64C42BV-RGD	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	42-52-52-104	1.35	●	●
Lexar	U-DIMM	6400	6400	LD5U64G64C42LV-RGD	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	42-52-52-104	1.35	●	●
Lexar	U-DIMM	6400	6400	LD5U64G64C42EV-RGD	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	42-52-52-104	1.35	●	●
Lexar	U-DIMM	6400	6400	LD5U64G64C42BV-RGS	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	42-52-52-104	1.35	●	●
Lexar	U-DIMM	6400	6400	LD5U64G64C42SV-RGS	Mircon & SpecTek	XMP/EXPO	2x 64GB	DS	42-52-52-104	1.35	●	●
KLEVV	U-DIMM	6400	6400	KD5CGUB80-64A340G	SK Hynix	XMP/EXPO	64GB	DS	34-46-46-78	1.35	●	●
GEIL	U-DIMM	6600	6600	GESG532GB6600C38ADC	SK Hynix	XMP/EXPO	2x 16GB	SS	38-40-40-82	1.35	●	●
GEIL	U-DIMM	6600	6600	GESW532GB6600C38ADC	SK Hynix	EXPO	2x 16GB	SS	38-40-40-82	1.35	●	●
Colorful	U-DIMM	6600	6600	BA16G6600D5UP34W	SK Hynix	XMP	16GB	SS	34-44-44-108	1.4	●	●
Colorful	U-DIMM	6600	6600	CV16G6600D5VP34S	SK Hynix	XMP	2x 16GB	SS	34-44-44-108	1.4	●	●
PREDATOR	U-DIMM	6600	6600	BL.9BWWR.368	Hynix A-die	XMP	2x 16GB	SS	34-40-40-105	1.4	●	●
PREDATOR	U-DIMM	6600	6600	BL.9BWWR.359	Hynix A-die	XMP	2x 16GB	SS	34-40-40-105	1.4	●	●
CORSAIR	U-DIMM	6600	6600	CMP32GX5M2X6600C32W Ver 5.43.01	SK Hynix	XMP	2x 16GB	SS	32-39-39-76	1.4	●	●
CORSAIR	U-DIMM	6600	6600	CMP32GX5M2X6600C32 Ver 5.43.01	SK Hynix	XMP	2x 16GB	SS	32-39-39-76	1.4	●	●
CORSAIR	U-DIMM	6600	6600	CMP96GX5M2B6600C32W Ver 5.53.13	SK Hynix	XMP	2x 48GB	DS	32-39-39-76	1.4	●	●
Asgard	U-DIMM	6600	6600	VAM5UX66C34AG-CBRAM	SK Hynix	XMP/EXPO	16GB	SS	34-40-40-90	1.35	●	●
GLOWAY	U-DIMM	6600	6600	VGM5UH66C34AG-CSWURA	SK Hynix	XMP/EXPO	16GB	SS	34-40-40-90	1.35	●	●
GLOWAY	U-DIMM	6600	6600	VGM5UH66C34AG-CSCJWA	SK Hynix	XMP/EXPO	16GB	SS	34-40-40-90	1.35	●	●
V-color	U-DIMM	6600	6600	RTMXSL1666832SWK	SK Hynix	XMP	16GB	SS	32-39-39-102	1.4	●	●
KINGSTON	U-DIMM	6800	6800	KF568C36RSK2-32	HYNIX A	XMP	2x 16GB	SS	36-42-42-105	1.4	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
KINGSTON	U-DIMM	6800	6800	KF568C36RS-16	HYNIX A	XMP	16GB	SS	36-42-42-105	1.4	●	●
KINGSTON	U-DIMM	6800	6800	KF568C36RWK2-32	SK Hynix	XMP	2x 16GB	SS	36-42-42-105	1.4	●	●
KINGSTON	U-DIMM	6800	6800	KF568C36RW-16	SK Hynix	XMP	2x 16GB	SS	36-42-42-105	1.4	●	●
GLOWAY	U-DIMM	6800	6800	VGM5UH68C34AG-CSCJWA	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●
CORSAIR	U-DIMM	6800	6800	CMH32GX5M2B6800C40 Ver 3.43.02	Mircon	XMP	2x 16GB	SS	40-50-50-110	1.4	●	●
Asgard	U-DIMM	6800	6800	VAM5UH68C34CG-CBRSXM	SK Hynix	XMP/EXPO	24GB	SS	34-46-46-108	1.35	●	●
Asgard	U-DIMM	6800	6800	VAM5UH68C34CG-CVALWM	SK Hynix	XMP/EXPO	24GB	SS	34-46-46-108	1.35	●	●
Asgard	U-DIMM	6800	6800	VAM5UH68C34CG-CVALWW	SK Hynix	XMP/EXPO	24GB	SS	34-46-46-108	1.35	●	●
Asgard	U-DIMM	6800	6800	VAM5UH68C34CG-CVARBM	SK Hynix	XMP/EXPO	24GB	SS	34-46-46-108	1.35	●	●
Asgard	U-DIMM	6800	6800	VAM5UH68C34CG-CVARWM	SK Hynix	XMP/EXPO	24GB	SS	34-46-46-108	1.35	●	●
Asgard	U-DIMM	6800	6800	VAM5UH68C34CG-DVALWM	SK Hynix	XMP/EXPO	24GB	SS	34-46-46-108	1.35	●	●
GLOWAY	U-DIMM	6800	6800	VGM5UH68C34CG-CSCJWM	SK Hynix	XMP/EXPO	24GB	SS	34-46-46-108	1.35	●	●
GLOWAY	U-DIMM	6800	6800	VGM5UH68C34CG-CSWURM	SK Hynix	XMP/EXPO	24GB	SS	34-46-46-108	1.35	●	●
Asgard	U-DIMM	6800	6800	VAM5UX68C34AG-CBRSXN	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●
Asgard	U-DIMM	6800	6800	VAM5UH68C34AG-CGURBA	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●
Asgard	U-DIMM	6800	6800	VAM5UH68C34AG-CVALWW	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●
Asgard	U-DIMM	6800	6800	VAM5UH68C34AG-CVARBA	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●
Asgard	U-DIMM	6800	6800	VAM5UH68C34AG-CVARWA	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●
Asgard	U-DIMM	6800	6800	VAM5UH68C34AG-DGURBA	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●
Asgard	U-DIMM	6800	6800	VAM5UX68C34AG-CBRAMN	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●
Asgard	U-DIMM	6800	6800	VAM5UX68C34AG-DVALWA	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●
GLOWAY	U-DIMM	6800	6800	VGM5UH68C34AG-CSCJWA	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
GLOWAY	U-DIMM	6800	6800	VGM5UH68C34AG-CSWURA	SK Hynix	XMP/EXPO	16GB	SS	34-45-45-108	1.4	●	●
CORSAIR	U-DIMM	7000	7000	CMH48GX5M2B7000C36 Ver 5.53.13	SK Hynix	XMP	2x 24GB	SS	36-44-44-114	1.4	●	●
GLOWAY	U-DIMM	7000	7000	VGMUH70C34AG-CSCJWA	SK Hynix	XMP/EXPO	16GB	SS	34-42-42-112	1.45	●	●
GLOWAY	U-DIMM	7000	7000	VGMUH70C34AG-CSCJWA	SK Hynix	XMP/EXPO	16GB	SS	34-42-42-112	1.45	●	●
Asgard	U-DIMM	7000	7000	VAM5UH70C34AG-DVALWA	SK Hynix	XMP/EXPO	16GB	SS	34-42-42-112	1.45	●	●
Kingston	U-DIMM	7200	7200	KF572C38RSK2-48	SK Hynix M-Die	XMP	2x 24GB	SS	38-44-44-105	1.45	●	●
Kingston	U-DIMM	7200	7200	KF572C38RS-24	SK Hynix M-Die	XMP	24GB	SS	38-44-44-105	1.45	●	●
Lexar	U-DIMM	7200	7200	LD5U16G72C38BV-RGS	CXMT-A	XMP/EXPO	16GB	SS	38-48-48-86	1.4	●	●
Lexar	U-DIMM	7200	7200	LD5U16G72C38BV-RGD	CXMT-A	XMP/EXPO	16GB	SS	38-48-48-86	1.4	●	●
KLEVV	U-DIMM	7600	7600	KD5AGUA80-76B360G	SK Hynix	XMP/EXPO	16GB	SS	36-46-46-86	1.4	●	●
Kingston	U-DIMM	8000	8000	KF580C38RWK2-32	Hynix A-die	XMP	2x 16GB	SS	38-48-48-128	1.45	●	●
Kingston	U-DIMM	8000	8000	KF580C38RW-16	Hynix A-die	XMP	16GB	SS	38-48-48-128	1.45	●	●
Kingston	U-DIMM	8000	8000	KF580C38RSK2-32	Hynix A-die	XMP	2x 16GB	SS	38-48-48-128	1.45	●	●
Kingston	U-DIMM	8000	8000	KF580C38RS-16	Hynix A-die	XMP	16GB	SS	38-48-48-128	1.45	●	●
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-BLAWH	Hynix A-die	XMP	16GB	SS	38-46-46-121	1.4	●	●
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-CCARGY	Hynix A-die	XMP	16GB	SS	38-46-46-121	1.4	●	●
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-DCCARGY	Hynix A-die	XMP	2x 16GB	SS	38-46-46-121	1.4	●	●
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-CCAGY	Hynix A-die	XMP	16GB	SS	38-46-46-121	1.4	●	●
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-DCCAGY	Hynix A-die	XMP	2x 16GB	SS	38-46-46-121	1.4	●	●
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-CLARBK	Hynix A-die	XMP	16GB	SS	38-46-46-121	1.4	●	●
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-CLARWH	Hynix A-die	XMP	16GB	SS	38-46-46-121	1.4	●	●
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-CLABK	Hynix A-die	XMP	16GB	SS	38-46-46-121	1.4	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-CLAWH	Hynix A-die	XMP	16GB	SS	38-46-46-121	1.4	●	●
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-DCLARBK	Hynix A-die	XMP	2x 16GB	SS	38-46-46-121	1.4	●	●
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-DCLARWH	Hynix A-die	XMP	2x 16GB	SS	38-46-46-121	1.4	●	●
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-DCLABK	Hynix A-die	XMP	2x 16GB	SS	38-46-46-121	1.4	●	●
ADATA	U-DIMM	8000	8000	AX5U8000C3816G-DCLAWH	Hynix A-die	XMP	2x 16GB	SS	38-46-46-121	1.4	●	●
Lexar	U-DIMM	8000	8000	LD5U24G80C40LW-RCD	Hynix M-Die	XMP	24GB	SS	40-48-48-128	1.35	●	●
Lexar	U-DIMM	8000	8000	LD5U24G80C40LW-RCS	Hynix M-Die	XMP	24GB	SS	40-48-48-128	1.35	●	●
Lexar	U-DIMM	8000	8000	LD5U24G80C40WW-RCD	Hynix M-Die	XMP	24GB	SS	40-48-48-128	1.35	●	●
Lexar	U-DIMM	8000	8000	LD5U24G80C40WW-RCS	Hynix M-Die	XMP	24GB	SS	40-48-48-128	1.35	●	●
Lexar	U-DIMM	8000	8000	LD5U24G80C40LA-RGD	Hynix M-Die	XMP	24GB	SS	40-48-48-128	1.35	●	●
Lexar	U-DIMM	8000	8000	LD5U24G80C40LA-RGS	Hynix M-Die	XMP	24GB	SS	40-48-48-128	1.35	●	●
Lexar	U-DIMM	8000	8000	LD5U24G80C40WA-RGD	Hynix M-Die	XMP	24GB	SS	40-48-48-128	1.35	●	●
Lexar	U-DIMM	8000	8000	LD5U24G80C40WA-RGS	Hynix M-Die	XMP	24GB	SS	40-48-48-128	1.35	●	●
PREDATOR	U-DIMM	8200	8200	BL.9BWWR.521	Hynix M-die	XMP	2x 24GB	SS	40-50-50-132	1.4	●	●
PREDATOR	U-DIMM	8200	8200	BL.9BWWR.520	Hynix M-die	XMP	2x 24GB	SS	40-50-50-132	1.4	●	●
PREDATOR	U-DIMM	8200	8200	BL.9BWWR.457	Hynix M-die	XMP	2x 24GB	SS	40-50-50-132	1.4	●	●
PREDATOR	U-DIMM	8200	8200	BL.9BWWR.458	Hynix M-die	XMP	2x 24GB	SS	40-50-50-132	1.4	●	●
BIWIN	U-DIMM	8200	8200	B5DW100488240FR2G-CB012	Hynix M-die	XMP	2x 24GB	SS	40-50-50-132	1.4	●	●
BIWIN	U-DIMM	8200	8200	B5DW100488240FR2G-CW012	Hynix M-die	XMP	2x 24GB	SS	40-50-50-132	1.4	●	●
PREDATOR	U-DIMM	8200	8200	BL.9BWWR.565	Hynix A-Die	XMP/EXPO	16GB	SS	38-48-48-126	1.45	●	●
PREDATOR	U-DIMM	8200	8200	BL.9BWWR.566	Hynix A-Die	XMP/EXPO	16GB	SS	38-48-48-126	1.45	●	●
PREDATOR	U-DIMM	8200	8200	BL.9BWWR.567	Hynix A-Die	XMP/EXPO	16GB	SS	38-48-48-126	1.45	●	●

厂牌	DeviceSet	内存频率	运行频率	型号/部件号	芯片	SPD Type	规格	SS/DS	时序	电压	1DIMM	2DIMM
PREDATOR	U-DIMM	8200	8200	BL.9BWWR.589	Hynix A-Die	XMP/EXPO	16GB	SS	38-48-48-126	1.45	●	●
PREDATOR	U-DIMM	8200	8200	BL.9BWWR.590	Hynix A-Die	XMP/EXPO	16GB	SS	38-48-48-126	1.45	●	●
PREDATOR	U-DIMM	8200	8200	BL.9BWWR.591	Hynix A-Die	XMP/EXPO	16GB	SS	38-48-48-126	1.45	●	●
Biwin	U-DIMM	8200	8200	BXL53282DW1-D38GB	Hynix A-Die	XMP/EXPO	16GB	SS	38-48-48-126	1.45	●	●
Biwin	U-DIMM	8200	8200	BXL53282DW1-D38GW	Hynix A-Die	XMP/EXPO	16GB	SS	38-48-48-126	1.45	●	●