

B850M-D3H 搭配**Ryzen™ 9000**系列处理器的内存支持列表 (2026.9.29)

| 供应商        | DeviceSet | 内存频率 | 运行频率 | 部件号                     | 芯片           | SPD Type | 规格      | SS/DS | 时序          | 电压  | 1DIMM | 2DIMM |
|------------|-----------|------|------|-------------------------|--------------|----------|---------|-------|-------------|-----|-------|-------|
| Asgard     | U-DIMM    | 4800 | 4800 | VMA5AEUA-MMAFR2L1       | Micron       | N/A      | 16GB    | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| Netac      | U-DIMM    | 4800 | 4800 | NCGXU1BD5164800UM8SP    | Micron       | N/A      | 16GB    | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| Colorful   | U-DIMM    | 4800 | 4800 | CDPC16G4800D5N8         | Micron       | N/A      | 4x 16GB | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| Lexar      | U-DIMM    | 4800 | 4800 | LD5DU016G-H4800CNM2G8ST | Micron Y32A  | N/A      | 16GB    | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| Crucial    | U-DIMM    | 4800 | 4800 | CT8G48C40U5.M4A1        | Micron       | XMP      | 8GB     | SS    | 40-39-39-77 | 1.1 | ●     | ●     |
| Kimtigo    | U-DIMM    | 4800 | 4800 | KTFGU5MA8-M             | Micron       | N/A      | 16GB    | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| KINGSTON   | U-DIMM    | 4800 | 4800 | KVR48U40BS8K2-32        | Hynix-M die  | N/A      | 2x 16GB | SS    | 40-39-39-77 | 1.1 | ●     | ●     |
| KINGSTON   | U-DIMM    | 4800 | 4800 | KVR48U40BS8-16          | Hynix-M die  | N/A      | 16GB    | SS    | 40-39-39-77 | 1.1 | ●     | ●     |
| Asgard     | U-DIMM    | 4800 | 4800 | VMA5AEUA-MMAFRAV4       | Micron       | N/A      | 16GB    | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| Crucial    | U-DIMM    | 4800 | 4800 | CT16G48C40U5.M8A1       | Micron       | XMP      | 16GB    | SS    | 40-39-39-77 | 1.1 | ●     | ●     |
| Crucial    | U-DIMM    | 4800 | 4800 | CT32G48C40U5.M16A1      | Micron       | XMP      | 32GB    | DS    | 40-39-39-77 | 1.1 | ●     | ●     |
| Team Group | U-DIMM    | 4800 | 4800 | FLBD516G4800HC36BK      | MICRON A     | XMP      | 16GB    | SS    | 36-36-36-77 | 1.1 | ●     | ●     |
| Team Group | U-DIMM    | 4800 | 4800 | FLRD532G4800HC36DC01    | MICRON A     | XMP      | 2x 16GB | SS    | 36-36-36-77 | 1.1 | ●     | ●     |
| Team Group | U-DIMM    | 4800 | 4800 | FLBD532G4800HC36DC01    | MICRON A     | XMP      | 2x 16GB | SS    | 36-36-36-77 | 1.1 | ●     | ●     |
| Team Group | U-DIMM    | 4800 | 4800 | TED516G4800C40BK        | MICRON A     | N/A      | 16GB    | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| Team Group | U-DIMM    | 4800 | 4800 | TED532G4800C40DC01      | MICRON A     | N/A      | 2x 16GB | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| KINGSTON   | U-DIMM    | 4800 | 4800 | KF548C38BBK2-64         | Micron-A die | XMP      | 2x 32GB | DS    | 38-38-38-70 | 1.1 | ●     | ●     |
| KINGSTON   | U-DIMM    | 4800 | 4800 | KF548C38BB-32           | Micron-A die | XMP      | 32GB    | DS    | 38-38-38-70 | 1.1 | ●     | ●     |
| ADATA      | U-DIMM    | 4800 | 4800 | AD5U480016G-B           | Spectek Y32A | N/A      | 16GB    | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| ADATA      | U-DIMM    | 4800 | 4800 | AD5U480016G-S           | Spectek Y32A | N/A      | 16GB    | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| ADATA      | U-DIMM    | 4800 | 4800 | AD5U480016G-R           | Spectek Y32A | N/A      | 16GB    | SS    | 40-40-40-77 | 1.1 | ●     | ●     |

| 供应商        | DeviceSet | 内存频率 | 运行频率 | 部件号                  | 芯片           | SPD Type | 规格      | SS/DS | 时序          | 电压  | 1DIMM | 2DIMM |
|------------|-----------|------|------|----------------------|--------------|----------|---------|-------|-------------|-----|-------|-------|
| ADATA      | U-DIMM    | 4800 | 4800 | AD5U480016G-DT       | Spectek Y32A | N/A      | 16GB    | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| KINGSTON   | U-DIMM    | 4800 | 4800 | KF548C38BBAK2-64     | Micron       | XMP      | 2x 32GB | DS    | 38-38-38-70 | 1.1 | ●     | ●     |
| KINGSTON   | U-DIMM    | 4800 | 4800 | KF548C38BBA-32       | Micron       | XMP      | 32GB    | DS    | 38-38-38-70 | 1.1 | ●     | ●     |
| Transcend  | U-DIMM    | 4800 | 4800 | TS4800ALE-16G        | Samsung      | N/A      | 16GB    | SS    | 40-39-39-77 | 1.1 | ●     | ●     |
| Transcend  | U-DIMM    | 4800 | 4800 | TS4800ALE-32G        | Samsung      | N/A      | 32GB    | DS    | 40-39-39-77 | 1.1 | ●     | ●     |
| ZVVN       | U-DIMM    | 4800 | 4800 | 5U16E48ZVT0L01       | Samsung      | N/A      | 16GB    | SS    | 40-39-39-77 | 1.1 | ●     | ●     |
| mushkin    | U-DIMM    | 4800 | 4800 | MES5U480FD16GX2      | Micron       | N/A      | 2x 16GB | SS    | 40-39-39-77 | 1.1 | ●     | ●     |
| KINGSTON   | U-DIMM    | 4800 | 4800 | KF548C38BBAK2-32     | Micron       | XMP      | 2x 16GB | SS    | 38-38-38-70 | 1.1 | ●     | ●     |
| KINGSTON   | U-DIMM    | 4800 | 4800 | KF548C38BBA-16       | Micron       | XMP      | 16GB    | SS    | 38-38-38-70 | 1.1 | ●     | ●     |
| KINGBANK   | U-DIMM    | 4800 | 4800 | M323R2GA3BB0-CQKOD   | Samsung      | N/A      | 16GB    | SS    | 40-39-39-77 | 1.1 | ●     | ●     |
| Team Group | U-DIMM    | 4800 | 4800 | TED58G4800C40BK6     | Micron A     | N/A      | 8GB     | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| Team Group | U-DIMM    | 4800 | 4800 | TED58G4800C40016     | Micron A     | N/A      | 8GB     | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| Team Group | U-DIMM    | 4800 | 4800 | TPBD58G4800C40016    | Micron A     | N/A      | 8GB     | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| Team Group | U-DIMM    | 4800 | 4800 | TPSD58G4800C40016    | Micron A     | N/A      | 8GB     | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| Team Group | U-DIMM    | 4800 | 4800 | TED516G4800C40DC016  | Micron A     | N/A      | 2x 8GB  | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| Team Group | U-DIMM    | 4800 | 4800 | TPBD516G4800C40DC016 | Micron A     | N/A      | 2x 8GB  | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| Team Group | U-DIMM    | 4800 | 4800 | TPSD516G4800C40DC016 | Micron A     | N/A      | 2x 8GB  | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| Team Group | U-DIMM    | 4800 | 4800 | TED58G4800C40BK6     | Samsung B    | N/A      | 8GB     | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| Team Group | U-DIMM    | 4800 | 4800 | TED58G4800C40016     | Samsung B    | N/A      | 8GB     | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| Team Group | U-DIMM    | 4800 | 4800 | TPBD58G4800C40016    | Samsung B    | N/A      | 8GB     | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| Team Group | U-DIMM    | 4800 | 4800 | TPSD58G4800C40016    | Samsung B    | N/A      | 8GB     | SS    | 40-40-40-77 | 1.1 | ●     | ●     |
| Team Group | U-DIMM    | 4800 | 4800 | TED516G4800C40DC016  | Samsung B    | N/A      | 2x 8GB  | SS    | 40-40-40-77 | 1.1 | ●     | ●     |

| 供应商        | DeviceSet | 内存频率 | 运行频率 | 部件号                            | 芯片        | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|------------|-----------|------|------|--------------------------------|-----------|----------|---------|-------|-------------|------|-------|-------|
| Team Group | U-DIMM    | 4800 | 4800 | TPBD516G4800C40DC016           | Samsung B | N/A      | 2x 8GB  | SS    | 40-40-40-77 | 1.1  | ●     | ●     |
| Team Group | U-DIMM    | 4800 | 4800 | TPSD516G4800C40DC016           | Samsung B | N/A      | 2x 8GB  | SS    | 40-40-40-77 | 1.1  | ●     | ●     |
| KINGSTON   | ECC-UDIMM | 4800 | 4800 | KSM48E40BS8KM-16HM             | SK Hynix  | N/A      | 16GB    | SS    | 40-39-39-77 | 1.1  | ●     | ●     |
| KINGSTON   | U-DIMM    | 4800 | 4800 | KVR48U40BD8L-32-SP             | HYNIX M   | N/A      | 32GB    | DS    | 40-39-39-77 | 1.1  | ●     | ●     |
| KINGSTON   | U-DIMM    | 4800 | 4800 | KVR48U40BD8L-32-SP             | Micron A  | N/A      | 32GB    | DS    | 40-39-39-77 | 1.1  | ●     | ●     |
| GOLDKEY    | U-DIMM    | 4800 | 4800 | NMUD516F82-4800JA20            | SK Hynix  | N/A      | 16GB    | SS    | 40-40-40-77 | 1.1  | ●     | ●     |
| GOLDKEY    | U-DIMM    | 4800 | 4800 | NMUD580EA2-4800JA20            | SK Hynix  | N/A      | 8GB     | SS    | 40-40-40-77 | 1.1  | ●     | ●     |
| Asgard     | U-DIMM    | 4800 | 4800 | VAM5UX48C40AG-SFRES            | Mircon    | N/A      | 16GB    | SS    | 40-40-40-77 | 1.1  | ●     | ●     |
| Asgard     | U-DIMM    | 4800 | 4800 | VMA5AEU8-AMBDR2T3              | Samsung   | N/A      | 8GB     | SS    | 40-40-40-77 | 1.1  | ●     | ●     |
| Asgard     | U-DIMM    | 4800 | 4800 | VMA5AEU8-MMADR2T3              | Mircon    | N/A      | 8GB     | SS    | 40-40-40-77 | 1.1  | ●     | ●     |
| Asgard     | U-DIMM    | 4800 | 4800 | VMA5AEU8-MMADR2L1              | Mircon    | N/A      | 8GB     | SS    | 40-40-40-77 | 1.1  | ●     | ●     |
| Asgard     | U-DIMM    | 4800 | 4800 | VMA5AEU8-AMBDR2L1              | Samsung   | N/A      | 8GB     | SS    | 40-40-40-77 | 1.1  | ●     | ●     |
| OCPC       | U-DIMM    | 4800 | 4800 | MMPT2K16GD548C40T              | Mircon    | N/A      | 8GB     | SS    | 40-40-40-77 | 1.1  | ●     | ●     |
| ZADAK      | U-DIMM    | 4800 | 4800 | G02.37462T.001                 | Mircon    | N/A      | 8GB     | SS    | 40-39-39-77 | 1.1  | ●     | ●     |
| Kingston   | U-DIMM    | 5200 | 5200 | KF552C40BB-16                  | Micron    | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| Kingston   | U-DIMM    | 5200 | 5200 | KF552C40BBK2-32                | Micron    | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| CORSAIR    | U-DIMM    | 5200 | 5200 | CMK32GX5M2X5200C38 Ver 3.43.01 | Micron    | XMP      | 2x 16GB | SS    | 38-38-38-84 | 1.25 | ●     | ●     |
| CORSAIR    | U-DIMM    | 5200 | 5200 | CMT32GX5M2X5200C38 Ver 3.43.01 | Micron    | XMP      | 2x 16GB | SS    | 38-38-38-84 | 1.25 | ●     | ●     |
| G.SKILL    | U-DIMM    | 5200 | 5200 | F5-5200J3636C16GX2-TZ5RS       | Samsung   | XMP      | 2x 16GB | SS    | 36-36-36-83 | 1.2  | ●     | ●     |
| G.SKILL    | U-DIMM    | 5200 | 5200 | F5-5200J3636C16GX2-TZ5RK       | Samsung   | XMP      | 2x 16GB | SS    | 36-36-36-83 | 1.2  | ●     | ●     |
| G.SKILL    | U-DIMM    | 5200 | 5200 | F5-5200J3636C16GX2-RS5K        | Samsung   | XMP      | 2x 16GB | SS    | 36-36-36-83 | 1.2  | ●     | ●     |
| G.SKILL    | U-DIMM    | 5200 | 5200 | F5-5200J3636C16GX2-RS5W        | Samsung   | XMP      | 2x 16GB | SS    | 36-36-36-83 | 1.2  | ●     | ●     |

| 供应商         | DeviceSet | 内存频率 | 运行频率 | 部件号                            | 芯片           | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|-------------|-----------|------|------|--------------------------------|--------------|----------|---------|-------|-------------|------|-------|-------|
| Apacer      | U-DIMM    | 5200 | 5200 | AH5U32G52C502MBAA-2            | MICRON       | XMP      | 2x 16GB | SS    | 38-38-38-84 | 1.25 | ●     | ●     |
| Team Group  | U-DIMM    | 5200 | 5200 | FLBD516G5200HC40CBK            | MICRON A     | XMP      | 16GB    | SS    | 40-40-40-76 | 1.25 | ●     | ●     |
| Team Group  | U-DIMM    | 5200 | 5200 | FLRD532G5200HC40CDC01          | MICRON A     | XMP      | 2x 16GB | SS    | 40-40-40-76 | 1.25 | ●     | ●     |
| Team Group  | U-DIMM    | 5200 | 5200 | FLBD532G5200HC40CDC01          | MICRON A     | XMP      | 2x 16GB | SS    | 40-40-40-76 | 1.25 | ●     | ●     |
| Team Group  | U-DIMM    | 5200 | 5200 | FF5D532G5200HC40CDC01          | MICRON A     | XMP      | 2x 16GB | SS    | 40-40-40-76 | 1.25 | ●     | ●     |
| Team Group  | U-DIMM    | 5200 | 5200 | FLRD516G5200HC38BK             | MICRON A     | XMP      | 16GB    | SS    | 38-38-38-84 | 1.2  | ●     | ●     |
| Team Group  | U-DIMM    | 5200 | 5200 | FLRD532G5200HC38DC01           | MICRON A     | XMP      | 2x 16GB | SS    | 38-38-38-84 | 1.2  | ●     | ●     |
| Team Group  | U-DIMM    | 5200 | 5200 | FLBD532G5200HC38DC01           | MICRON A     | XMP      | 2x 16GB | SS    | 38-38-38-84 | 1.2  | ●     | ●     |
| Thermaltake | U-DIMM    | 5200 | 5200 | RA50D516GX2-5200C38A           | Hynix        | XMP      | 2x 16GB | SS    | 38-38-38-76 | 1.15 | ●     | ●     |
| Thermaltake | U-DIMM    | 5200 | 5200 | RG30D516GX2-5200C38A           | Hynix        | XMP      | 2x 16GB | SS    | 38-38-38-76 | 1.15 | ●     | ●     |
| KINGSTON    | U-DIMM    | 5200 | 5200 | KF552C40BBK2-16                | Micron-A die | XMP      | 2x 8GB  | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON    | U-DIMM    | 5200 | 5200 | KF552C40BB-8                   | Micron-A die | XMP      | 8GB     | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON    | U-DIMM    | 5200 | 5200 | KF552C40BBK2-64                | Hynix-M die  | XMP      | 2x 32GB | DS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON    | U-DIMM    | 5200 | 5200 | KF552C40BB-32                  | Hynix-M die  | XMP      | 32GB    | DS    | 40-40-40-80 | 1.25 | ●     | ●     |
| Asgard      | U-DIMM    | 5200 | 5200 | VMA5BCU8-AMBDR2T3              | Samsung      | XMP      | 8GB     | SS    | 36-36-36-77 | 1.25 | ●     | ●     |
| Team Group  | U-DIMM    | 5200 | 5200 | FF5D516G5200HC40CBK            | MICRON A     | XMP      | 16GB    | SS    | 40-40-40-76 | 1.25 | ●     | ●     |
| CORSAIR     | U-DIMM    | 5200 | 5200 | CMT64GX5M2B5200C40 Ver 3.43.01 | Micron       | XMP      | 2x 32GB | DS    | 40-40-40-77 | 1.25 | ●     | ●     |
| KINGSTON    | U-DIMM    | 5200 | 5200 | KF552C40BBAK2-16               | Micron       | XMP      | 2x 8GB  | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON    | U-DIMM    | 5200 | 5200 | KF552C40BBA-8                  | Micron       | XMP      | 8GB     | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| OLOY        | U-DIMM    | 5200 | 5200 | MD5U1652361BRKDE               | Micron       | XMP      | 2x 16GB | SS    | 36-38-38-74 | 1.25 | ●     | ●     |
| OLOY        | U-DIMM    | 5200 | 5200 | ND5U1652361BRKDE               | Micron       | XMP      | 16GB    | SS    | 36-38-38-74 | 1.25 | ●     | ●     |
| KINGSTON    | U-DIMM    | 5200 | 5200 | KF552C40BBAK2-64               | Micron       | XMP      | 2x 32GB | DS    | 40-40-40-80 | 1.25 | ●     | ●     |

| 供应商        | DeviceSet | 内存频率 | 运行频率 | 部件号                               | 芯片          | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|------------|-----------|------|------|-----------------------------------|-------------|----------|---------|-------|-------------|------|-------|-------|
| KINGSTON   | U-DIMM    | 5200 | 5200 | KF552C40BBA-32                    | Micron      | XMP      | 32GB    | DS    | 40-40-40-80 | 1.25 | ●     | ●     |
| PREDATOR   | U-DIMM    | 5200 | 5200 | BL.9BWWR.316                      | Micron      | XMP      | 16GB    | SS    | 38-38-38-76 | 1.25 | ●     | ●     |
| AORUS      | U-DIMM    | 5200 | 5200 | GP-ARS32G52D5                     | Spectek     | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| OLOY       | U-DIMM    | 5200 | 5200 | MD5U1652361BRSDE                  | Micron      | XMP      | 16GB    | SS    | 36-38-38-74 | 1.25 | ●     | ●     |
| OLOY       | U-DIMM    | 5200 | 5200 | ND5U1652361BRSDE                  | Micron      | XMP      | 16GB    | SS    | 36-38-38-74 | 1.25 | ●     | ●     |
| CORSAIR    | U-DIMM    | 5200 | 5200 | CMT32GX5M2B5200C40 Ver<br>3.43.01 | Micron      | XMP      | 2x 16GB | SS    | 40-40-40-77 | 1.25 | ●     | ●     |
| KINGSTON   | U-DIMM    | 5200 | 5200 | KF552C40BBAK2-32                  | Micron      | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON   | U-DIMM    | 5200 | 5200 | KF552C40BBA-16                    | Micron      | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| Asgard     | U-DIMM    | 5200 | 5200 | VAM5UX52C40AG-CFRES               | Micron      | XMP      | 16GB    | SS    | 40-40-40-77 | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 5200 | 5200 | FLBD532G5200HC40CBK               | Micron A    | XMP      | 32GB    | DS    | 40-40-40-76 | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 5200 | 5200 | FLRD532G5200HC40C01               | Micron A    | XMP      | 32GB    | DS    | 40-40-40-76 | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 5200 | 5200 | FLBD532G5200HC40C01               | Micron A    | XMP      | 32GB    | DS    | 40-40-40-76 | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 5200 | 5200 | FLRD564G5200HC40CDC01             | Micron A    | XMP      | 2x 32GB | DS    | 40-40-40-76 | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 5200 | 5200 | FLBD564G5200HC40CDC01             | Micron A    | XMP      | 2x 32GB | DS    | 40-40-40-76 | 1.25 | ●     | ●     |
| ADATA      | U-DIMM    | 5200 | 5200 | AX5U5200C388G-SHTBK               | Micron Y32A | XMP/EXPO | 8GB     | SS    | 38-38-38-76 | 1.25 | ●     | ●     |
| ADATA      | U-DIMM    | 5200 | 5200 | AX5U5200C388G-BHTBK               | Micron Y32A | XMP/EXPO | 8GB     | SS    | 38-38-38-76 | 1.25 | ●     | ●     |
| ADATA      | U-DIMM    | 5200 | 5200 | AX5U5200C3816G-DCLARWH            | Samsung B   | XMP/EXPO | 2x 16GB | SS    | 38-38-38-76 | 1.25 | ●     | ●     |
| ADATA      | U-DIMM    | 5200 | 5200 | AX5U5200C3816G-CLARWH             | Samsung B   | XMP/EXPO | 16GB    | SS    | 38-38-38-76 | 1.25 | ●     | ●     |
| ADATA      | U-DIMM    | 5200 | 5200 | AX5U5200C3816G-DCLARBK            | Samsung B   | XMP/EXPO | 2x 16GB | SS    | 38-38-38-76 | 1.25 | ●     | ●     |
| ADATA      | U-DIMM    | 5200 | 5200 | AX5U5200C3816G-CLARBK             | Samsung B   | XMP/EXPO | 16GB    | SS    | 38-38-38-76 | 1.25 | ●     | ●     |
| ADATA      | U-DIMM    | 5200 | 5200 | AX5U5200C3816G-DWROG              | Samsung B   | XMP/EXPO | 2x 16GB | SS    | 38-38-38-76 | 1.25 | ●     | ●     |
| ADATA      | U-DIMM    | 5200 | 5200 | AX5U5200C3816G-SHTBK              | Samsung B   | XMP/EXPO | 16GB    | SS    | 38-38-38-76 | 1.25 | ●     | ●     |

| 供应商      | DeviceSet | 内存频率 | 运行频率 | 部件号                      | 芯片        | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|----------|-----------|------|------|--------------------------|-----------|----------|---------|-------|-------------|------|-------|-------|
| ADATA    | U-DIMM    | 5200 | 5200 | AX5U5200C3816G-BHTBK     | Samsung B | XMP/EXPO | 16GB    | SS    | 38-38-38-76 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C36BBEAK2-32        | Micron A  | XMP/EXPO | 2x 16GB | SS    | 36-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C36BBEA-16          | Micron A  | XMP/EXPO | 16GB    | SS    | 36-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C36BBEK2-32         | Micron A  | XMP/EXPO | 2x 16GB | SS    | 36-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C36BBE-16           | Micron A  | XMP/EXPO | 16GB    | SS    | 36-40-40-80 | 1.25 | ●     | ●     |
| Apacer   | U-DIMM    | 5200 | 5200 | AU16GHB52CUBBGH          | Micron A  | N/A      | 16GB    | SS    | 42-42-42-84 | 1.1  | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C36BBEAK2-64        | Micron A  | XMP/EXPO | 2x 32GB | DS    | 36-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C36BBEA-32          | Micron A  | XMP/EXPO | 32GB    | DS    | 36-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C36BBEK2-16         | HYNIX A   | XMP/EXPO | 2x 8GB  | SS    | 36-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C36BBE-8            | HYNIX A   | XMP/EXPO | 8GB     | SS    | 36-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C36BBEAK2-16        | HYNIX A   | XMP/EXPO | 2x 8GB  | SS    | 36-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C36BBEA-8           | HYNIX A   | XMP/EXPO | 8GB     | SS    | 36-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C36BBEK2-64         | Micron A  | XMP/EXPO | 2x 32GB | DS    | 36-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C36BBE-32           | Micron A  | XMP/EXPO | 32GB    | DS    | 36-40-40-80 | 1.25 | ●     | ●     |
| G.SKILL  | U-DIMM    | 5200 | 5200 | F5-5200J4040A16GX2-RS5K  | Samsung   | XMP      | 2x 16GB | SS    | 40-40-40-83 | 1.1  | ●     | ●     |
| G.SKILL  | U-DIMM    | 5200 | 5200 | F5-5200J4040A16GX2-TZ5RK | Samsung   | XMP      | 2x 16GB | SS    | 40-40-40-83 | 1.1  | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KVR52U42BS8K2-32         | SK Hynix  | N/A      | 2x 16GB | SS    | 42-42-42-84 | 1.1  | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KVR52U42BS8-16           | SK Hynix  | N/A      | 16GB    | SS    | 42-42-42-84 | 1.1  | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KVR52U42BD8K2-64         | SK Hynix  | N/A      | 2x 32GB | DS    | 42-42-42-84 | 1.1  | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KVR52U42BD8-32           | SK Hynix  | N/A      | 32GB    | DS    | 42-42-42-84 | 1.1  | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KVR52U42BS6K2-16         | SK Hynix  | N/A      | 2x 8GB  | SS    | 42-42-42-84 | 1.1  | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KVR52U42BS6-8            | SK Hynix  | N/A      | 8GB     | SS    | 42-42-42-84 | 1.1  | ●     | ●     |

| 供应商      | DeviceSet | 内存频率 | 运行频率 | 部件号                             | 芯片        | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|----------|-----------|------|------|---------------------------------|-----------|----------|---------|-------|-------------|------|-------|-------|
| CORSAIR  | U-DIMM    | 5200 | 5200 | CMH192GX5M4B5200C38 Ver 3.53.02 | Spectek B | XMP      | 4x 48GB | DS    | 38-38-38-84 | 1.25 | ●     | ●     |
| CORSAIR  | U-DIMM    | 5200 | 5200 | CMK192GX5M4B5200C38 Ver 3.53.02 | Spectek B | XMP      | 4x 48GB | DS    | 38-38-38-84 | 1.25 | ●     | ●     |
| CORSAIR  | U-DIMM    | 5200 | 5200 | CMH32GX5M2B5200C40 Ver4.43.02   | Samsung   | XMP      | 2x 16GB | SS    | 40-40-40-77 | 1.25 | ●     | ●     |
| CORSAIR  | U-DIMM    | 5200 | 5200 | CMK64GX5M2B5200C40 Ver 3.43.01  | Spectek   | XMP      | 2x 32GB | DS    | 40-40-40-77 | 1.25 | ●     | ●     |
| CORSAIR  | U-DIMM    | 5200 | 5200 | CMH64GX5M2B5200Z40K Ver 3.43.01 | Spectek   | EXPO     | 2x 32GB | DS    | 40-40-40-77 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C36BWEK2-32                | SK Hynix  | XMP/EXPO | 2x 16GB | SS    | 36-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C36BWE-16                  | SK Hynix  | XMP/EXPO | 16GB    | SS    | 36-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C36BWEAK2-32               | SK Hynix  | XMP/EXPO | 2x 16GB | SS    | 36-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C36BWEA-16                 | SK Hynix  | XMP/EXPO | 16GB    | SS    | 36-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BWK2-32                 | SK Hynix  | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BW-16                   | SK Hynix  | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BWK2-64                 | SK Hynix  | XMP      | 2x 32GB | DS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BW-32                   | SK Hynix  | XMP      | 32GB    | DS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BWAK2-64                | SK Hynix  | XMP      | 2x 32GB | DS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BWA-32                  | SK Hynix  | XMP      | 32GB    | DS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C36BWEAK2-64               | SK Hynix  | XMP/EXPO | 2x 32GB | DS    | 36-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C36BWEA-32                 | SK Hynix  | XMP/EXPO | 32GB    | DS    | 36-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BBK4-128                | HYNIX A   | XMP      | 4x 32GB | DS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BBK2-64                 | HYNIX A   | XMP      | 2x 32GB | DS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BB-32                   | HYNIX A   | XMP      | 32GB    | DS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BWK4-128                | HYNIX A   | XMP      | 4x 32GB | DS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BWK2-64                 | HYNIX A   | XMP      | 2x 32GB | DS    | 40-40-40-80 | 1.25 | ●     | ●     |

| 供应商      | DeviceSet | 内存频率 | 运行频率 | 部件号                             | 芯片       | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|----------|-----------|------|------|---------------------------------|----------|----------|---------|-------|-------------|------|-------|-------|
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BW-32                   | HYNIX A  | XMP      | 32GB    | DS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BBAK4-64                | HYNIX A  | XMP      | 4x 16GB | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BBAK2-32                | HYNIX A  | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BBA-16                  | HYNIX A  | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BBAK4-128               | HYNIX A  | XMP      | 4x 32GB | DS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BBAK2-64                | HYNIX A  | XMP      | 2x 32GB | DS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BBA-32                  | HYNIX A  | XMP      | 32GB    | DS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BWAK4-64                | HYNIX A  | XMP      | 4x 16GB | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BWAK2-32                | HYNIX A  | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BWA-16                  | HYNIX A  | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| Kingston | U-DIMM    | 5200 | 5200 | KF552C36BBEAK2-16               | Mircon-D | XMP/EXPO | 2x 8GB  | SS    | 36-40-40-80 | 1.25 | ●     | ●     |
| Kingston | U-DIMM    | 5200 | 5200 | KF552C36BBEA-8                  | Mircon-D | XMP/EXPO | 8GB     | SS    | 36-40-40-80 | 1.25 | ●     | ●     |
| CORSAIR  | U-DIMM    | 5200 | 5200 | CMK64GX5M2B5200C40 Ver 3.43.02  | Spectek  | XMP      | 2x 32GB | DS    | 40-40-40-77 | 1.25 | ●     | ●     |
| CORSAIR  | U-DIMM    | 5200 | 5200 | CMH192GX5M4B5200C38 Ver 5.53.13 | SK Hynix | XMP      | 4x 48GB | DS    | 38-38-38-84 | 1.25 | ●     | ●     |
| GLOWAY   | U-DIMM    | 5200 | 5200 | VGM5UX52C40AG-STACW             | Samsung  | XMP/EXPO | 2x 16GB | DS    | 40-40-40-77 | 1.25 | ●     | ●     |
| GLOWAY   | U-DIMM    | 5200 | 5200 | VGM5UX52C40AG-DTACW             | Samsung  | XMP/EXPO | 16GB    | DS    | 40-40-40-77 | 1.25 | ●     | ●     |
| GEIL     | U-DIMM    | 5200 | 5200 | GVSG532GB5200C34ADC             | SK Hynix | XMP/EXPO | 16GB    | SS    | 34-38-38-78 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BBK2-32WP               | CXSH-A   | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BB-16WP                 | CXSH-A   | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BBAK2-32WP              | CXSH-A   | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BBA-16WP                | CXSH-A   | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5200 | 5200 | KF552C40BBK2-32WP               | CXSH-A   | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |

| 供应商         | DeviceSet | 内存频率 | 运行频率 | 部件号                            | 芯片          | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|-------------|-----------|------|------|--------------------------------|-------------|----------|---------|-------|-------------|------|-------|-------|
| Kingston    | U-DIMM    | 5600 | 5600 | KF556C40BBK2-32                | Hynix-M die | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| Kingston    | U-DIMM    | 5600 | 5600 | KF556C40BB-16                  | Hynix-M die | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| CORSAIR     | U-DIMM    | 5600 | 5600 | CMT32GX5M2X5600C36 Ver 4.43.02 | Samsung     | XMP      | 2x 16GB | SS    | 36-36-36-76 | 1.25 | ●     | ●     |
| G.SKILL     | U-DIMM    | 5600 | 5600 | F5-5600J3636C16GX2-TZ5RS       | Samsung     | XMP      | 2x 16GB | SS    | 36-36-36-89 | 1.2  | ●     | ●     |
| G.SKILL     | U-DIMM    | 5600 | 5600 | F5-5600J3636C16GA2-RS5K        | Samsung     | XMP      | 2x 16GB | SS    | 36-36-36-89 | 1.2  | ●     | ●     |
| G.SKILL     | U-DIMM    | 5600 | 5600 | F5-5600J3636C16GA2-RS5W        | Samsung     | XMP      | 2x 16GB | SS    | 36-36-36-89 | 1.2  | ●     | ●     |
| G.SKILL     | U-DIMM    | 5600 | 5600 | F5-5600J3636C16GA2-TZ5S        | Samsung     | XMP      | 2x 16GB | SS    | 36-36-36-89 | 1.2  | ●     | ●     |
| G.SKILL     | U-DIMM    | 5600 | 5600 | F5-5600J3636C16GA2-TZ5K        | Samsung     | XMP      | 2x 16GB | SS    | 36-36-36-89 | 1.2  | ●     | ●     |
| G.SKILL     | U-DIMM    | 5600 | 5600 | F5-5600J3636C16GA2-TZ5RS       | Samsung     | XMP      | 2x 16GB | SS    | 36-36-36-89 | 1.2  | ●     | ●     |
| G.SKILL     | U-DIMM    | 5600 | 5600 | F5-5600J3636C16GA2-TZ5RK       | Samsung     | XMP      | 2x 16GB | SS    | 36-36-36-89 | 1.2  | ●     | ●     |
| Thermaltake | U-DIMM    | 5600 | 5600 | RA50D516GX2-5600C36A           | Hynix       | XMP      | 2x 16GB | SS    | 36-36-36-76 | 1.25 | ●     | ●     |
| Thermaltake | U-DIMM    | 5600 | 5600 | RG30D516GX2-5600C36A           | Hynix       | XMP      | 2x 16GB | SS    | 36-36-36-76 | 1.25 | ●     | ●     |
| G.SKILL     | U-DIMM    | 5600 | 5600 | F5-5600J4040C16GX2-TZ5RS       | Samsung     | XMP      | 2x 16GB | SS    | 40-40-40-89 | 1.2  | ●     | ●     |
| G.SKILL     | U-DIMM    | 5600 | 5600 | F5-5600J4040C16GX2-TZ5RK       | Samsung     | XMP      | 2x 16GB | SS    | 40-40-40-89 | 1.2  | ●     | ●     |
| G.SKILL     | U-DIMM    | 5600 | 5600 | F5-5600J4040C16GA2-TZ5RS       | Samsung     | XMP      | 2x 16GB | SS    | 40-40-40-89 | 1.2  | ●     | ●     |
| G.SKILL     | U-DIMM    | 5600 | 5600 | F5-5600J4040C16GA2-TZ5RK       | Samsung     | XMP      | 2x 16GB | SS    | 40-40-40-89 | 1.2  | ●     | ●     |
| GALAX       | U-DIMM    | 5600 | 5600 | GAM5DJL4BSE5600B36DJ162C       | Samsung     | XMP      | 2x 8GB  | SS    | 36-38-38-76 | 1.25 | ●     | ●     |
| OLOY        | U-DIMM    | 5600 | 5600 | MD5U0856360BRKDE               | Samsung     | XMP      | 2x 8GB  | SS    | 36-38-38-76 | 1.25 | ●     | ●     |
| OLOY        | U-DIMM    | 5600 | 5600 | ND5U0856360BRKDE               | Samsung     | XMP      | 8GB     | SS    | 36-38-38-76 | 1.25 | ●     | ●     |
| Thermaltake | U-DIMM    | 5600 | 5600 | RG34D516GX2-5600C36B           | SK Hynix    | XMP      | 16GB    | SS    | 36-36-36-76 | 1.25 | ●     | ●     |
| V-COLOR     | U-DIMM    | 5600 | 5600 | TMXPL1656836WWK                | SK Hynix    | XMP      | 2x 16GB | SS    | 36-36-36-76 | 1.2  | ●     | ●     |
| V-COLOR     | U-DIMM    | 5600 | 5600 | TMXPL1656836KW-DK              | SK Hynix    | XMP      | 2x 16GB | SS    | 36-36-36-76 | 1.2  | ●     | ●     |

| 供应商         | DeviceSet | 内存频率 | 运行频率 | 部件号                            | 芯片       | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|-------------|-----------|------|------|--------------------------------|----------|----------|---------|-------|-------------|------|-------|-------|
| OLOY        | U-DIMM    | 5600 | 5600 | MD5U0856360BRSDE               | Samsung  | XMP      | 8GB     | SS    | 36-38-38-76 | 1.25 | ●     | ●     |
| OLOY        | U-DIMM    | 5600 | 5600 | ND5U0856360BRSDE               | Samsung  | XMP      | 8GB     | SS    | 36-38-38-76 | 1.25 | ●     | ●     |
| CORSAIR     | U-DIMM    | 5600 | 5600 | CMK32GX5M2X5600C32 Ver 4.43.02 | Samsung  | XMP      | 2x 16GB | SS    | 32-36-36-76 | 1.35 | ●     | ●     |
| KINGSTON    | U-DIMM    | 5600 | 5600 | KF556C40BBAK2-32               | SK Hynix | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON    | U-DIMM    | 5600 | 5600 | KF556C40BBA-16                 | SK Hynix | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| CORSAIR     | U-DIMM    | 5600 | 5600 | CMH32GX5M2B5600C36 Ver 4.43.02 | Samsung  | XMP      | 2x 16GB | SS    | 36-36-36-76 | 1.25 | ●     | ●     |
| CORSAIR     | U-DIMM    | 5600 | 5600 | CMH32GX5M2B5600C40 Ver 4.43.02 | Samsung  | XMP      | 2x 16GB | SS    | 40-40-40-77 | 1.25 | ●     | ●     |
| Thermaltake | U-DIMM    | 5600 | 5600 | RG33D516GX2-5600C36B           | SK Hynix | XMP/EXPO | 16GB    | SS    | 36-36-36-76 | 1.25 | ●     | ●     |
| Team Group  | U-DIMM    | 5600 | 5600 | TED516G5600C46BK               | HYNIX M  | N/A      | 16GB    | SS    | 46-46-46-90 | 1.1  | ●     | ●     |
| Team Group  | U-DIMM    | 5600 | 5600 | TED516G5600C4601               | HYNIX M  | N/A      | 16GB    | SS    | 46-46-46-90 | 1.1  | ●     | ●     |
| Team Group  | U-DIMM    | 5600 | 5600 | TPBD516G5600C4601              | HYNIX M  | N/A      | 16GB    | SS    | 46-46-46-90 | 1.1  | ●     | ●     |
| Team Group  | U-DIMM    | 5600 | 5600 | TPSD516G5600C4601              | HYNIX M  | N/A      | 16GB    | SS    | 46-46-46-90 | 1.1  | ●     | ●     |
| Team Group  | U-DIMM    | 5600 | 5600 | TED532G5600C46DC01             | HYNIX M  | N/A      | 2x 16GB | SS    | 46-46-46-90 | 1.1  | ●     | ●     |
| Team Group  | U-DIMM    | 5600 | 5600 | TPBD532G5600C46DC01            | HYNIX M  | N/A      | 2x 16GB | SS    | 46-46-46-90 | 1.1  | ●     | ●     |
| Team Group  | U-DIMM    | 5600 | 5600 | TPSD532G5600C46DC01            | HYNIX M  | N/A      | 2x 16GB | SS    | 46-46-46-90 | 1.1  | ●     | ●     |
| Team Group  | U-DIMM    | 5600 | 5600 | FF3D516G5600HC32BK             | HYNIX M  | XMP      | 16GB    | SS    | 32-36-36-76 | 1.2  | ●     | ●     |
| Team Group  | U-DIMM    | 5600 | 5600 | FLRD516G5600HC3201             | HYNIX M  | XMP      | 16GB    | SS    | 32-36-36-76 | 1.2  | ●     | ●     |
| Team Group  | U-DIMM    | 5600 | 5600 | FLBD516G5600HC3201             | HYNIX M  | XMP      | 16GB    | SS    | 32-36-36-76 | 1.2  | ●     | ●     |
| Team Group  | U-DIMM    | 5600 | 5600 | FF3D516G5600HC3201             | HYNIX M  | XMP      | 16GB    | SS    | 32-36-36-76 | 1.2  | ●     | ●     |
| Team Group  | U-DIMM    | 5600 | 5600 | FF4D516G5600HC3201             | HYNIX M  | XMP      | 16GB    | SS    | 32-36-36-76 | 1.2  | ●     | ●     |
| Team Group  | U-DIMM    | 5600 | 5600 | FLRD532G5600HC32DC01           | HYNIX M  | XMP      | 2x 16GB | SS    | 32-36-36-76 | 1.2  | ●     | ●     |
| Team Group  | U-DIMM    | 5600 | 5600 | FLBD532G5600HC32DC01           | HYNIX M  | XMP      | 2x 16GB | SS    | 32-36-36-76 | 1.2  | ●     | ●     |

| 供应商        | DeviceSet | 内存频率 | 运行频率 | 部件号                      | 芯片        | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|------------|-----------|------|------|--------------------------|-----------|----------|---------|-------|-------------|------|-------|-------|
| Team Group | U-DIMM    | 5600 | 5600 | FF3D532G5600HC32DC01     | HYNIX M   | XMP      | 2x 16GB | SS    | 32-36-36-76 | 1.2  | ●     | ●     |
| Team Group | U-DIMM    | 5600 | 5600 | FF4D532G5600HC32DC01     | HYNIX M   | XMP      | 2x 16GB | SS    | 32-36-36-76 | 1.2  | ●     | ●     |
| Team Group | U-DIMM    | 5600 | 5600 | FF3D516G5600HC36BBK      | Samsung B | XMP      | 16GB    | SS    | 36-36-36-76 | 1.2  | ●     | ●     |
| Team Group | U-DIMM    | 5600 | 5600 | FLRD516G5600HC36B01      | Samsung B | XMP      | 16GB    | SS    | 36-36-36-76 | 1.2  | ●     | ●     |
| Team Group | U-DIMM    | 5600 | 5600 | FLBD516G5600HC36B01      | Samsung B | XMP      | 16GB    | SS    | 36-36-36-76 | 1.2  | ●     | ●     |
| Team Group | U-DIMM    | 5600 | 5600 | FF3D516G5600HC36B01      | Samsung B | XMP      | 16GB    | SS    | 36-36-36-76 | 1.2  | ●     | ●     |
| Team Group | U-DIMM    | 5600 | 5600 | FF4D516G5600HC36B01      | Samsung B | XMP      | 16GB    | SS    | 36-36-36-76 | 1.2  | ●     | ●     |
| Team Group | U-DIMM    | 5600 | 5600 | FLRD532G5600HC36BDC01    | Samsung B | XMP      | 2x 16GB | SS    | 36-36-36-76 | 1.2  | ●     | ●     |
| Team Group | U-DIMM    | 5600 | 5600 | FLBD532G5600HC36BDC01    | Samsung B | XMP      | 2x 16GB | SS    | 36-36-36-76 | 1.2  | ●     | ●     |
| Team Group | U-DIMM    | 5600 | 5600 | FF3D532G5600HC36BDC01    | Samsung B | XMP      | 2x 16GB | SS    | 36-36-36-76 | 1.2  | ●     | ●     |
| Team Group | U-DIMM    | 5600 | 5600 | FF4D532G5600HC36BDC01    | Samsung B | XMP      | 2x 16GB | SS    | 36-36-36-76 | 1.2  | ●     | ●     |
| Team Group | U-DIMM    | 5600 | 5600 | FF3D516G5600HC36BBK      | HYNIX M   | XMP      | 16GB    | SS    | 36-36-36-76 | 1.2  | ●     | ●     |
| Team Group | U-DIMM    | 5600 | 5600 | FLRD516G5600HC36B01      | HYNIX M   | XMP      | 16GB    | SS    | 36-36-36-76 | 1.2  | ●     | ●     |
| Team Group | U-DIMM    | 5600 | 5600 | FLBD516G5600HC36B01      | HYNIX M   | XMP      | 16GB    | SS    | 36-36-36-76 | 1.2  | ●     | ●     |
| Team Group | U-DIMM    | 5600 | 5600 | FF3D516G5600HC36B01      | HYNIX M   | XMP      | 16GB    | SS    | 36-36-36-76 | 1.2  | ●     | ●     |
| Team Group | U-DIMM    | 5600 | 5600 | FF4D516G5600HC36B01      | HYNIX M   | XMP      | 16GB    | SS    | 36-36-36-76 | 1.2  | ●     | ●     |
| Team Group | U-DIMM    | 5600 | 5600 | FLRD532G5600HC36BDC01    | HYNIX M   | XMP      | 2x 16GB | SS    | 36-36-36-76 | 1.2  | ●     | ●     |
| Team Group | U-DIMM    | 5600 | 5600 | FLBD532G5600HC36BDC01    | HYNIX M   | XMP      | 2x 16GB | SS    | 36-36-36-76 | 1.2  | ●     | ●     |
| Team Group | U-DIMM    | 5600 | 5600 | FF3D532G5600HC36BDC01    | HYNIX M   | XMP      | 2x 16GB | SS    | 36-36-36-76 | 1.2  | ●     | ●     |
| Team Group | U-DIMM    | 5600 | 5600 | FF4D532G5600HC36BDC01    | HYNIX M   | XMP      | 2x 16GB | SS    | 36-36-36-76 | 1.2  | ●     | ●     |
| G.SKILL    | U-DIMM    | 5600 | 5600 | F5-5600J2834F16GX2-TZ5NR | SK Hynix  | EXPO     | 2x 16GB | SS    | 28-34-34-89 | 1.35 | ●     | ●     |
| G.SKILL    | U-DIMM    | 5600 | 5600 | F5-5600J2834F16GX2-TZ5RK | SK Hynix  | EXPO     | 2x 16GB | SS    | 28-34-34-89 | 1.35 | ●     | ●     |

| 供应商      | DeviceSet | 内存频率 | 运行频率 | 部件号                             | 芯片        | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|----------|-----------|------|------|---------------------------------|-----------|----------|---------|-------|-------------|------|-------|-------|
| G.SKILL  | U-DIMM    | 5600 | 5600 | F5-5600J2834F16GX2-TZ5RS        | SK Hynix  | EXPO     | 2x 16GB | SS    | 28-34-34-89 | 1.35 | ●     | ●     |
| ADATA    | U-DIMM    | 5600 | 5600 | AX5U5600C3616G-DCLARBK          | Samsung B | XMP/EXPO | 2x 16GB | SS    | 36-36-36-76 | 1.25 | ●     | ●     |
| ADATA    | U-DIMM    | 5600 | 5600 | AX5U5600C3616G-CLARBK           | Samsung B | XMP/EXPO | 16GB    | SS    | 36-36-36-76 | 1.25 | ●     | ●     |
| ADATA    | U-DIMM    | 5600 | 5600 | AX5U5600C3616G-CCARGY           | Samsung B | XMP/EXPO | 16GB    | SS    | 36-36-36-76 | 1.25 | ●     | ●     |
| ADATA    | U-DIMM    | 5600 | 5600 | AX5U5600C3616G-DCCARGY          | Samsung B | XMP/EXPO | 2x 16GB | SS    | 36-36-36-76 | 1.25 | ●     | ●     |
| ADATA    | U-DIMM    | 5600 | 5600 | AX5U5600C3616G-DWROG            | Samsung B | XMP/EXPO | 2x 16GB | SS    | 36-36-36-76 | 1.25 | ●     | ●     |
| Galaxy   | U-DIMM    | 5600 | 5600 | HOF5CXL4BSD5600B36CK322C        | Samsung   | XMP/EXPO | 2x 16GB | SS    | 36-36-36-76 | 1.25 | ●     | ●     |
| Galaxy   | U-DIMM    | 5600 | 5600 | HOF5TJL4BSD5600B36CK322C        | Samsung   | XMP/EXPO | 2x 16GB | SS    | 36-36-36-76 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C36BBEK2-64                | HYNIX A   | XMP/EXPO | 2x 32GB | DS    | 36-38-38-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C36BBE-32                  | HYNIX A   | XMP/EXPO | 32GB    | DS    | 36-38-38-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C36BBEAK2-64               | HYNIX M   | XMP/EXPO | 2x 32GB | DS    | 36-38-38-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C36BBEA-32                 | HYNIX M   | XMP/EXPO | 32GB    | DS    | 36-38-38-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C36BBEK2-16                | HYNIX A   | XMP/EXPO | 2x 8GB  | SS    | 36-38-38-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C36BBE-8                   | HYNIX A   | XMP/EXPO | 8GB     | SS    | 36-38-38-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C36BBEAK2-16               | HYNIX A   | XMP/EXPO | 2x 8GB  | SS    | 36-38-38-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C36BBEA-8                  | HYNIX A   | XMP/EXPO | 8GB     | SS    | 36-38-38-80 | 1.25 | ●     | ●     |
| Hynix    | U-DIMM    | 5600 | 5600 | HMCG78AGBUA081N                 | SK Hynix  | N/A      | 16GB    | SS    | 46-45-45-90 | 1.1  | ●     | ●     |
| CORSAIR  | U-DIMM    | 5600 | 5600 | CMH64GX5M4B5600C36 Ver 4.43.02  | Samsung   | XMP      | 4x 16GB | SS    | 36-36-36-76 | 1.25 | ●     | ●     |
| CORSAIR  | U-DIMM    | 5600 | 5600 | CM164GX5M4B5600C36 Ver 4.43.02  | Samsung   | XMP      | 4x 16GB | SS    | 36-36-36-76 | 1.25 | ●     | ●     |
| CORSAIR  | U-DIMM    | 5600 | 5600 | CMH48GX5M2B5600C40K Ver 3.53.02 | Spectek   | XMP      | 2x 24GB | SS    | 40-40-40-77 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C36BWEK2-64                | SK Hynix  | XMP/EXPO | 2x 32GB | DS    | 36-38-38-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C36BWE-32                  | SK Hynix  | XMP/EXPO | 32GB    | DS    | 36-38-38-80 | 1.25 | ●     | ●     |

| 供应商      | DeviceSet | 内存频率 | 运行频率 | 部件号               | 芯片       | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|----------|-----------|------|------|-------------------|----------|----------|---------|-------|-------------|------|-------|-------|
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BWAK2-32  | SK Hynix | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BWA-16    | SK Hynix | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C36BWEAK2-64 | SK Hynix | XMP/EXPO | 2x 32GB | DS    | 36-38-38-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C36BWEA-32   | SK Hynix | XMP/EXPO | 32GB    | DS    | 36-38-38-80 | 1.25 | ●     | ●     |
| KLEVV    | U-DIMM    | 5600 | 5200 | KD5BGUA80-56G4600 | SK Hynix | N/A      | 32GB    | DS    | 46-46-46-90 | 1.1  | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BWK4-64   | HYNIX A  | XMP      | 4x 16GB | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BWK2-32   | HYNIX A  | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BW-16     | HYNIX A  | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BBAK4-64  | HYNIX A  | XMP      | 4x 16GB | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BBAK2-32  | HYNIX A  | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BBA-16    | HYNIX A  | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BWAK4-64  | HYNIX A  | XMP      | 4x 16GB | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BWAK2-32  | HYNIX A  | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BWA-16    | HYNIX A  | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| ADATA    | U-DIMM    | 5600 | 5600 | AD5U56008G-B      | Hynix A  | N/A      | 8GB     | SS    | 46-45-45-90 | 1.1  | ●     | ●     |
| ADATA    | U-DIMM    | 5600 | 5600 | AD5U56008G-S      | Hynix A  | N/A      | 8GB     | SS    | 46-45-45-90 | 1.1  | ●     | ●     |
| ADATA    | U-DIMM    | 5600 | 5600 | AD5U56008G-DT     | Hynix A  | N/A      | 2x 8GB  | SS    | 46-45-45-90 | 1.1  | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BWAK4-128 | HYNIX A  | XMP      | 32GB    | DS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BWA-32    | HYNIX A  | XMP      | 32GB    | DS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BWAK2-64  | HYNIX A  | XMP      | 32GB    | DS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BBAK4-128 | HYNIX A  | XMP      | 32GB    | DS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BBA-32    | HYNIX A  | XMP      | 32GB    | DS    | 40-40-40-80 | 1.25 | ●     | ●     |

| 供应商      | DeviceSet | 内存频率 | 运行频率 | 部件号                 | 芯片          | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|----------|-----------|------|------|---------------------|-------------|----------|---------|-------|-------------|------|-------|-------|
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BBAK2-64    | HYNIX A     | XMP      | 32GB    | DS    | 40-40-40-80 | 1.25 | ●     | ●     |
| ADATA    | U-DIMM    | 5600 | 5600 | AD5U560024G-B       | Spectek     | N/A      | 24GB    | SS    | 46-45-45-90 | 1.1  | ●     | ●     |
| ADATA    | U-DIMM    | 5600 | 5600 | AD5U560024G-S       | Spectek     | N/A      | 24GB    | SS    | 46-45-45-90 | 1.1  | ●     | ●     |
| ADATA    | U-DIMM    | 5600 | 5600 | AD5U560024G-DT      | Spectek     | N/A      | 2x 24GB | SS    | 46-45-45-90 | 1.1  | ●     | ●     |
| SK Hynix | U-DIMM    | 5600 | 5600 | HMCG66AGBUA084N BA  | SK Hynix    | N/A      | 8GB     | SS    | 46-45-45-90 | 1.1  | ●     | ●     |
| Samsung  | U-DIMM    | 5600 | 5200 | M323R2GA3DB0-CWMOD  | Samsung     | N/A      | 16GB    | SS    | 46-45-45-90 | 1.1  | ●     | ●     |
| SK Hynix | U-DIMM    | 5600 | 5600 | HMCG78AGBUA084N BA  | SK Hynix    | N/A      | 16GB    | SS    | 46-45-45-90 | 1.1  | ●     | ●     |
| ADATA    | U-DIMM    | 5600 | 5600 | AD5U560048G-B       | Hynix M-Die | N/A      | 48GB    | DS    | 46-45-45-90 | 1.1  | ●     | ●     |
| ADATA    | U-DIMM    | 5600 | 5600 | AD5U560048G-S       | Hynix M-Die | N/A      | 48GB    | DS    | 46-45-45-90 | 1.1  | ●     | ●     |
| ADATA    | U-DIMM    | 5600 | 5600 | AD5U560048G-DT      | Hynix M-Die | N/A      | 2x 48GB | DS    | 46-45-45-90 | 1.1  | ●     | ●     |
| V-color  | U-DIMM    | 5600 | 5600 | GTMXPL1656836KWK    | SK Hynix    | XMP      | 2x 16GB | SS    | 36-36-36-76 | 1.2  | ●     | ●     |
| GOLDKEY  | U-DIMM    | 5600 | 5600 | NMGD532F82-5600EI20 | SK Hynix    | XMP/EXPO | 32GB    | DS    | 40-40-40-77 | 1.2  | ●     | ●     |
| GOLDKEY  | U-DIMM    | 5600 | 5600 | NMGD516F82-5600EI20 | SK Hynix    | XMP/EXPO | 16GB    | SS    | 40-40-40-77 | 1.2  | ●     | ●     |
| Kingston | U-DIMM    | 5600 | 5600 | KF556C40BBAK2-16    | Mircon-D    | XMP      | 2x 8GB  | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| Kingston | U-DIMM    | 5600 | 5600 | KF556C40BBA-8       | Mircon-D    | XMP      | 8GB     | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| Kingston | U-DIMM    | 5600 | 5600 | KF556C40BBAK2-32    | Mircon-D    | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| Kingston | U-DIMM    | 5600 | 5600 | KF556C40BBA-16      | Mircon-D    | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| Kingston | U-DIMM    | 5600 | 5600 | KF556C40BWA-16      | Mircon-D    | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| Kingston | U-DIMM    | 5600 | 5600 | KF556C40BWAK2-32    | Mircon-D    | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| Kingston | U-DIMM    | 5600 | 5600 | KF556C36BBEAK2-32   | Mircon-D    | XMP/EXPO | 2x 16GB | SS    | 36-38-38-80 | 1.25 | ●     | ●     |
| Kingston | U-DIMM    | 5600 | 5600 | KF556C36BBEA-16     | Mircon-D    | XMP/EXPO | 16GB    | SS    | 36-38-38-80 | 1.25 | ●     | ●     |
| Kingston | U-DIMM    | 5600 | 5600 | KF556C36BWEA-16     | Mircon-D    | XMP/EXPO | 16GB    | SS    | 36-38-38-80 | 1.25 | ●     | ●     |

| 供应商      | DeviceSet | 内存频率 | 运行频率 | 部件号                             | 芯片            | SPD Type | 规格      | SS/DS | 时序                         | 电压   | 1DIMM | 2DIMM |
|----------|-----------|------|------|---------------------------------|---------------|----------|---------|-------|----------------------------|------|-------|-------|
| Kingston | U-DIMM    | 5600 | 5600 | KF556C36BWEAK2-32               | Mircon-D      | XMP/EXPO | 2x 16GB | SS    | 36-38-38-80                | 1.25 | ●     | ●     |
| CORSAIR  | U-DIMM    | 5600 | 5600 | CMH128GX5M4B5600C40 Ver 5.43.01 | SK Hynix      | XMP      | 4x 32GB | DS    | 40-40-40-77                | 1.25 | ●     | ●     |
| Dynac    | U-DIMM    | 5600 | 5600 | DD5U560016G/S                   | Spectek       | N/A      | 16GB    | SS    | 46-46-46-90                | 1.1  | ●     | ●     |
| Dynac    | U-DIMM    | 5600 | 5600 | DWC5U560016G/D                  | Hynix         | XMP/EXPO | 16GB    | SS    | 40-40-40-80<br>38-38-38-76 | 1.2  | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KVR56U46BS8K2-32                | Mircon-D      | N/A      | 2x 16GB | SS    | 46-45-45-90                | 1.1  | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KVR56U46BS8-16                  | Mircon-D      | N/A      | 16GB    | SS    | 46-45-45-90                | 1.1  | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KVR56U46BS6K2-16                | Mircon-D      | N/A      | 2x 8GB  | SS    | 46-45-45-90                | 1.1  | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KVR56U46BS6-8                   | Mircon-D      | N/A      | 8GB     | SS    | 46-45-45-90                | 1.1  | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KVR56U46BD8K2-64                | Mircon-D      | N/A      | 2x 32GB | DS    | 46-45-45-90                | 1.1  | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KVR56U46BD8-32                  | Mircon-D      | N/A      | 32GB    | DS    | 46-45-45-90                | 1.1  | ●     | ●     |
| Zentel   | U-DIMM    | 5600 | 5600 | Z6A8GH4SAAA-QE                  | Hynix A-die   | N/A      | 8GB     | SS    | 46-45-45-90                | 1.1  | ●     | ●     |
| Zentel   | U-DIMM    | 5600 | 5600 | Z6AAGH3SAAA-QE                  | Hynix A-die   | N/A      | 16GB    | SS    | 46-45-45-90                | 1.1  | ●     | ●     |
| CXMT     | U-DIMM    | 5600 | 5600 | CXMR4E816U6AS-AN1C              | CXMT          | N/A      | 16GB    | SS    | 46-45-45-90                | 1.1  | ●     | ●     |
| CXMT     | U-DIMM    | 5600 | 5600 | CXMR4E816U6AS-CN1C              | CXMT          | N/A      | 32GB    | DS    | 46-45-45-90                | 1.1  | ●     | ●     |
| Crucial  | U-DIMM    | 5600 | 5600 | CP64G56C46U5.M16B1              | Spectek       | XMP/EXPO | 64GB    | DS    | 46-45-45-90                | 1.1  | ●     | ●     |
| Crucial  | U-DIMM    | 5600 | 5600 | CT64G56C46U5.M16B1              | Spectek       | XMP/EXPO | 64GB    | DS    | 46-46-45-90                | 1.1  | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BBAK2-128               | Samsung M-die | XMP/EXPO | 64GB    | DS    | 40-40-40-80                | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BBA-64                  | Samsung M-die | XMP/EXPO | 64GB    | DS    | 40-40-40-80                | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C36BBEAK2-128              | Samsung M-die | XMP/EXPO | 64GB    | DS    | 36-38-38-80                | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C36BBEA-64                 | Samsung M-die | XMP/EXPO | 64GB    | DS    | 36-38-38-80                | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BBK2-128                | Samsung M-die | XMP/EXPO | 64GB    | DS    | 40-40-40-80                | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BB-64                   | Samsung M-die | XMP/EXPO | 64GB    | DS    | 40-40-40-80                | 1.25 | ●     | ●     |

| 供应商      | DeviceSet | 内存频率 | 运行频率 | 部件号                            | 芯片               | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|----------|-----------|------|------|--------------------------------|------------------|----------|---------|-------|-------------|------|-------|-------|
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C36BBEK2-128              | Samsung M-die    | XMP/EXPO | 64GB    | DS    | 36-38-38-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C36BBE-64                 | Samsung M-die    | XMP/EXPO | 64GB    | DS    | 36-38-38-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BB-16-SP               | CXSH A-die       | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BB-16-SPBK             | CXSH A-die       | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| CORSAIR  | U-DIMM    | 5600 | 5600 | CMK128GX5M2D5600C40 Ver3.63.01 | Mircon & SpecTek | XMP      | 2x 64GB | DS    | 40-44-44-90 | 1.25 | ●     | ●     |
| CORSAIR  | U-DIMM    | 5600 | 5600 | CMH128GX5M2D5600C40 Ver3.63.01 | Mircon & SpecTek | XMP      | 2x 64GB | DS    | 40-44-44-90 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BB-16WP                | CXSH-A           | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BBK2-32WP              | CXSH-A           | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | F556C40BBA-16WP                | CXSH-A           | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KF556C40BBAK2-32WP             | CXSH-A           | XMP      | 16GB    | SS    | 40-40-40-80 | 1.25 | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KVR56U46BS8-16WP               | CXSH-A           | N/A      | 16GB    | SS    | 46-45-45-90 | 1.1  | ●     | ●     |
| KINGSTON | U-DIMM    | 5600 | 5600 | KVR56U46BD8-64                 | SAMSUNG          | N/A      | 64GB    | DS    | 46-45-45-90 | 1.1  | ●     | ●     |
| ADATA    | U-DIMM    | 5600 | 5600 | AD5U560064G-B                  | SK Hynix         | N/A      | 64GB    | DS    | 46-45-45-90 | 1.1  | ●     | ●     |
| ADATA    | U-DIMM    | 5600 | 5600 | AD5U560064G-S                  | SK Hynix         | N/A      | 64GB    | DS    | 46-45-45-90 | 1.1  | ●     | ●     |
| ADATA    | U-DIMM    | 5600 | 5600 | CBDAD5U560016G-BCX             | CXSH-A           | N/A      | 16GB    | SS    | 46-45-45-90 | 1.1  | ●     | ●     |
| Lexar    | U-DIMM    | 5600 | 5600 | CBD56U46BD8MH-32               | CXMT             | N/A      | 16GB    | SS    | 46-45-45-90 | 1.1  | ●     | ●     |
| Lexar    | U-DIMM    | 5600 | 5600 | CBD56U46BD8HA-32               | CXMT             | N/A      | 16GB    | SS    | 46-45-45-90 | 1.1  | ●     | ●     |
| Lexar    | U-DIMM    | 5600 | 5600 | B45DUBG75646B-TD23             | CXMT             | N/A      | 16GB    | SS    | 46-45-45-90 | 1.1  | ●     | ●     |
| Kimtigo  | U-DIMM    | 5600 | 5600 | B45DUAG75646B-TD21             | CXSH-A           | XMP/EXPO | 16GB    | SS    | 46-45-45-90 | 1.1  | ●     | ●     |
| Galaxy   | U-DIMM    | 5800 | 5800 | HOF5CXL4BSD5800F38DJ322C       | Samsung          | XMP/EXPO | 2x 16GB | SS    | 38-38-38-83 | 1.3  | ●     | ●     |
| ADATA    | U-DIMM    | 6000 | 6000 | AX5U6000C4016G-DCLARBK         | Hynix M-Die      | XMP      | 2x 16GB | SS    | 40-40-40-76 | 1.35 | ●     | ●     |
| ADATA    | U-DIMM    | 6000 | 6000 | AX5U6000C4016G-CLARBK          | Hynix M-Die      | XMP      | 2x 16GB | SS    | 40-40-40-76 | 1.35 | ●     | ●     |

| 供应商         | DeviceSet | 内存频率 | 运行频率 | 部件号                            | 芯片          | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|-------------|-----------|------|------|--------------------------------|-------------|----------|---------|-------|-------------|------|-------|-------|
| ADATA       | U-DIMM    | 6000 | 6000 | AX5U6000C4016G-BLARBK          | Hynix M-Die | XMP      | 2x 16GB | SS    | 40-40-40-76 | 1.35 | ●     | ●     |
| Team Group  | U-DIMM    | 6000 | 6000 | FF3D516G6000HC38ABK            | Hynix       | XMP      | 16GB    | SS    | 38-38-38-78 | 1.25 | ●     | ●     |
| Team Group  | U-DIMM    | 6000 | 6000 | FF3D532G6000HC38ADC01          | Hynix       | XMP      | 2x 16GB | SS    | 38-38-38-78 | 1.25 | ●     | ●     |
| Team Group  | U-DIMM    | 6000 | 6000 | FF4D532G6000HC38ADC01          | Hynix       | XMP      | 2x 16GB | SS    | 38-38-38-78 | 1.25 | ●     | ●     |
| KINGSTON    | U-DIMM    | 6000 | 6000 | KF560C40BBK2-16                | Hynix-M die | XMP      | 2x 8GB  | SS    | 40-40-40-80 | 1.35 | ●     | ●     |
| KINGSTON    | U-DIMM    | 6000 | 6000 | KF560C40BB-8                   | Hynix-M die | XMP      | 8GB     | SS    | 40-40-40-80 | 1.35 | ●     | ●     |
| KINGSTON    | U-DIMM    | 6000 | 6000 | KF560C40BBAK2-16               | SK Hynix    | XMP      | 2x 8GB  | SS    | 40-40-40-80 | 1.35 | ●     | ●     |
| KINGSTON    | U-DIMM    | 6000 | 6000 | KF560C40BBA-8                  | SK Hynix    | XMP      | 8GB     | SS    | 40-40-40-80 | 1.35 | ●     | ●     |
| KINGSTON    | U-DIMM    | 6000 | 6000 | KF560C40BBAK2-32               | SK Hynix    | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.35 | ●     | ●     |
| KINGSTON    | U-DIMM    | 6000 | 6000 | KF560C40BBA-16                 | SK Hynix    | XMP      | 16GB    | SS    | 40-40-40-80 | 1.35 | ●     | ●     |
| CORSAIR     | U-DIMM    | 6000 | 6000 | CMT32GX5M2D6000C36 Ver 4.43.02 | Samsung     | XMP      | 2x 16GB | SS    | 36-36-36-76 | 1.35 | ●     | ●     |
| KINGSTON    | U-DIMM    | 6000 | 6000 | KF560C32RSAK2-32               | Hynix-M die | XMP      | 2x 16GB | SS    | 32-38-38-80 | 1.35 | ●     | ●     |
| KINGSTON    | U-DIMM    | 6000 | 6000 | KF560C32RSA-16                 | Hynix-M die | XMP      | 16GB    | SS    | 32-38-38-80 | 1.35 | ●     | ●     |
| GEIL        | U-DIMM    | 6000 | 6000 | GAESW532GB6000C38ADC           | SK Hynix    | XMP      | 16GB    | SS    | 38-40-40-82 | 1.25 | ●     | ●     |
| GEIL        | U-DIMM    | 6000 | 6000 | GAESG532GB6000C38ADC           | SK Hynix    | XMP      | 16GB    | SS    | 38-40-40-82 | 1.25 | ●     | ●     |
| GEIL        | U-DIMM    | 6000 | 6000 | GAESG532GB6000C32ADC           | SK Hynix    | EXPO     | 2x 16GB | SS    | 38-40-40-82 | 1.35 | ●     | ●     |
| GEIL        | U-DIMM    | 6000 | 6000 | GAESW532GB6000C32ADC           | SK Hynix    | EXPO     | 2x 16GB | SS    | 38-40-40-82 | 1.35 | ●     | ●     |
| KINGSTON    | U-DIMM    | 6000 | 6000 | KF560C32RSK2-32                | Hynix-M die | XMP      | 2x 16GB | SS    | 32-38-38-80 | 1.35 | ●     | ●     |
| KINGSTON    | U-DIMM    | 6000 | 6000 | KF560C32RS-16                  | Hynix-M die | XMP      | 16GB    | SS    | 32-38-38-80 | 1.35 | ●     | ●     |
| Thermaltake | U-DIMM    | 6000 | 6000 | RG33D516GX2-6000C36B           | SK Hynix    | XMP/EXPO | 16GB    | SS    | 36-38-38-76 | 1.3  | ●     | ●     |
| Thermaltake | U-DIMM    | 6000 | 6000 | RG34D516GX2-6000C36B           | SK Hynix    | XMP/EXPO | 16GB    | SS    | 36-38-38-76 | 1.3  | ●     | ●     |
| KINGSTON    | U-DIMM    | 6000 | 6000 | KF560C36BBEK2-32               | SK Hynix    | XMP/EXPO | 2x 16GB | SS    | 36-38-38-80 | 1.35 | ●     | ●     |

| 供应商         | DeviceSet | 内存频率 | 运行频率 | 部件号                             | 芯片       | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|-------------|-----------|------|------|---------------------------------|----------|----------|---------|-------|-------------|------|-------|-------|
| KINGSTON    | U-DIMM    | 6000 | 6000 | KF560C36BBE-16                  | SK Hynix | XMP/EXPO | 16GB    | SS    | 36-38-38-80 | 1.35 | ●     | ●     |
| G.SKILL     | U-DIMM    | 6000 | 6000 | F5-6000J3636F16GX2-TZ5NR        | Samsung  | EXPO     | 2x 16GB | SS    | 36-36-36-96 | 1.35 | ●     | ●     |
| Thermaltake | U-DIMM    | 6000 | 6000 | RG33D516GX2-6000C36P            | SK Hynix | XMP      | 16GB    | SS    | 36-38-38-76 | 1.3  | ●     | ●     |
| Thermaltake | U-DIMM    | 6000 | 6000 | RG34D516GX2-6000C36P            | SK Hynix | XMP      | 16GB    | SS    | 36-38-38-76 | 1.3  | ●     | ●     |
| Team Group  | U-DIMM    | 6000 | 6000 | FF3D516G6000HC30BK              | HYNIX M  | XMP      | 16GB    | SS    | 30-36-36-76 | 1.35 | ●     | ●     |
| Team Group  | U-DIMM    | 6000 | 6000 | FF3D516G6000HC3001              | HYNIX M  | XMP      | 16GB    | SS    | 30-36-36-76 | 1.35 | ●     | ●     |
| Team Group  | U-DIMM    | 6000 | 6000 | FF4D516G6000HC3001              | HYNIX M  | XMP      | 16GB    | SS    | 30-36-36-76 | 1.35 | ●     | ●     |
| Team Group  | U-DIMM    | 6000 | 6000 | FF3D532G6000HC30DC01            | HYNIX M  | XMP      | 2x 16GB | SS    | 30-36-36-76 | 1.35 | ●     | ●     |
| Team Group  | U-DIMM    | 6000 | 6000 | FF4D532G6000HC30DC01            | HYNIX M  | XMP      | 2x 16GB | SS    | 30-36-36-76 | 1.35 | ●     | ●     |
| ADATA       | U-DIMM    | 6000 | 6000 | AX5U6000C4016G-CLABK            | HYNIX M  | XMP/EXPO | 16GB    | SS    | 40-40-40-76 | 1.35 | ●     | ●     |
| ADATA       | U-DIMM    | 6000 | 6000 | AX5U6000C4016G-DCLABK           | HYNIX M  | XMP/EXPO | 2x 16GB | SS    | 40-40-40-76 | 1.35 | ●     | ●     |
| ADATA       | U-DIMM    | 6000 | 6000 | AX5U6000C4016G-CCAGY            | HYNIX M  | XMP/EXPO | 16GB    | SS    | 40-40-40-76 | 1.35 | ●     | ●     |
| ADATA       | U-DIMM    | 6000 | 6000 | AX5U6000C4016G-DCCAGY           | HYNIX M  | XMP/EXPO | 2x 16GB | SS    | 40-40-40-76 | 1.35 | ●     | ●     |
| CORSAIR     | U-DIMM    | 6000 | 6000 | CMH32GX5M2X6000C30 Ver 5.43.13  | SK Hynix | XMP      | 2x 16GB | SS    | 30-36-36-76 | 1.4  | ●     | ●     |
| ADATA       | U-DIMM    | 6000 | 6000 | AX5U6000C4016G-BLARWH           | HYNIX M  | XMP/EXPO | 16GB    | SS    | 40-40-40-76 | 1.35 | ●     | ●     |
| ADATA       | U-DIMM    | 6000 | 6000 | AX5U6000C4016G-CLARBK           | HYNIX M  | XMP/EXPO | 16GB    | SS    | 40-40-40-76 | 1.35 | ●     | ●     |
| ADATA       | U-DIMM    | 6000 | 6000 | AX5U6000C4016G-DCLARBK          | HYNIX M  | XMP/EXPO | 2x 16GB | SS    | 40-40-40-76 | 1.35 | ●     | ●     |
| ADATA       | U-DIMM    | 6000 | 6000 | AX5U6000C4016G-CCARGY           | HYNIX M  | XMP/EXPO | 16GB    | SS    | 40-40-40-76 | 1.35 | ●     | ●     |
| ADATA       | U-DIMM    | 6000 | 6000 | AX5U6000C4016G-DCCARGY          | HYNIX M  | XMP/EXPO | 2x 16GB | SS    | 40-40-40-76 | 1.35 | ●     | ●     |
| ADATA       | U-DIMM    | 6000 | 6000 | AX5U6000C4016G-DWROG            | HYNIX M  | XMP/EXPO | 2x 16GB | SS    | 40-40-40-76 | 1.35 | ●     | ●     |
| ADATA       | U-DIMM    | 6000 | 6000 | AX5U6000C4016G-DBROG            | HYNIX M  | XMP/EXPO | 2x 16GB | SS    | 40-40-40-76 | 1.35 | ●     | ●     |
| CORSAIR     | U-DIMM    | 6000 | 6000 | CMH32GX5M2B6000Z30 ver. 5.43.13 | SK Hynix | EXPO     | 2x 16GB | SS    | 30-36-36-76 | 1.4  | ●     | ●     |

| 供应商      | DeviceSet | 内存频率 | 运行频率 | 部件号                             | 芯片       | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|----------|-----------|------|------|---------------------------------|----------|----------|---------|-------|-------------|------|-------|-------|
| G.SKILL  | U-DIMM    | 6000 | 6000 | F5-6000J3040F16GX2-RS5W         | SK Hynix | XMP      | 2x 16GB | SS    | 30-40-40-96 | 1.35 | ●     | ●     |
| G.SKILL  | U-DIMM    | 6000 | 6000 | F5-6000J3040F16GX2-TZ5S         | SK Hynix | XMP      | 2x 16GB | SS    | 30-40-40-96 | 1.35 | ●     | ●     |
| G.SKILL  | U-DIMM    | 6000 | 6000 | F5-6000J3040F16GX2-TZ5K         | SK Hynix | XMP      | 2x 16GB | SS    | 30-40-40-96 | 1.35 | ●     | ●     |
| G.SKILL  | U-DIMM    | 6000 | 6000 | F5-6000J3040F16GX2-TZ5RS        | SK Hynix | XMP      | 2x 16GB | SS    | 30-40-40-96 | 1.35 | ●     | ●     |
| G.SKILL  | U-DIMM    | 6000 | 6000 | F5-6000J3040F16GX2-TZ5RK        | SK Hynix | XMP      | 2x 16GB | SS    | 30-40-40-96 | 1.35 | ●     | ●     |
| G.SKILL  | U-DIMM    | 6000 | 6000 | F5-6000J3040F16GX2-RS5K         | SK Hynix | XMP      | 2x 16GB | SS    | 30-40-40-96 | 1.35 | ●     | ●     |
| Galaxy   | U-DIMM    | 6000 | 6000 | HOF5TJL4BSD6000D38DE322C        | Samsung  | XMP/EXPO | 2x 16GB | SS    | 38-38-38-93 | 1.35 | ●     | ●     |
| Galaxy   | U-DIMM    | 6000 | 6000 | HOF5CXL4BSD6000D38DE322C        | Samsung  | XMP/EXPO | 2x 16GB | SS    | 38-38-38-93 | 1.35 | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C36BBEK2-16                | HYNIX A  | XMP/EXPO | 2x 8GB  | SS    | 36-38-38-80 | 1.35 | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C36BBE-8                   | HYNIX A  | XMP/EXPO | 8GB     | SS    | 36-38-38-80 | 1.35 | ●     | ●     |
| CORSAIR  | U-DIMM    | 6000 | 6000 | CMH32GX5M2B6000Z30K Ver 5.43.13 | SK Hynix | EXPO     | 2x 16GB | SS    | 30-36-36-76 | 1.4  | ●     | ●     |
| CORSAIR  | U-DIMM    | 6000 | 6000 | CMT32GX5M2X6000C30 Ver 5.43.13  | SK Hynix | XMP      | 2x 16GB | SS    | 30-36-36-76 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C32RWK2-32                 | SK Hynix | XMP      | 2x 16GB | SS    | 32-38-38-80 | 1.35 | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C32RW-16                   | SK Hynix | XMP      | 2x 16GB | SS    | 32-38-38-80 | 1.35 | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C40BWK2-32                 | SK Hynix | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.35 | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C40BW-16                   | SK Hynix | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.35 | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C36BWEK2-32                | SK Hynix | XMP/EXPO | 2x 16GB | SS    | 36-38-38-80 | 1.35 | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C36BWE-16                  | SK Hynix | XMP/EXPO | 2x 16GB | SS    | 36-38-38-80 | 1.35 | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C40BWAK2-32                | SK Hynix | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.35 | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C40BWA-16                  | SK Hynix | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.35 | ●     | ●     |
| CORSAIR  | U-DIMM    | 6000 | 6000 | CMT32GX5M2E6000C36 Ver 3.43.02  | Micron   | XMP      | 2x 16GB | SS    | 36-44-44-96 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C40BBK4-64                 | HYNIX A  | XMP      | 4x 16GB | SS    | 40-40-40-80 | 1.35 | ●     | ●     |

| 供应商      | DeviceSet | 内存频率 | 运行频率 | 部件号                               | 芯片          | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|----------|-----------|------|------|-----------------------------------|-------------|----------|---------|-------|-------------|------|-------|-------|
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C40BBK2-32                   | HYNIX A     | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.35 | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C40BB-16                     | HYNIX A     | XMP      | 16GB    | SS    | 40-40-40-80 | 1.35 | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C40BBAK4-64                  | HYNIX A     | XMP      | 4x 16GB | SS    | 40-40-40-80 | 1.35 | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C40BBAK2-32                  | HYNIX A     | XMP      | 2x 16GB | SS    | 40-40-40-80 | 1.35 | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C40BBA-16                    | HYNIX A     | XMP      | 16GB    | SS    | 40-40-40-80 | 1.35 | ●     | ●     |
| G.SKILL  | U-DIMM    | 6000 | 6000 | F5-6000J3636F16GX2-FX5            | Samsung     | EXPO     | 2x 16GB | SS    | 36-36-36-96 | 1.35 | ●     | ●     |
| KINGBANK | U-DIMM    | 6000 | 6000 | KPR516G60SB                       | Samsung     | XMP/EXPO | 2x 16GB | SS    | 36-36-36-80 | 1.35 | ●     | ●     |
| CORSAIR  | U-DIMM    | 6000 | 6000 | CMK48GX5M2E6000C36<br>Ver3.53.02  | Spectek     | XMP      | 2x 24GB | SS    | 36-44-44-96 | 1.4  | ●     | ●     |
| PREDATOR | U-DIMM    | 6000 | 6000 | BL.9BWWR.327                      | SK Hynix    | XMP/EXPO | 2x 16GB | SS    | 30-38-38-76 | 1.35 | ●     | ●     |
| PREDATOR | U-DIMM    | 6000 | 6000 | BL.9BWWR.366                      | SK Hynix    | XMP/EXPO | 2x 16GB | SS    | 30-38-38-76 | 1.35 | ●     | ●     |
| CORSAIR  | U-DIMM    | 6000 | 6000 | CMK32GX5M2B6000Z30 Ver<br>5.43.01 | SK Hynix    | EXPO     | 2x 16GB | SS    | 30-36-36-76 | 1.4  | ●     | ●     |
| PREDATOR | U-DIMM    | 6000 | 6000 | BL.9BWWR.350                      | SK Hynix    | XMP      | 16GB    | SS    | 30-38-38-76 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000GDGA               | Hynix A-die | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000GDWA               | Hynix A-die | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000GDLA               | Hynix A-die | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000GSGA               | Hynix A-die | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000GSWA               | Hynix A-die | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000GSLA               | Hynix A-die | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000CDGA               | Hynix A-die | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000CDWA               | Hynix A-die | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000CDLA               | Hynix A-die | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000CSGA               | Hynix A-die | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |

| 供应商      | DeviceSet | 内存频率 | 运行频率 | 部件号                             | 芯片             | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|----------|-----------|------|------|---------------------------------|----------------|----------|---------|-------|-------------|------|-------|-------|
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000CSWA             | Hynix A-die    | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000CSLA             | Hynix A-die    | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000GD2A             | Hynix A-die    | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000GD1A             | Hynix A-die    | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000GD0A             | Hynix A-die    | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000GS2A             | Hynix A-die    | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000GS1A             | Hynix A-die    | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000GS0A             | Hynix A-die    | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000CD2A             | Hynix A-die    | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000CD1A             | Hynix A-die    | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000CD0A             | Hynix A-die    | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000CS2A             | Hynix A-die    | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000CS1A             | Hynix A-die    | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6000 | 6000 | LD5BU016G-R6000CS0A             | Hynix A-die    | XMP/EXPO | 16GB    | SS    | 30-36-36-68 | 1.35 | ●     | ●     |
| SAMNIX   | U-DIMM    | 6000 | 6000 | SXD5BR32G160C32-2W              | SK Hynix       | XMP/EXPO | 2x 16GB | SS    | 32-40-40-96 | 1.35 | ●     | ●     |
| Kingston | U-DIMM    | 6000 | 6000 | KF560C32RSAK2-96                | SK Hynix M-Die | XMP      | 2x 48GB | DS    | 32-38-38-80 | 1.35 | ●     | ●     |
| Kingston | U-DIMM    | 6000 | 6000 | KF560C32RSA-48                  | SK Hynix M-Die | XMP      | 48GB    | DS    | 32-38-38-80 | 1.35 | ●     | ●     |
| PREDATOR | U-DIMM    | 6000 | 6000 | BL9BWWR.350                     | SK Hynix       | XMP/EXPO | 2x 16GB | SS    | 30-38-38-76 | 1.35 | ●     | ●     |
| CORSAIR  | U-DIMM    | 6000 | 6000 | CMP32GX5M2B6000Z30 Ver 5.43.01  | SK Hynix       | EXPO     | 2x 16GB | SS    | 30-36-36-76 | 1.4  | ●     | ●     |
| CORSAIR  | U-DIMM    | 6000 | 6000 | CMP48GX5M2B6000C30 Ver 5.53.13  | SK Hynix       | XMP      | 2x 24GB | SS    | 30-36-36-76 | 1.4  | ●     | ●     |
| CORSAIR  | U-DIMM    | 6000 | 6000 | CMH32GX5M2B6000C30W Ver 5.43.01 | SK Hynix       | XMP      | 2x 16GB | SS    | 30-36-36-76 | 1.4  | ●     | ●     |
| CORSAIR  | U-DIMM    | 6000 | 6000 | CMP96GX5M4B6000C30 Ver 5.53.13  | SK Hynix       | XMP      | 4x 24GB | SS    | 30-36-36-76 | 1.4  | ●     | ●     |

| 供应商      | DeviceSet | 内存频率 | 运行频率 | 部件号                             | 芯片          | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|----------|-----------|------|------|---------------------------------|-------------|----------|---------|-------|-------------|------|-------|-------|
| GOLDKEY  | U-DIMM    | 6000 | 6000 | NMGD516F82-6000L120             | SK Hynix    | XMP/EXPO | 16GB    | SS    | 40-40-40-77 | 1.3  | ●     | ●     |
| Colorful | U-DIMM    | 6000 | 6000 | BA16G6000D5TP36R H81C03         | SK Hynix    | XMP/EXPO | 16GB    | DS    | 36-40-40-96 | 1.35 | ●     | ●     |
| CORSAIR  | U-DIMM    | 6000 | 6000 | CMK64GX5M2B6000C38 Ver 4.43.19  | samsung     | XMP      | 2x 32GB | DS    | 38-44-44-96 | 1.35 | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C30BBEAK2-32               | Hynix A-die | XMP/EXPO | 2x 16GB | SS    | 30-36-36-80 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C30BBEA-16                 | Hynix A-die | XMP/EXPO | 16GB    | SS    | 30-36-36-80 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C30BWEA-16                 | Hynix A-die | XMP/EXPO | 16GB    | SS    | 30-36-36-80 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C30BWEAK2-32               | Hynix A-die | XMP/EXPO | 2x 16GB | SS    | 30-36-36-80 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C30BWK2-32                 | Hynix A-die | XMP      | 2x 16GB | SS    | 30-36-36-80 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C30BB-16                   | Hynix A-die | XMP      | 16GB    | SS    | 30-36-36-80 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C30BBK2-32                 | Hynix A-die | XMP      | 2x 16GB | SS    | 30-36-36-80 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C30BW-16                   | Hynix A-die | XMP      | 16GB    | SS    | 30-36-36-80 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C30BWEK2-32                | Hynix A-die | XMP/EXPO | 2x 16GB | SS    | 30-36-36-80 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C30BBE-16                  | Hynix A-die | XMP/EXPO | 16GB    | SS    | 30-36-36-80 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C30BBEK2-32                | Hynix A-die | XMP/EXPO | 2x 16GB | SS    | 30-36-36-80 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C30BWE-16                  | Hynix A-die | XMP/EXPO | 16GB    | SS    | 30-36-36-80 | 1.4  | ●     | ●     |
| Dynac    | U-DIMM    | 6000 | 6000 | DWC5U600016G/D                  | Hynix       | XMP/EXPO | 16GB    | SS    | 40-40-40-76 | 1.3  | ●     | ●     |
| CORSAIR  | U-DIMM    | 6000 | 6000 | CMH32GX5M2E6000C36K Ver 3.43.04 | Spectek     | XMP      | 2x 16GB | SS    | 36-44-44-96 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C30BBAK2-16                | Hynix A-die | XMP      | 2x 8GB  | SS    | 30-36-36-80 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C30BBA-8                   | Hynix A-die | XMP      | 8GB     | SS    | 30-36-36-80 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C30BBEK2-16                | Hynix A-die | XMP/EXPO | 2x 8GB  | SS    | 30-36-36-80 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C30BBE-8                   | Hynix A-die | XMP/EXPO | 8GB     | SS    | 30-36-36-80 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6000 | 6000 | KF560C30BBK2-16                 | Hynix A-die | XMP      | 2x 8GB  | SS    | 30-36-36-80 | 1.4  | ●     | ●     |

| 供应商        | DeviceSet | 内存频率 | 运行频率 | 部件号                                   | 芯片          | SPD Type | 规格   | SS/DS | 时序                         | 电压   | 1DIMM | 2DIMM |
|------------|-----------|------|------|---------------------------------------|-------------|----------|------|-------|----------------------------|------|-------|-------|
| KINGSTON   | U-DIMM    | 6000 | 6000 | KF560C30BB-8                          | Hynix A-die | XMP      | 8GB  | SS    | 30-36-36-80                | 1.4  | ●     | ●     |
| Crucial    | U-DIMM    | 6000 | 6000 | CP24G60C48U5.M8BR                     | Spectek     | XMP/EXPO | 24GB | SS    | 48-48-48-96                | 1.1  | ●     | ●     |
| KINGBANK   | U-DIMM    | 6000 | 6000 | KPR516G600K9-C28                      | Hynix       | XMP/EXPO | 16GB | SS    | 28-35-35-76                | 1.45 | ●     | ●     |
| Asgard     | U-DIMM    | 6000 | 6000 | VAM5UX60C30AG-CFRESM                  | SK Hynix    | XMP/EXPO | 16GB | SS    | 30-38-38-77                | 1.4  | ●     | ●     |
| Asgard     | U-DIMM    | 6000 | 6000 | VAM5UX60C30AG-CGUPBM                  | SK Hynix    | XMP/EXPO | 16GB | SS    | 30-38-38-77                | 1.4  | ●     | ●     |
| Asgard     | U-DIMM    | 6000 | 6000 | VAM5UX60C30AG-DGUPBM                  | SK Hynix    | XMP/EXPO | 16GB | SS    | 30-38-38-77                | 1.4  | ●     | ●     |
| GLOWAY     | U-DIMM    | 6000 | 6000 | VGM5UH60C30AG-DTBCWM                  | SK Hynix    | XMP/EXPO | 16GB | SS    | 30-38-38-77                | 1.4  | ●     | ●     |
| GLOWAY     | U-DIMM    | 6000 | 6000 | VGM5UH60C30AG-DTACWM                  | SK Hynix    | XMP/EXPO | 16GB | SS    | 30-38-38-77                | 1.4  | ●     | ●     |
| GLOWAY     | U-DIMM    | 6000 | 6000 | VGM5UH60C30AG-DVDASM                  | SK Hynix    | XMP/EXPO | 16GB | SS    | 30-38-38-77<br>36-38-38-80 | 1.4  | ●     | ●     |
| Asgard     | U-DIMM    | 6000 | 6000 | VAM5UX60C30AG-CFRESN                  | SK Hynix    | XMP/EXPO | 16GB | SS    | 30-36-36-77                | 1.35 | ●     | ●     |
| Asgard     | U-DIMM    | 6000 | 6000 | VAM5UX60C30AG-CGUPBN                  | SK Hynix    | XMP/EXPO | 16GB | SS    | 30-36-36-77                | 1.35 | ●     | ●     |
| GEIL       | U-DIMM    | 6000 | 6000 | GEJYSW532GB6000C40DC                  | Mircon      | XMP/EXPO | 16GB | SS    | 40-48-48-96                | 1.35 | ●     | ●     |
| V-color    | U-DIMM    | 6000 | 6000 | RTMXSL1660836KWK                      | SK Hynix    | XMP      | 16GB | SS    | 36-38-38-76                | 1.25 | ●     | ●     |
| CORSAIR    | U-DIMM    | 6000 | 6000 | CMH5X16G1B60C36A2W-CNR<br>Ver 4.43.02 | Samsung     | XMP      | 16GB | SS    | 36-36-36-76                | 1.35 | ●     | ●     |
| Team Group | U-DIMM    | 6000 | 6000 | FF4D516G6000HC38ABK                   | Hynix A-die | XMP/EXPO | 16GB | SS    | 38-38-38-78                | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 6000 | 6000 | FF3D516G6000HC38A01                   | Hynix A-die | XMP/EXPO | 16GB | SS    | 38-38-38-78                | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 6000 | 6000 | FF4D516G6000HC38A01                   | Hynix A-die | XMP/EXPO | 16GB | SS    | 38-38-38-78                | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 6000 | 6000 | FF7D516G6000HC38A01                   | Hynix A-die | XMP/EXPO | 16GB | SS    | 38-38-38-78                | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 6000 | 6000 | FF8D516G6000HC38A01                   | Hynix A-die | XMP/EXPO | 16GB | SS    | 38-38-38-78                | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 6000 | 6000 | FLABD516G6000HC38A01                  | Hynix A-die | XMP/EXPO | 16GB | SS    | 38-38-38-78                | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 6000 | 6000 | FLARD516G6000HC38A01                  | Hynix A-die | XMP/EXPO | 16GB | SS    | 38-38-38-78                | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 6000 | 6000 | FLBD516G6000HC38A01                   | Hynix A-die | XMP/EXPO | 16GB | SS    | 38-38-38-78                | 1.25 | ●     | ●     |

| 供应商        | DeviceSet | 内存频率 | 运行频率 | 部件号                               | 芯片                  | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|------------|-----------|------|------|-----------------------------------|---------------------|----------|---------|-------|-------------|------|-------|-------|
| Team Group | U-DIMM    | 6000 | 6000 | FLRD516G6000HC38A01               | Hynix A-die         | XMP/EXPO | 16GB    | SS    | 38-38-38-78 | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 6000 | 6000 | FF3D532G6000HC38ADC01             | Hynix A-die         | XMP/EXPO | 2x 16GB | SS    | 38-38-38-78 | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 6000 | 6000 | FF4D532G6000HC38ADC01             | Hynix A-die         | XMP/EXPO | 2x 16GB | SS    | 38-38-38-78 | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 6000 | 6000 | FF7D532G6000HC38ADC01             | Hynix A-die         | XMP/EXPO | 2x 16GB | SS    | 38-38-38-78 | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 6000 | 6000 | FF8D532G6000HC38ADC01             | Hynix A-die         | XMP/EXPO | 2x 16GB | SS    | 38-38-38-78 | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 6000 | 6000 | FLABD532G6000HC38ADC01            | Hynix A-die         | XMP/EXPO | 2x 16GB | SS    | 38-38-38-78 | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 6000 | 6000 | FLARD532G6000HC38ADC01            | Hynix A-die         | XMP/EXPO | 2x 16GB | SS    | 38-38-38-78 | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 6000 | 6000 | FLBD532G6000HC38ADC01             | Hynix A-die         | XMP/EXPO | 2x 16GB | SS    | 38-38-38-78 | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 6000 | 6000 | FLRD532G6000HC38ADC01             | Hynix A-die         | XMP/EXPO | 2x 16GB | SS    | 38-38-38-78 | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 6000 | 6000 | CTCED532G6000HC38ADC01            | Hynix A-die         | XMP/EXPO | 2x 16GB | SS    | 38-38-38-78 | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 6000 | 6000 | CTCWD532G6000HC38ADC01            | Hynix A-die         | XMP/EXPO | 2x 16GB | SS    | 38-38-38-78 | 1.25 | ●     | ●     |
| Team Group | U-DIMM    | 6000 | 6000 | FLESD532G6000HC38ADC01            | Hynix A-die         | XMP/EXPO | 2x 16GB | SS    | 38-38-38-78 | 1.25 | ●     | ●     |
| Patriot    | U-DIMM    | 6000 | 6000 | PVV532G600C30K                    | SK Hynix            | XMP/EXPO | 2x 16GB | SS    | 30-40-40-76 | 1.35 | ●     | ●     |
| kingbank   | U-DIMM    | 6000 | 6000 | KPR516G60C36SH                    | CXSH                | XMP/EXPO | 16GB    | SS    | 36-38-38-86 | 1.35 | ●     | ●     |
| KINGSTON   | U-DIMM    | 6000 | 6000 | KF560C36BBE2-16-SP                | CXSH A-die          | XMP/EXPO | 16GB    | SS    | 36-44-44-90 | 1.35 | ●     | ●     |
| KINGSTON   | U-DIMM    | 6000 | 6000 | KF560C36BBE2-16-SPBK              | CXSH A-die          | XMP/EXPO | 16GB    | SS    | 36-44-44-90 | 1.35 | ●     | ●     |
| CORSAIR    | U-DIMM    | 6000 | 6000 | CMK128GX5M2D6000C40<br>Ver3.63.01 | Mircon &<br>SpecTek | XMP      | 2x 64GB | DS    | 40-50-50-96 | 1.35 | ●     | ●     |
| KINGBANK   | U-DIMM    | 6000 | 6000 | KPR516G60C36SH-E                  | CXSH A-die          | XMP/EXPO | 16GB    | SS    | 36-38-38-88 | 1.35 | ●     | ●     |
| KINGSTON   | U-DIMM    | 6000 | 6000 | KF560C36BBE2-16WP                 | CXSH-A              | XMP/EXPO | 16GB    | SS    | 36-44-44-90 | 1.35 | ●     | ●     |
| KINGSTON   | U-DIMM    | 6000 | 6000 | KF560C36BBE2K2-32WP               | CXSH-A              | XMP/EXPO | 16GB    | SS    | 36-44-44-90 | 1.35 | ●     | ●     |
| KINGSTON   | U-DIMM    | 6000 | 6000 | KF560C36BBE2A-16WP                | CXSH-A              | XMP/EXPO | 16GB    | SS    | 36-44-44-90 | 1.35 | ●     | ●     |
| KINGSTON   | U-DIMM    | 6000 | 6000 | KF560C36BBE2AK2-32WP              | CXSH-A              | XMP/EXPO | 16GB    | SS    | 36-44-44-90 | 1.35 | ●     | ●     |

| 供应商         | DeviceSet | 内存频率 | 运行频率 | 部件号                    | 芯片               | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|-------------|-----------|------|------|------------------------|------------------|----------|---------|-------|-------------|------|-------|-------|
| KINGSTON    | U-DIMM    | 6000 | 6000 | KF560C36BBE2AK2-32WP   | CXSH-A           | XMP/EXPO | 2x 16GB | SS    | 36-44-44-90 | 1.35 | ●     | ●     |
| ADATA       | U-DIMM    | 6000 | 6000 | AX5U6000C3616G-BCAGY   | CXSH             | XMP/EXPO | 16GB    | SS    | 36-38-38-80 | 1.35 | ●     | ●     |
| G.SKILL     | U-DIMM    | 6000 | 6000 | F5-6000J3244G64GX2-FX5 | Samsung          | EXPO     | 2x 64GB | DS    | 46-45-45-90 | 1.4  | ●     | ●     |
| Lexar       | U-DIMM    | 6000 | 6000 | LD5U64G60C40BV-RGD     | Mircon & SpecTek | XMP/EXPO | 2x 64GB | DS    | 40-48-48-96 | 1.35 | ●     | ●     |
| Lexar       | U-DIMM    | 6000 | 6000 | LD5U64G60C40SV-RGD     | Mircon & SpecTek | XMP/EXPO | 2x 64GB | DS    | 40-48-48-96 | 1.35 | ●     | ●     |
| Lexar       | U-DIMM    | 6000 | 6000 | LD5U64G60C40LV-RGD     | Mircon & SpecTek | XMP/EXPO | 2x 64GB | DS    | 40-48-48-96 | 1.35 | ●     | ●     |
| Lexar       | U-DIMM    | 6000 | 6000 | LD5U64G60C40EV-RGD     | Mircon & SpecTek | XMP/EXPO | 2x 64GB | DS    | 40-48-48-96 | 1.35 | ●     | ●     |
| Lexar       | U-DIMM    | 6000 | 6000 | LD5U64G60C40BV-RGS     | Mircon & SpecTek | XMP/EXPO | 2x 64GB | DS    | 40-48-48-96 | 1.35 | ●     | ●     |
| Lexar       | U-DIMM    | 6000 | 6000 | LD5U64G60C40SV-RGS     | Mircon & SpecTek | XMP/EXPO | 2x 64GB | DS    | 40-48-48-96 | 1.35 | ●     | ●     |
| Thermaltake | U-DIMM    | 6000 | 6000 | RG33D516GX2-6000M36B   | CXSH             | XMP/EXPO | 2x 16GB | SS    | 36-38-38-76 | 1.3  | ●     | ●     |
| Thermaltake | U-DIMM    | 6000 | 6000 | RG34D516GX2-6000M36B   | CXSH             | XMP/EXPO | 2x 16GB | SS    | 36-38-38-76 | 1.3  | ●     | ●     |
| Thermaltake | U-DIMM    | 6000 | 6000 | RG30D516GX2-6000M40A   | CXSH             | XMP/EXPO | 2x 16GB | SS    | 40-40-40-77 | 1.3  | ●     | ●     |
| Thermaltake | U-DIMM    | 6000 | 6000 | RG31D516GX2-6000M36A   | CXSH             | XMP/EXPO | 2x 16GB | SS    | 36-38-38-76 | 1.3  | ●     | ●     |
| Thermaltake | U-DIMM    | 6000 | 6000 | RG32D516GX2-6000M36A   | CXSH             | XMP/EXPO | 2x 16GB | SS    | 36-38-38-76 | 1.3  | ●     | ●     |
| Lexar       | U-DIMM    | 6000 | 6000 | LD5U16G60C36SV-RGD     | CXSH-A           | XMP/EXPO | 16GB    | SS    | 36-40-40-96 | 1.4  | ●     | ●     |
| Lexar       | U-DIMM    | 6000 | 6000 | LD5U16G60C36BV-RGS     | CXSH-A           | XMP/EXPO | 16GB    | SS    | 36-40-40-96 | 1.4  | ●     | ●     |
| Lexar       | U-DIMM    | 6000 | 6000 | LD5U16G60C36SV-RGS     | CXSH-A           | XMP/EXPO | 16GB    | SS    | 36-40-40-96 | 1.4  | ●     | ●     |
| Lexar       | U-DIMM    | 6000 | 6000 | LD5U16G60C36BV-RGD     | CXSH-A           | XMP/EXPO | 16GB    | SS    | 36-40-40-96 | 1.4  | ●     | ●     |
| Lexar       | U-DIMM    | 6000 | 6000 | LD5U16G60C36BV-KGN     | CXSH-A           | XMP/EXPO | 16GB    | SS    | 36-40-40-96 | 1.4  | ●     | ●     |
| Lexar       | U-DIMM    | 6000 | 6000 | LD5U16G60C36SV-KGN     | CXSH-A           | XMP/EXPO | 16GB    | SS    | 36-40-40-96 | 1.4  | ●     | ●     |
| Lexar       | U-DIMM    | 6000 | 6000 | LD5U16G60C36LV-RGD     | CXSH-A           | XMP/EXPO | 16GB    | SS    | 36-40-40-96 | 1.4  | ●     | ●     |
| Lexar       | U-DIMM    | 6000 | 6000 | LD5U16G60C36EV-RGD     | CXSH-A           | XMP/EXPO | 16GB    | SS    | 36-40-40-96 | 1.4  | ●     | ●     |

| 供应商        | DeviceSet | 内存频率 | 运行频率 | 部件号                     | 芯片       | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|------------|-----------|------|------|-------------------------|----------|----------|---------|-------|-------------|------|-------|-------|
| Lexar      | U-DIMM    | 6000 | 6000 | LD5U16G60C36LG-RGD      | CXSH-A   | XMP/EXPO | 16GB    | SS    | 36-40-40-96 | 1.4  | ●     | ●     |
| Lexar      | U-DIMM    | 6000 | 6000 | LD5U16G60C360V-RGD      | CXSH-A   | XMP/EXPO | 16GB    | SS    | 36-40-40-96 | 1.4  | ●     | ●     |
| Lexar      | U-DIMM    | 6000 | 6000 | LD5U16G60C361V-RGD      | CXSH-A   | XMP/EXPO | 16GB    | SS    | 36-40-40-96 | 1.4  | ●     | ●     |
| Lexar      | U-DIMM    | 6000 | 6000 | LD5U16G60C360V-RGS      | CXSH-A   | XMP/EXPO | 16GB    | SS    | 36-40-40-96 | 1.4  | ●     | ●     |
| Lexar      | U-DIMM    | 6000 | 6000 | LD5U16G60C361V-RGS      | CXSH-A   | XMP/EXPO | 16GB    | SS    | 36-40-40-96 | 1.4  | ●     | ●     |
| Lexar      | U-DIMM    | 6000 | 6000 | LD5U16G60C360V-KGN      | CXSH-A   | XMP/EXPO | 16GB    | SS    | 36-40-40-96 | 1.4  | ●     | ●     |
| Lexar      | U-DIMM    | 6000 | 6000 | LD5U16G60C361V-KGN      | CXSH-A   | XMP/EXPO | 16GB    | SS    | 36-40-40-96 | 1.4  | ●     | ●     |
| Lexar      | U-DIMM    | 6000 | 6000 | LD5U16G60C362V-RGD      | CXSH-A   | XMP/EXPO | 16GB    | SS    | 36-40-40-96 | 1.4  | ●     | ●     |
| Lexar      | U-DIMM    | 6000 | 6000 | LD5U16G60C363V-RGD      | CXSH-A   | XMP/EXPO | 16GB    | SS    | 36-40-40-96 | 1.4  | ●     | ●     |
| Lexar      | U-DIMM    | 6000 | 6000 | LD5U16G60C36WG-RGD      | CXSH-A   | XMP/EXPO | 16GB    | SS    | 36-40-40-96 | 1.4  | ●     | ●     |
| Lexar      | U-DIMM    | 6000 | 6000 | LD5U16G60C36LG-RGS      | CXSH-A   | XMP/EXPO | 16GB    | SS    | 36-40-40-96 | 1.4  | ●     | ●     |
| Lexar      | U-DIMM    | 6000 | 6000 | LD5U16G60C36WG-RGS      | CXSH-A   | XMP/EXPO | 16GB    | SS    | 36-40-40-96 | 1.4  | ●     | ●     |
| KLEVV      | U-DIMM    | 6000 | 6000 | KD5CGUB80-60A320G       | SK Hynix | XMP/EXPO | 64GB    | DS    | 32-44-44-76 | 1.35 | ●     | ●     |
| KINGBANK   | U-DIMM    | 6000 | 6000 | KPR516G60C36SH-U        | CXMT-A   | XMP/EXPO | 16GB    | SS    | 36-46-46-96 | 1.4  | ●     | ●     |
| Kimtigo    | U-DIMM    | 6000 | 5600 | KM5UFG878B-6000XMegrezC | CXSH     | N/A      | 16GB    | SS    | 36-38-38-86 | 1.4  | ●     | ●     |
| Kimtigo    | U-DIMM    | 6000 | 5600 | KM5UFG878B-6000X        | CXMT     | N/A      | 16GB    | SS    | 36-38-38-86 | 1.4  | ●     | ●     |
| Kimtigo    | U-DIMM    | 6000 | 5600 | KM5GFG878B-6000X        | CXMT     | N/A      | 16GB    | SS    | 36-38-38-86 | 1.4  | ●     | ●     |
| KORX       | U-DIMM    | 6000 | 6000 | QD032GU5E60L0H2         | CXMT     | XMP/EXPO | 16GB    | SS    | 38-48-48-96 | 1.2  | ●     | ●     |
| Kingmax    | U-DIMM    | 6000 | 6000 | KMLD53600016GSHZ38      | CXMT-A   | XMP/EXPO | 16GB    | SS    | 38-48-48-96 | 1.2  | ●     | ●     |
| Colorful   | U-DIMM    | 6000 | 6000 | IG16G000D5YP30BC        | CXSH     | XMP/EXPO | 16GB    | SS    | 30-38-38-76 | 1.4  | ●     | ●     |
| Biwin      | U-DIMM    | 6000 | 6000 | BXL54860DW1-D30DB       | CXSH     | EXPO     | 2x 24GB | SS    | 30-35-35-86 | 1.35 | ●     | ●     |
| Team Group | U-DIMM    | 6200 | 6200 | FF3D532G6200HC38ADC01   | Hynix    | XMP      | 2x 16GB | SS    | 38-38-38-78 | 1.25 | ●     | ●     |

| 供应商         | DeviceSet | 内存频率 | 运行频率 | 部件号                              | 芯片       | SPD Type | 规格      | SS/DS | 时序           | 电压   | 1DIMM | 2DIMM |
|-------------|-----------|------|------|----------------------------------|----------|----------|---------|-------|--------------|------|-------|-------|
| Team Group  | U-DIMM    | 6200 | 6200 | FF4D532G6200HC38ADC01            | Hynix    | XMP      | 2x 16GB | SS    | 38-38-38-78  | 1.25 | ●     | ●     |
| OLOY        | U-DIMM    | 6200 | 6200 | MD5U1662320BRSDE                 | SK Hynix | XMP      | 2x 16GB | DS    | 32-38-38-76  | 1.35 | ●     | ●     |
| OLOY        | U-DIMM    | 6200 | 6200 | ND5U1662320BRSDE                 | SK Hynix | XMP      | 16GB    | DS    | 32-38-38-76  | 1.35 | ●     | ●     |
| V-COLOR     | U-DIMM    | 6200 | 6200 | TMXPL1662836KWK                  | SK Hynix | XMP      | 2x 16GB | SS    | 36-39-39-76  | 1.3  | ●     | ●     |
| V-COLOR     | U-DIMM    | 6200 | 6200 | TMXPL1662836WWK                  | SK Hynix | XMP      | 2x 16GB | SS    | 36-39-39-76  | 1.3  | ●     | ●     |
| OLOY        | U-DIMM    | 6200 | 6200 | MD5U1662320BRKDE                 | SK Hynix | XMP      | 16GB    | DS    | 32-38-38-76  | 1.35 | ●     | ●     |
| OLOY        | U-DIMM    | 6200 | 6200 | ND5U1662320BRKDE                 | SK Hynix | XMP      | 16GB    | DS    | 32-38-38-76  | 1.35 | ●     | ●     |
| OLOY        | U-DIMM    | 6200 | 6200 | M-POWER6232AW16                  | SK Hynix | XMP      | 16GB    | DS    | 32-38-38-76  | 1.35 | ●     | ●     |
| GEIL        | U-DIMM    | 6200 | 6200 | GAESG532GB6200C38ADC             | SK Hynix | EXPO     | 2x 16GB | SS    | 38-40-40-82  | 1.35 | ●     | ●     |
| GEIL        | U-DIMM    | 6200 | 6200 | GAESW532GB6200C38ADC             | SK Hynix | EXPO     | 2x 16GB | SS    | 38-40-40-82  | 1.35 | ●     | ●     |
| CORSAIR     | U-DIMM    | 6200 | 6200 | CMH32GX5M2B6200C36 Ver 5.43.13   | SK Hynix | XMP      | 2x 16GB | SS    | 36-39-39-76  | 1.3  | ●     | ●     |
| CORSAIR     | U-DIMM    | 6200 | 6200 | CMK32GX5M2B6200C36 Ver 5.43.13   | SK Hynix | XMP      | 2x 16GB | SS    | 36-39-39-76  | 1.3  | ●     | ●     |
| Thermaltake | U-DIMM    | 6200 | 6200 | RG33D516GX2-6200C32P             | SK Hynix | XMP      | 16GB    | SS    | 32-38-38-80  | 1.3  | ●     | ●     |
| Thermaltake | U-DIMM    | 6200 | 6200 | RG34D516GX2-6200C32P             | SK Hynix | XMP      | 16GB    | SS    | 32-38-38-80  | 1.3  | ●     | ●     |
| CORSAIR     | U-DIMM    | 6200 | 6200 | CMH32GX5M2X6200C32 ver. 5.43.13  | SK Hynix | XMP      | 2x 16GB | SS    | 32-38-38-80  | 1.4  | ●     | ●     |
| Netac       | U-DIMM    | 6200 | 6200 | NZCSU1BD5326200BH8DP             | SK Hynix | XMP      | 2x 16GB | SS    | 32-38-38-96  | 1.35 | ●     | ●     |
| Galaxy      | U-DIMM    | 6200 | 6200 | BMS5CRL4CHE6200A32DD322C         | SK Hynix | XMP/EXPO | 2x 16GB | SS    | 32-38-38-76  | 1.35 | ●     | ●     |
| CORSAIR     | U-DIMM    | 6200 | 6200 | CMK5X16G1E62C36A2-CN Ver 3.43.02 | Mircon   | XMP      | 16GB    | SS    | 36-46-46-100 | 1.4  | ●     | ●     |
| Galax       | U-DIMM    | 6200 | 6200 | BMS5BRL4BHE6200A32DD322C         | SK Hynix | XMP/EXPO | 2x 16GB | SS    | 32-38-38-76  | 1.35 | ●     | ●     |
| Team Group  | U-DIMM    | 6400 | 6400 | FF3D516G6400HC40BBK              | Hynix    | XMP      | 16GB    | SS    | 40-40-40-84  | 1.35 | ●     | ●     |
| Team Group  | U-DIMM    | 6400 | 6400 | FF3D532G6400HC40BDC01            | Hynix    | XMP      | 2x 16GB | SS    | 40-40-40-84  | 1.35 | ●     | ●     |
| Team Group  | U-DIMM    | 6400 | 6400 | FF4D532G6400HC40BDC01            | Hynix    | XMP      | 2x 16GB | SS    | 40-40-40-84  | 1.35 | ●     | ●     |

| 供应商     | DeviceSet | 内存频率 | 运行频率 | 部件号                            | 芯片             | SPD Type | 规格      | SS/DS | 时序          | 电压   | 1DIMM | 2DIMM |
|---------|-----------|------|------|--------------------------------|----------------|----------|---------|-------|-------------|------|-------|-------|
| CORSAIR | U-DIMM    | 6400 | 6400 | CMT32GX5M2X6400C38 Ver 5.43.13 | SK Hynix       | XMP      | 2x 16GB | SS    | 38-40-40-84 | 1.35 | ●     | ●     |
| Lexar   | U-DIMM    | 6400 | 6400 | LD5EU016G-R6400GDGA            | SK Hynix       | XMP      | 16GB    | SS    | 32-38-38-76 | 1.4  | ●     | ●     |
| Lexar   | U-DIMM    | 6400 | 6400 | LD5EU016G-R6400GDWA            | SK Hynix       | XMP      | 16GB    | SS    | 32-38-38-76 | 1.4  | ●     | ●     |
| Lexar   | U-DIMM    | 6400 | 6400 | LD5EU016G-R6400GDLA            | SK Hynix       | XMP      | 16GB    | SS    | 32-38-38-76 | 1.4  | ●     | ●     |
| ADATA   | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-BLACK           | SK Hynix M-Die | XMP/EXPO | 24GB    | SS    | 32-39-39-89 | 1.4  | ●     | ●     |
| ADATA   | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-CLABK           | SK Hynix M-Die | XMP/EXPO | 24GB    | SS    | 32-39-39-89 | 1.4  | ●     | ●     |
| ADATA   | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-DCLABK          | SK Hynix M-Die | XMP/EXPO | 2x 24GB | SS    | 32-39-39-89 | 1.4  | ●     | ●     |
| ADATA   | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-BLAWH           | SK Hynix M-Die | XMP/EXPO | 24GB    | SS    | 32-39-39-89 | 1.4  | ●     | ●     |
| ADATA   | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-CLAWH           | SK Hynix M-Die | XMP/EXPO | 24GB    | SS    | 32-39-39-89 | 1.4  | ●     | ●     |
| ADATA   | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-DCLAWH          | SK Hynix M-Die | XMP/EXPO | 2x 24GB | SS    | 32-39-39-89 | 1.4  | ●     | ●     |
| ADATA   | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-BCAGY           | SK Hynix M-Die | XMP/EXPO | 24GB    | SS    | 32-39-39-89 | 1.4  | ●     | ●     |
| ADATA   | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-CCAGY           | SK Hynix M-Die | XMP/EXPO | 24GB    | SS    | 32-39-39-89 | 1.4  | ●     | ●     |
| ADATA   | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-DCCAGY          | SK Hynix M-Die | XMP/EXPO | 2x 24GB | SS    | 32-39-39-89 | 1.4  | ●     | ●     |
| ADATA   | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-BLABBK          | SK Hynix M-Die | XMP/EXPO | 24GB    | SS    | 32-39-39-89 | 1.4  | ●     | ●     |
| ADATA   | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-SLABBK          | SK Hynix M-Die | XMP/EXPO | 24GB    | SS    | 32-39-39-89 | 1.4  | ●     | ●     |
| ADATA   | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-DTLABBK         | SK Hynix M-Die | XMP/EXPO | 2x 24GB | SS    | 32-39-39-89 | 1.4  | ●     | ●     |
| ADATA   | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-BLABWH          | SK Hynix M-Die | XMP/EXPO | 24GB    | SS    | 32-39-39-89 | 1.4  | ●     | ●     |
| ADATA   | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-SLABWH          | SK Hynix M-Die | XMP/EXPO | 24GB    | SS    | 32-39-39-89 | 1.4  | ●     | ●     |
| ADATA   | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-DTLABWH         | SK Hynix M-Die | XMP/EXPO | 2x 24GB | SS    | 32-39-39-89 | 1.4  | ●     | ●     |
| ADATA   | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-BLARBK          | SK Hynix M-Die | XMP/EXPO | 24GB    | SS    | 32-39-39-89 | 1.4  | ●     | ●     |
| ADATA   | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-CLARBK          | SK Hynix M-Die | XMP/EXPO | 24GB    | SS    | 32-39-39-89 | 1.4  | ●     | ●     |
| ADATA   | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-DCLARBK         | SK Hynix M-Die | XMP/EXPO | 2x 24GB | SS    | 32-39-39-89 | 1.4  | ●     | ●     |

| 供应商   | DeviceSet | 内存频率 | 运行频率 | 部件号                     | 芯片             | SPD Type | 规格      | SS/DS | 时序          | 电压  | 1DIMM | 2DIMM |
|-------|-----------|------|------|-------------------------|----------------|----------|---------|-------|-------------|-----|-------|-------|
| ADATA | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-BLARWH   | SK Hynix M-Die | XMP/EXPO | 24GB    | SS    | 32-39-39-89 | 1.4 | ●     | ●     |
| ADATA | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-CLARWH   | SK Hynix M-Die | XMP/EXPO | 24GB    | SS    | 32-39-39-89 | 1.4 | ●     | ●     |
| ADATA | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-DCLARWH  | SK Hynix M-Die | XMP/EXPO | 2x 24GB | SS    | 32-39-39-89 | 1.4 | ●     | ●     |
| ADATA | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-BCARGY   | SK Hynix M-Die | XMP/EXPO | 24GB    | SS    | 32-39-39-89 | 1.4 | ●     | ●     |
| ADATA | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-CCARGY   | SK Hynix M-Die | XMP/EXPO | 24GB    | SS    | 32-39-39-89 | 1.4 | ●     | ●     |
| ADATA | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-DCCARGY  | SK Hynix M-Die | XMP/EXPO | 2x 24GB | SS    | 32-39-39-89 | 1.4 | ●     | ●     |
| ADATA | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-BLARBBK  | SK Hynix M-Die | XMP/EXPO | 24GB    | SS    | 32-39-39-89 | 1.4 | ●     | ●     |
| ADATA | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-SLARBBK  | SK Hynix M-Die | XMP/EXPO | 24GB    | SS    | 32-39-39-89 | 1.4 | ●     | ●     |
| ADATA | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-DTLARBBK | SK Hynix M-Die | XMP/EXPO | 2x 24GB | SS    | 32-39-39-89 | 1.4 | ●     | ●     |
| ADATA | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-BLARBWH  | SK Hynix M-Die | XMP/EXPO | 24GB    | SS    | 32-39-39-89 | 1.4 | ●     | ●     |
| ADATA | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-SLARBWH  | SK Hynix M-Die | XMP/EXPO | 24GB    | SS    | 32-39-39-89 | 1.4 | ●     | ●     |
| ADATA | U-DIMM    | 6400 | 6400 | AX5U6400C3224G-DTLARBWH | SK Hynix M-Die | XMP/EXPO | 2x 24GB | SS    | 32-39-39-89 | 1.4 | ●     | ●     |
| Lexar | U-DIMM    | 6400 | 6400 | LD5EU016G-R6400GD0A     | Hynix A-die    | XMP      | 16GB    | SS    | 32-38-38-76 | 1.4 | ●     | ●     |
| Lexar | U-DIMM    | 6400 | 6400 | LD5EU016G-R6400GS2A     | Hynix A-die    | XMP      | 16GB    | SS    | 32-38-38-76 | 1.4 | ●     | ●     |
| Lexar | U-DIMM    | 6400 | 6400 | LD5EU016G-R6400GS1A     | Hynix A-die    | XMP      | 16GB    | SS    | 32-38-38-76 | 1.4 | ●     | ●     |
| Lexar | U-DIMM    | 6400 | 6400 | LD5EU016G-R6400GS0A     | Hynix A-die    | XMP      | 16GB    | SS    | 32-38-38-76 | 1.4 | ●     | ●     |
| Lexar | U-DIMM    | 6400 | 6400 | LD5EU016G-R6400CD2A     | Hynix A-die    | XMP      | 16GB    | SS    | 32-38-38-76 | 1.4 | ●     | ●     |
| Lexar | U-DIMM    | 6400 | 6400 | LD5EU016G-R6400CD1A     | Hynix A-die    | XMP      | 16GB    | SS    | 32-38-38-76 | 1.4 | ●     | ●     |
| Lexar | U-DIMM    | 6400 | 6400 | LD5EU016G-R6400CD0A     | Hynix A-die    | XMP      | 16GB    | SS    | 32-38-38-76 | 1.4 | ●     | ●     |
| Lexar | U-DIMM    | 6400 | 6400 | LD5EU016G-R6400CS2A     | Hynix A-die    | XMP      | 16GB    | SS    | 32-38-38-76 | 1.4 | ●     | ●     |
| Lexar | U-DIMM    | 6400 | 6400 | LD5EU016G-R6400CS1A     | Hynix A-die    | XMP      | 16GB    | SS    | 32-38-38-76 | 1.4 | ●     | ●     |
| Lexar | U-DIMM    | 6400 | 6400 | LD5EU016G-R6400CS0A     | Hynix A-die    | XMP      | 16GB    | SS    | 32-38-38-76 | 1.4 | ●     | ●     |

| 供应商      | DeviceSet | 内存频率 | 运行频率 | 部件号                             | 芯片             | SPD Type | 规格      | SS/DS | 时序           | 电压   | 1DIMM | 2DIMM |
|----------|-----------|------|------|---------------------------------|----------------|----------|---------|-------|--------------|------|-------|-------|
| Lexar    | U-DIMM    | 6400 | 6400 | LD5EU016G-R6400CS1A             | Hynix A-die    | XMP      | 16GB    | SS    | 32-38-38-76  | 1.4  | ●     | ●     |
| Lexar    | U-DIMM    | 6400 | 6400 | LD5EU016G-R6400CS0A             | Hynix A-die    | XMP      | 16GB    | SS    | 32-38-38-76  | 1.4  | ●     | ●     |
| Kingston | U-DIMM    | 6400 | 6400 | KF564C32RSAK2-48                | SK Hynix M-Die | XMP      | 2x 24GB | SS    | 32-39-39-80  | 1.4  | ●     | ●     |
| Kingston | U-DIMM    | 6400 | 6400 | KF564C32RSA-24                  | SK Hynix M-Die | XMP      | 24GB    | SS    | 32-39-39-80  | 1.4  | ●     | ●     |
| Kingston | U-DIMM    | 6400 | 6400 | KF564C32RSK2-48                 | SK Hynix M-Die | XMP      | 2x 24GB | SS    | 32-39-39-80  | 1.4  | ●     | ●     |
| Kingston | U-DIMM    | 6400 | 6400 | KF564C32RS-24                   | SK Hynix M-Die | XMP      | 24GB    | SS    | 32-39-39-80  | 1.4  | ●     | ●     |
| Kingston | U-DIMM    | 6400 | 6400 | KF564C32RSK2-96                 | SK Hynix M-Die | XMP      | 2x 48GB | DS    | 32-39-39-80  | 1.4  | ●     | ●     |
| Kingston | U-DIMM    | 6400 | 6400 | KF564C32RS-48                   | SK Hynix M-Die | XMP      | 48GB    | DS    | 32-39-39-80  | 1.4  | ●     | ●     |
| CORSAIR  | U-DIMM    | 6400 | 6400 | CMH96GX5M4B6400C32 Ver 5.53.13  | SK Hynix       | XMP      | 4x 24GB | SS    | 32-40-40-84  | 1.4  | ●     | ●     |
| Kingston | U-DIMM    | 6400 | 6400 | KF564C32RSK2-64                 | Hynix A-die    | XMP      | 2x 32GB | DS    | 32-39-39-80  | 1.4  | ●     | ●     |
| Kingston | U-DIMM    | 6400 | 6400 | KF564C32RS-32                   | Hynix A-die    | XMP      | 32GB    | DS    | 32-39-39-80  | 1.4  | ●     | ●     |
| Kingston | U-DIMM    | 6400 | 6400 | KF564C32RWK2-64                 | Hynix A-die    | XMP      | 2x 32GB | DS    | 32-39-39-80  | 1.4  | ●     | ●     |
| Kingston | U-DIMM    | 6400 | 6400 | KF564C32RW-32                   | Hynix A-die    | XMP      | 32GB    | DS    | 32-39-39-80  | 1.4  | ●     | ●     |
| CORSAIR  | U-DIMM    | 6400 | 6400 | CMP96GX5M4B6400C32 Ver 5.53.13  | SK Hynix       | XMP      | 4x 24GB | SS    | 32-40-40-84  | 1.4  | ●     | ●     |
| V-color  | U-DIMM    | 6400 | 6400 | GTMXPL1664832KWK                | SK Hynix       | XMP      | 2x 16GB | SS    | 32-39-39-102 | 1.4  | ●     | ●     |
| CORSAIR  | U-DIMM    | 6400 | 6400 | CMP32GX5M2B6400C32W Ver 5.43.01 | SK Hynix       | XMP      | 2x 16GB | SS    | 32-40-40-84  | 1.4  | ●     | ●     |
| GOLDKEY  | U-DIMM    | 6400 | 6400 | NMGD516F82-6400FI20             | SK Hynix       | XMP/EXPO | 16GB    | SS    | 40-40-40-77  | 1.4  | ●     | ●     |
| GOLDKEY  | U-DIMM    | 6400 | 6400 | NMUD516F82-6400FI20             | SK Hynix       | XMP/EXPO | 16GB    | SS    | 40-40-40-77  | 1.4  | ●     | ●     |
| CORSAIR  | U-DIMM    | 6400 | 6400 | CMP64GX5M4B6400C32W Ver 5.43.01 | SK Hynix       | XMP      | 4x 16GB | SS    | 32-40-40-84  | 1.4  | ●     | ●     |
| Biwin    | U-DIMM    | 6400 | 6400 | B45BUAG76436B-TD21              | Micro Y52K     | XMP      | 16GB    | SS    | 36-48-48-104 | 1.35 | ●     | ●     |
| GLOWAY   | U-DIMM    | 6400 | 6400 | VGM5UH64C32CG-DVDASM            | SK Hynix       | XMP/EXPO | 24GB    | SS    | 32-39-39-102 | 1.35 | ●     | ●     |
| ADATA    | U-DIMM    | 6400 | 6400 | AX5U6400C3216G-BB300            | SK Hynix       | XMP/EXPO | 16GB    | DS    | 32-39-39-89  | 1.35 | ●     | ●     |

| 供应商         | DeviceSet | 内存频率 | 运行频率 | 部件号                   | 芯片          | SPD Type | 规格      | SS/DS | 时序           | 电压   | 1DIMM | 2DIMM |
|-------------|-----------|------|------|-----------------------|-------------|----------|---------|-------|--------------|------|-------|-------|
| Asint       | U-DIMM    | 6400 | 6400 | ASLD5640016G8b325     | SK Hynix    | XMP/EXPO | 16GB    | SS    | 32-39-39-80  | 1.4  | ●     | ●     |
| GEIL        | U-DIMM    | 6400 | 6400 | GCB516GB6400C32SC     | Hynix A-die | XMP/EXPO | 2x 16GB | SS    | 32-40-40-102 | 1.35 | ●     | ●     |
| KINGSTON    | U-DIMM    | 6400 | 6400 | KF564C32BBAK2-32      | Hynix A-die | XMP      | 2x 16GB | SS    | 32-39-39-80  | 1.4  | ●     | ●     |
| KINGSTON    | U-DIMM    | 6400 | 6400 | KF564C32BBA-16        | Hynix A-die | XMP      | 16GB    | SS    | 32-39-39-80  | 1.4  | ●     | ●     |
| KINGSTON    | U-DIMM    | 6400 | 6400 | KF564C32BWA-16        | Hynix A-die | XMP      | 16GB    | SS    | 32-39-39-80  | 1.4  | ●     | ●     |
| KINGSTON    | U-DIMM    | 6400 | 6400 | KF564C32BWAK2-32      | Hynix A-die | XMP      | 2x 16GB | SS    | 32-39-39-80  | 1.4  | ●     | ●     |
| KINGSTON    | U-DIMM    | 6400 | 6400 | KF564C32BWK2-32       | Hynix A-die | XMP      | 2x 16GB | SS    | 32-39-39-80  | 1.4  | ●     | ●     |
| KINGSTON    | U-DIMM    | 6400 | 6400 | KF564C32BB-16         | Hynix A-die | XMP      | 16GB    | SS    | 32-39-39-80  | 1.4  | ●     | ●     |
| KINGSTON    | U-DIMM    | 6400 | 6400 | KF564C32BBK2-32       | Hynix A-die | XMP      | 2x 16GB | SS    | 32-39-39-80  | 1.4  | ●     | ●     |
| KINGSTON    | U-DIMM    | 6400 | 6400 | KF564C32BW-16         | Hynix A-die | XMP      | 16GB    | SS    | 32-39-39-80  | 1.4  | ●     | ●     |
| KINGSTON    | U-DIMM    | 6400 | 6400 | KF564C32BWEK2-32      | Hynix A-die | XMP/EXPO | 2x 16GB | SS    | 32-39-39-80  | 1.4  | ●     | ●     |
| KINGSTON    | U-DIMM    | 6400 | 6400 | KF564C32BBE-16        | Hynix A-die | XMP/EXPO | 16GB    | SS    | 32-39-39-80  | 1.4  | ●     | ●     |
| KINGSTON    | U-DIMM    | 6400 | 6400 | KF564C32BBEK2-32      | Hynix A-die | XMP/EXPO | 2x 16GB | SS    | 32-39-39-80  | 1.4  | ●     | ●     |
| KINGSTON    | U-DIMM    | 6400 | 6400 | KF564C32BWE-16        | Hynix A-die | XMP/EXPO | 16GB    | SS    | 32-39-39-80  | 1.4  | ●     | ●     |
| Thermaltake | U-DIMM    | 6400 | 6400 | RG31D516GX2-6400C32A  | Hynix A-die | XMP/EXPO | 2x 16GB | SS    | 32-40-40-84  | 1.4  | ●     | ●     |
| Thermaltake | U-DIMM    | 6400 | 6400 | RG32D516GX2-6400C32A  | Hynix A-die | XMP/EXPO | 2x 16GB | SS    | 32-40-40-84  | 1.4  | ●     | ●     |
| Asgard      | U-DIMM    | 6400 | 6400 | VAM5UX64C32AG-CBRAM   | Hynix A-die | XMP/EXPO | 16GB    | SS    | 32-38-38-90  | 1.35 | ●     | ●     |
| Asgard      | U-DIMM    | 6400 | 6400 | VAM5UX64C32AG-CVALCN  | Hynix A-die | XMP/EXPO | 16GB    | SS    | 32-38-38-90  | 1.35 | ●     | ●     |
| GLOWAY      | U-DIMM    | 6400 | 6400 | VGM5UH64C32AG-DTBRWA  | Hynix A-die | XMP/EXPO | 16GB    | SS    | 32-38-38-90  | 1.35 | ●     | ●     |
| GLOWAY      | U-DIMM    | 6400 | 6400 | VGM5UH64C32AG-DVDASA  | Hynix A-die | XMP/EXPO | 16GB    | SS    | 32-38-38-90  | 1.35 | ●     | ●     |
| Asgard      | U-DIMM    | 6400 | 6400 | VAM5UX64C32AG-CBR SXN | Hynix A-die | XMP/EXPO | 16GB    | SS    | 32-38-38-90  | 1.35 | ●     | ●     |
| Asgard      | U-DIMM    | 6400 | 6400 | VAM5UH64C32AG-DVALWA  | Hynix A-die | XMP/EXPO | 16GB    | SS    | 32-38-38-90  | 1.35 | ●     | ●     |

| 供应商         | DeviceSet | 内存频率 | 运行频率 | 部件号                                   | 芯片          | SPD Type | 规格      | SS/DS | 时序           | 电压   | 1DIMM | 2DIMM |
|-------------|-----------|------|------|---------------------------------------|-------------|----------|---------|-------|--------------|------|-------|-------|
| Asgard      | U-DIMM    | 6400 | 6400 | VAM5UX64C32AG-CGURBN                  | Hynix A-die | XMP/EXPO | 16GB    | SS    | 32-38-38-90  | 1.35 | ●     | ●     |
| Asgard      | U-DIMM    | 6400 | 6400 | VAM5UX64C32AG-CVALW                   | Hynix A-die | XMP/EXPO | 16GB    | SS    | 32-38-38-90  | 1.35 | ●     | ●     |
| Asgard      | U-DIMM    | 6400 | 6400 | VAM5UX64C32AG-DGURBN                  | Hynix A-die | XMP/EXPO | 16GB    | SS    | 32-38-38-90  | 1.35 | ●     | ●     |
| GLOWAY      | U-DIMM    | 6400 | 6400 | VGM5UH64C32AG-CSCJWA                  | Hynix A-die | XMP/EXPO | 16GB    | SS    | 32-38-38-90  | 1.35 | ●     | ●     |
| GLOWAY      | U-DIMM    | 6400 | 6400 | VGM5UH64C32AG-CSWURA                  | Hynix A-die | XMP/EXPO | 16GB    | SS    | 32-38-38-90  | 1.35 | ●     | ●     |
| GLOWAY      | U-DIMM    | 6400 | 6400 | VGM5UH64C32CG-DVDASM                  | SK Hynix    | XMP/EXPO | 24GB    | SS    | 32-39-39-102 | 1.35 | ●     | ●     |
| Asgard      | U-DIMM    | 6400 | 6400 | VAM5UH64C32CG-DHELSM                  | SK Hynix    | XMP/EXPO | 24GB    | SS    | 32-39-39-102 | 1.35 | ●     | ●     |
| GLOWAY      | U-DIMM    | 6400 | 6400 | VGM5UH64C32AG-DVDASM                  | SK Hynix    | XMP/EXPO | 16GB    | SS    | 32-39-39-102 | 1.4  | ●     | ●     |
| GLOWAY      | U-DIMM    | 6400 | 6400 | VGM5UH64C32AG-SVDASM                  | SK Hynix    | XMP/EXPO | 16GB    | SS    | 32-39-39-102 | 1.4  | ●     | ●     |
| GLOWAY      | U-DIMM    | 6400 | 6400 | VGM5UH64C32AG-DTACWM                  | SK Hynix    | XMP/EXPO | 16GB    | SS    | 32-39-39-102 | 1.4  | ●     | ●     |
| Asgard      | U-DIMM    | 6400 | 6400 | VAM5UH64C32AG-DGUPBM                  | SK Hynix    | XMP/EXPO | 16GB    | SS    | 32-39-39-102 | 1.4  | ●     | ●     |
| Asgard      | U-DIMM    | 6400 | 6400 | VAM5UH64C32AG-DFRESM                  | SK Hynix    | XMP/EXPO | 16GB    | SS    | 32-39-39-102 | 1.4  | ●     | ●     |
| Asgard      | U-DIMM    | 6400 | 6400 | VAM5UH64C32AG-CGUPBM                  | SK Hynix    | XMP/EXPO | 16GB    | SS    | 32-39-39-102 | 1.4  | ●     | ●     |
| CORSAIR     | U-DIMM    | 6400 | 6400 | CMH5X16G1B64C36A2W-CNR<br>Ver 3.43.04 | Mircon      | XMP      | 16GB    | SS    | 36-48-48-104 | 1.4  | ●     | ●     |
| Thermaltake | U-DIMM    | 6400 | 6400 | RG31D524GX2-6400C34A                  | Hynix M-die | XMP/EXPO | 2x 24GB | SS    | 34-40-40-80  | 1.4  | ●     | ●     |
| Thermaltake | U-DIMM    | 6400 | 6400 | RG32D524GX2-6400C34A                  | Hynix M-die | XMP/EXPO | 2x 24GB | SS    | 34-40-40-80  | 1.4  | ●     | ●     |
| HIKSEMI     | U-DIMM    | 6400 | 6400 | HSC532U64C5                           | SK Hynix    | XMP/EXPO | 2x 16GB | DS    | 34-40-40-84  | 1.35 | ●     | ●     |
| G.SKILL     | U-DIMM    | 6400 | 6400 | F5-6400J3239F48GX2-TZ5RK              | SK Hynix    | XMP      | 2x 48GB | DS    | 32-39-39-102 | 1.35 | ●     | ●     |
| G.SKILL     | U-DIMM    | 6400 | 6400 | F5-6400J3239F48GX2-TZ5RW              | SK Hynix    | XMP      | 2x 48GB | DS    | 32-39-39-102 | 1.35 | ●     | ●     |
| G.SKILL     | U-DIMM    | 6400 | 6400 | F5-6400J3239F48GX2-TZ5RS              | SK Hynix    | XMP      | 2x 48GB | DS    | 32-39-39-102 | 1.35 | ●     | ●     |
| G.SKILL     | U-DIMM    | 6400 | 6400 | F5-6400J3239F48GX2-RM5RW              | SK Hynix    | XMP      | 2x 48GB | DS    | 32-39-39-102 | 1.35 | ●     | ●     |
| G.SKILL     | U-DIMM    | 6400 | 6400 | F5-6400J3239F48GX2-RS5K               | SK Hynix    | XMP      | 2x 48GB | DS    | 32-39-39-102 | 1.35 | ●     | ●     |

| 供应商      | DeviceSet | 内存频率 | 运行频率 | 部件号                                | 芯片                  | SPD Type | 规格      | SS/DS | 时序           | 电压   | 1DIMM | 2DIMM |
|----------|-----------|------|------|------------------------------------|---------------------|----------|---------|-------|--------------|------|-------|-------|
| Kingston | CU-DIMM   | 6400 | 5600 | KVR64A52BD8-64                     | Micron              | N/A      | 64GB    | DS    | 52-52-52-103 | 1.1  | ●     | ●     |
| CORSAIR  | U-DIMM    | 6400 | 6400 | CMK128GX5M2B6400C42W<br>Ver3.63.01 | Mircon &<br>SpecTek | XMP      | 2x 64GB | DS    | 42-52-52-104 | 1.35 | ●     | ●     |
| CORSAIR  | U-DIMM    | 6400 | 6400 | CMH128GX5M2B6400C42W<br>Ver3.63.01 | Mircon &<br>SpecTek | XMP      | 2x 64GB | DS    | 42-52-52-104 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6400 | 6400 | LD5U64G64C42SV-RGD                 | Mircon &<br>SpecTek | XMP/EXPO | 2x 64GB | DS    | 42-52-52-104 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6400 | 6400 | LD5U64G64C42BV-RGD                 | Mircon &<br>SpecTek | XMP/EXPO | 2x 64GB | DS    | 42-52-52-104 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6400 | 6400 | LD5U64G64C42LV-RGD                 | Mircon &<br>SpecTek | XMP/EXPO | 2x 64GB | DS    | 42-52-52-104 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6400 | 6400 | LD5U64G64C42EV-RGD                 | Mircon &<br>SpecTek | XMP/EXPO | 2x 64GB | DS    | 42-52-52-104 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6400 | 6400 | LD5U64G64C42BV-RGS                 | Mircon &<br>SpecTek | XMP/EXPO | 2x 64GB | DS    | 42-52-52-104 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 6400 | 6400 | LD5U64G64C42SV-RGS                 | Mircon &<br>SpecTek | XMP/EXPO | 2x 64GB | DS    | 42-52-52-104 | 1.35 | ●     | ●     |
| KLEVV    | U-DIMM    | 6400 | 6400 | KD5CGUB80-64A340G                  | SK Hynix            | XMP/EXPO | 64GB    | DS    | 34-46-46-78  | 1.35 | ●     | ●     |
| GEIL     | U-DIMM    | 6600 | 6600 | GESG532GB6600C38ADC                | SK Hynix            | XMP/EXPO | 2x 16GB | SS    | 38-40-40-82  | 1.35 | ●     | ●     |
| GEIL     | U-DIMM    | 6600 | 6600 | GESW532GB6600C38ADC                | SK Hynix            | EXPO     | 2x 16GB | SS    | 38-40-40-82  | 1.35 | ●     | ●     |
| Colorful | U-DIMM    | 6600 | 6600 | BA16G6600D5UP34W                   | SK Hynix            | XMP      | 16GB    | SS    | 34-44-44-108 | 1.4  | ●     | ●     |
| Colorful | U-DIMM    | 6600 | 6600 | CV16G6600D5VP34S                   | SK Hynix            | XMP      | 2x 16GB | SS    | 34-44-44-108 | 1.4  | ●     | ●     |
| PREDATOR | U-DIMM    | 6600 | 6600 | BL.9BWWR.368                       | Hynix A-die         | XMP      | 2x 16GB | SS    | 34-40-40-105 | 1.4  | ●     | ●     |
| PREDATOR | U-DIMM    | 6600 | 6600 | BL.9BWWR.359                       | Hynix A-die         | XMP      | 2x 16GB | SS    | 34-40-40-105 | 1.4  | ●     | ●     |
| CORSAIR  | U-DIMM    | 6600 | 6600 | CMP32GX5M2X6600C32W Ver<br>5.43.01 | SK Hynix            | XMP      | 2x 16GB | SS    | 32-39-39-76  | 1.4  | ●     | ●     |
| CORSAIR  | U-DIMM    | 6600 | 6600 | CMP32GX5M2X6600C32 Ver<br>5.43.01  | SK Hynix            | XMP      | 2x 16GB | SS    | 32-39-39-76  | 1.4  | ●     | ●     |
| CORSAIR  | U-DIMM    | 6600 | 6600 | CMP96GX5M2B6600C32W Ver<br>5.53.13 | SK Hynix            | XMP      | 2x 48GB | DS    | 32-39-39-76  | 1.4  | ●     | ●     |
| Asgard   | U-DIMM    | 6600 | 6600 | VAM5UX66C34AG-CBRAM                | SK Hynix            | XMP/EXPO | 16GB    | SS    | 34-40-40-90  | 1.35 | ●     | ●     |
| GLOWAY   | U-DIMM    | 6600 | 6600 | VGM5UH66C34AG-CSWURA               | SK Hynix            | XMP/EXPO | 16GB    | SS    | 34-40-40-90  | 1.35 | ●     | ●     |
| GLOWAY   | U-DIMM    | 6600 | 6600 | VGM5UH66C34AG-CSCJWA               | SK Hynix            | XMP/EXPO | 16GB    | SS    | 34-40-40-90  | 1.35 | ●     | ●     |

| 供应商      | DeviceSet | 内存频率 | 运行频率 | 部件号                            | 芯片       | SPD Type | 规格      | SS/DS | 时序           | 电压   | 1DIMM | 2DIMM |
|----------|-----------|------|------|--------------------------------|----------|----------|---------|-------|--------------|------|-------|-------|
| V-color  | U-DIMM    | 6600 | 6600 | RTMXSL1666832SWK               | SK Hynix | XMP      | 16GB    | SS    | 32-39-39-102 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6800 | 6800 | KF568C36RSK2-32                | HYNIX A  | XMP      | 2x 16GB | SS    | 36-42-42-105 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6800 | 6800 | KF568C36RS-16                  | HYNIX A  | XMP      | 16GB    | SS    | 36-42-42-105 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6800 | 6800 | KF568C36RWK2-32                | SK Hynix | XMP      | 2x 16GB | SS    | 36-42-42-105 | 1.4  | ●     | ●     |
| KINGSTON | U-DIMM    | 6800 | 6800 | KF568C36RW-16                  | SK Hynix | XMP      | 2x 16GB | SS    | 36-42-42-105 | 1.4  | ●     | ●     |
| GLOWAY   | U-DIMM    | 6800 | 6800 | VGM5UH68C34AG-CSCJWA           | SK Hynix | XMP/EXPO | 16GB    | SS    | 34-45-45-108 | 1.4  | ●     | ●     |
| CORSAIR  | U-DIMM    | 6800 | 6800 | CMH32GX5M2B6800C40 Ver 3.43.02 | Mircon   | XMP      | 2x 16GB | SS    | 40-50-50-110 | 1.4  | ●     | ●     |
| Asgard   | U-DIMM    | 6800 | 6800 | VAM5UH68C34CG-CBRSEX           | SK Hynix | XMP/EXPO | 24GB    | SS    | 34-46-46-108 | 1.35 | ●     | ●     |
| Asgard   | U-DIMM    | 6800 | 6800 | VAM5UH68C34CG-CVALWM           | SK Hynix | XMP/EXPO | 24GB    | SS    | 34-46-46-108 | 1.35 | ●     | ●     |
| Asgard   | U-DIMM    | 6800 | 6800 | VAM5UH68C34CG-CVALWW           | SK Hynix | XMP/EXPO | 24GB    | SS    | 34-46-46-108 | 1.35 | ●     | ●     |
| Asgard   | U-DIMM    | 6800 | 6800 | VAM5UH68C34CG-CVARBM           | SK Hynix | XMP/EXPO | 24GB    | SS    | 34-46-46-108 | 1.35 | ●     | ●     |
| Asgard   | U-DIMM    | 6800 | 6800 | VAM5UH68C34CG-CVARWM           | SK Hynix | XMP/EXPO | 24GB    | SS    | 34-46-46-108 | 1.35 | ●     | ●     |
| Asgard   | U-DIMM    | 6800 | 6800 | VAM5UH68C34CG-DVALWM           | SK Hynix | XMP/EXPO | 24GB    | SS    | 34-46-46-108 | 1.35 | ●     | ●     |
| GLOWAY   | U-DIMM    | 6800 | 6800 | VGM5UH68C34CG-CSCJWM           | SK Hynix | XMP/EXPO | 24GB    | SS    | 34-46-46-108 | 1.35 | ●     | ●     |
| GLOWAY   | U-DIMM    | 6800 | 6800 | VGM5UH68C34CG-CSWURM           | SK Hynix | XMP/EXPO | 24GB    | SS    | 34-46-46-108 | 1.35 | ●     | ●     |
| Asgard   | U-DIMM    | 6800 | 6800 | VAM5UX68C34AG-CBRSEX           | SK Hynix | XMP/EXPO | 16GB    | SS    | 34-45-45-108 | 1.4  | ●     | ●     |
| Asgard   | U-DIMM    | 6800 | 6800 | VAM5UH68C34AG-CGURBA           | SK Hynix | XMP/EXPO | 16GB    | SS    | 34-45-45-108 | 1.4  | ●     | ●     |
| Asgard   | U-DIMM    | 6800 | 6800 | VAM5UH68C34AG-CVALWW           | SK Hynix | XMP/EXPO | 16GB    | SS    | 34-45-45-108 | 1.4  | ●     | ●     |
| Asgard   | U-DIMM    | 6800 | 6800 | VAM5UH68C34AG-CVARBA           | SK Hynix | XMP/EXPO | 16GB    | SS    | 34-45-45-108 | 1.4  | ●     | ●     |
| Asgard   | U-DIMM    | 6800 | 6800 | VAM5UH68C34AG-CVARWA           | SK Hynix | XMP/EXPO | 16GB    | SS    | 34-45-45-108 | 1.4  | ●     | ●     |
| Asgard   | U-DIMM    | 6800 | 6800 | VAM5UH68C34AG-DGURBA           | SK Hynix | XMP/EXPO | 16GB    | SS    | 34-45-45-108 | 1.4  | ●     | ●     |
| Asgard   | U-DIMM    | 6800 | 6800 | VAM5UX68C34AG-CBRAMN           | SK Hynix | XMP/EXPO | 16GB    | SS    | 34-45-45-108 | 1.4  | ●     | ●     |

| 供应商      | DeviceSet | 内存频率 | 运行频率 | 部件号                            | 芯片             | SPD Type | 规格      | SS/DS | 时序           | 电压   | 1DIMM | 2DIMM |
|----------|-----------|------|------|--------------------------------|----------------|----------|---------|-------|--------------|------|-------|-------|
| Asgard   | U-DIMM    | 6800 | 6800 | VAM5UX68C34AG-DVALWA           | SK Hynix       | XMP/EXPO | 16GB    | SS    | 34-45-45-108 | 1.4  | ●     | ●     |
| GLOWAY   | U-DIMM    | 6800 | 6800 | VGM5UH68C34AG-CSCJWA           | SK Hynix       | XMP/EXPO | 16GB    | SS    | 34-45-45-108 | 1.4  | ●     | ●     |
| GLOWAY   | U-DIMM    | 6800 | 6800 | VGM5UH68C34AG-CSWURA           | SK Hynix       | XMP/EXPO | 16GB    | SS    | 34-45-45-108 | 1.4  | ●     | ●     |
| CORSAIR  | U-DIMM    | 7000 | 7000 | CMH48GX5M2B7000C36 Ver 5.53.13 | SK Hynix       | XMP      | 2x 24GB | SS    | 36-44-44-114 | 1.4  | ●     | ●     |
| GLOWAY   | U-DIMM    | 7000 | 7000 | VGMUH70C34AG-CSCJWA            | SK Hynix       | XMP/EXPO | 16GB    | SS    | 34-42-42-112 | 1.45 | ●     | ●     |
| GLOWAY   | U-DIMM    | 7000 | 7000 | VGMUH70C34AG-CSCJWA            | SK Hynix       | XMP/EXPO | 16GB    | SS    | 34-42-42-112 | 1.45 | ●     | ●     |
| Asgard   | U-DIMM    | 7000 | 7000 | VAM5UH70C34AG-DVALWA           | SK Hynix       | XMP/EXPO | 16GB    | SS    | 34-42-42-112 | 1.45 | ●     | ●     |
| Kingston | U-DIMM    | 7200 | 7200 | KF572C38RSK2-48                | SK Hynix M-Die | XMP      | 2x 24GB | SS    | 38-44-44-105 | 1.45 | ●     | ●     |
| Kingston | U-DIMM    | 7200 | 7200 | KF572C38RS-24                  | SK Hynix M-Die | XMP      | 24GB    | SS    | 38-44-44-105 | 1.45 | ●     | ●     |
| Lexar    | U-DIMM    | 7200 | 7200 | LD5U16G72C38BV-RGS             | CXMT-A         | XMP/EXPO | 16GB    | SS    | 38-48-48-86  | 1.4  | ●     | ●     |
| Lexar    | U-DIMM    | 7200 | 7200 | LD5U16G72C38BV-RGD             | CXMT-A         | XMP/EXPO | 16GB    | SS    | 38-48-48-86  | 1.4  | ●     | ●     |
| KLEVV    | U-DIMM    | 7600 | 7600 | KD5AGUA80-76B360G              | SK Hynix       | XMP/EXPO | 16GB    | SS    | 36-46-46-86  | 1.4  | ●     | ●     |
| Kingston | U-DIMM    | 8000 | 8000 | KF580C38RWK2-32                | Hynix A-die    | XMP      | 2x 16GB | SS    | 38-48-48-128 | 1.45 | ●     | ●     |
| Kingston | U-DIMM    | 8000 | 8000 | KF580C38RW-16                  | Hynix A-die    | XMP      | 16GB    | SS    | 38-48-48-128 | 1.45 | ●     | ●     |
| Kingston | U-DIMM    | 8000 | 8000 | KF580C38RSK2-32                | Hynix A-die    | XMP      | 2x 16GB | SS    | 38-48-48-128 | 1.45 | ●     | ●     |
| Kingston | U-DIMM    | 8000 | 8000 | KF580C38RS-16                  | Hynix A-die    | XMP      | 16GB    | SS    | 38-48-48-128 | 1.45 | ●     | ●     |
| ADATA    | U-DIMM    | 8000 | 8000 | AX5U8000C3816G-BLAWH           | Hynix A-die    | XMP      | 16GB    | SS    | 38-46-46-121 | 1.4  | ●     | ●     |
| ADATA    | U-DIMM    | 8000 | 8000 | AX5U8000C3816G-CCARGY          | Hynix A-die    | XMP      | 16GB    | SS    | 38-46-46-121 | 1.4  | ●     | ●     |
| ADATA    | U-DIMM    | 8000 | 8000 | AX5U8000C3816G-DCCARGY         | Hynix A-die    | XMP      | 2x 16GB | SS    | 38-46-46-121 | 1.4  | ●     | ●     |
| ADATA    | U-DIMM    | 8000 | 8000 | AX5U8000C3816G-CCAGY           | Hynix A-die    | XMP      | 16GB    | SS    | 38-46-46-121 | 1.4  | ●     | ●     |
| ADATA    | U-DIMM    | 8000 | 8000 | AX5U8000C3816G-DCCAGY          | Hynix A-die    | XMP      | 2x 16GB | SS    | 38-46-46-121 | 1.4  | ●     | ●     |
| ADATA    | U-DIMM    | 8000 | 8000 | AX5U8000C3816G-CLARBK          | Hynix A-die    | XMP      | 16GB    | SS    | 38-46-46-121 | 1.4  | ●     | ●     |

| 供应商      | DeviceSet | 内存频率 | 运行频率 | 部件号                     | 芯片          | SPD Type | 规格      | SS/DS | 时序           | 电压   | 1DIMM | 2DIMM |
|----------|-----------|------|------|-------------------------|-------------|----------|---------|-------|--------------|------|-------|-------|
| ADATA    | U-DIMM    | 8000 | 8000 | AX5U8000C3816G-CLARWH   | Hynix A-die | XMP      | 16GB    | SS    | 38-46-46-121 | 1.4  | ●     | ●     |
| ADATA    | U-DIMM    | 8000 | 8000 | AX5U8000C3816G-CLABK    | Hynix A-die | XMP      | 16GB    | SS    | 38-46-46-121 | 1.4  | ●     | ●     |
| ADATA    | U-DIMM    | 8000 | 8000 | AX5U8000C3816G-CLAWH    | Hynix A-die | XMP      | 16GB    | SS    | 38-46-46-121 | 1.4  | ●     | ●     |
| ADATA    | U-DIMM    | 8000 | 8000 | AX5U8000C3816G-DCLARBK  | Hynix A-die | XMP      | 2x 16GB | SS    | 38-46-46-121 | 1.4  | ●     | ●     |
| ADATA    | U-DIMM    | 8000 | 8000 | AX5U8000C3816G-DCLARWH  | Hynix A-die | XMP      | 2x 16GB | SS    | 38-46-46-121 | 1.4  | ●     | ●     |
| ADATA    | U-DIMM    | 8000 | 8000 | AX5U8000C3816G-DCLABK   | Hynix A-die | XMP      | 2x 16GB | SS    | 38-46-46-121 | 1.4  | ●     | ●     |
| ADATA    | U-DIMM    | 8000 | 8000 | AX5U8000C3816G-DCLAWH   | Hynix A-die | XMP      | 2x 16GB | SS    | 38-46-46-121 | 1.4  | ●     | ●     |
| Lexar    | U-DIMM    | 8000 | 8000 | LD5U24G80C40LW-RCD      | Hynix M-Die | XMP      | 24GB    | SS    | 40-48-48-128 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 8000 | 8000 | LD5U24G80C40LW-RCS      | Hynix M-Die | XMP      | 24GB    | SS    | 40-48-48-128 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 8000 | 8000 | LD5U24G80C40WW-RCD      | Hynix M-Die | XMP      | 24GB    | SS    | 40-48-48-128 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 8000 | 8000 | LD5U24G80C40WW-RCS      | Hynix M-Die | XMP      | 24GB    | SS    | 40-48-48-128 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 8000 | 8000 | LD5U24G80C40LA-RGD      | Hynix M-Die | XMP      | 24GB    | SS    | 40-48-48-128 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 8000 | 8000 | LD5U24G80C40LA-RGS      | Hynix M-Die | XMP      | 24GB    | SS    | 40-48-48-128 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 8000 | 8000 | LD5U24G80C40WA-RGD      | Hynix M-Die | XMP      | 24GB    | SS    | 40-48-48-128 | 1.35 | ●     | ●     |
| Lexar    | U-DIMM    | 8000 | 8000 | LD5U24G80C40WA-RGS      | Hynix M-Die | XMP      | 24GB    | SS    | 40-48-48-128 | 1.35 | ●     | ●     |
| PREDATOR | U-DIMM    | 8200 | 8200 | BL.9BWWR.521            | Hynix M-die | XMP      | 2x 24GB | SS    | 40-50-50-132 | 1.4  | ●     | ●     |
| PREDATOR | U-DIMM    | 8200 | 8200 | BL.9BWWR.520            | Hynix M-die | XMP      | 2x 24GB | SS    | 40-50-50-132 | 1.4  | ●     | ●     |
| PREDATOR | U-DIMM    | 8200 | 8200 | BL.9BWWR.457            | Hynix M-die | XMP      | 2x 24GB | SS    | 40-50-50-132 | 1.4  | ●     | ●     |
| PREDATOR | U-DIMM    | 8200 | 8200 | BL.9BWWR.458            | Hynix M-die | XMP      | 2x 24GB | SS    | 40-50-50-132 | 1.4  | ●     | ●     |
| BIWIN    | U-DIMM    | 8200 | 8200 | B5DW100488240FR2G-CB012 | Hynix M-die | XMP      | 2x 24GB | SS    | 40-50-50-132 | 1.4  | ●     | ●     |
| BIWIN    | U-DIMM    | 8200 | 8200 | B5DW100488240FR2G-CW012 | Hynix M-die | XMP      | 2x 24GB | SS    | 40-50-50-132 | 1.4  | ●     | ●     |
| PREDATOR | U-DIMM    | 8200 | 8200 | BL.9BWWR.565            | Hynix A-Die | XMP/EXPO | 16GB    | SS    | 38-48-48-126 | 1.45 | ●     | ●     |

| 供应商      | DeviceSet | 内存频率 | 运行频率 | 部件号               | 芯片          | SPD Type | 规格   | SS/DS | 时序           | 电压   | 1DIMM | 2DIMM |
|----------|-----------|------|------|-------------------|-------------|----------|------|-------|--------------|------|-------|-------|
| PREDATOR | U-DIMM    | 8200 | 8200 | BL.9BWWR.566      | Hynix A-Die | XMP/EXPO | 16GB | SS    | 38-48-48-126 | 1.45 | ●     | ●     |
| PREDATOR | U-DIMM    | 8200 | 8200 | BL.9BWWR.567      | Hynix A-Die | XMP/EXPO | 16GB | SS    | 38-48-48-126 | 1.45 | ●     | ●     |
| PREDATOR | U-DIMM    | 8200 | 8200 | BL.9BWWR.589      | Hynix A-Die | XMP/EXPO | 16GB | SS    | 38-48-48-126 | 1.45 | ●     | ●     |
| PREDATOR | U-DIMM    | 8200 | 8200 | BL.9BWWR.590      | Hynix A-Die | XMP/EXPO | 16GB | SS    | 38-48-48-126 | 1.45 | ●     | ●     |
| PREDATOR | U-DIMM    | 8200 | 8200 | BL.9BWWR.591      | Hynix A-Die | XMP/EXPO | 16GB | SS    | 38-48-48-126 | 1.45 | ●     | ●     |
| Biwin    | U-DIMM    | 8200 | 8200 | BXL53282DW1-D38GB | Hynix A-Die | XMP/EXPO | 16GB | SS    | 38-48-48-126 | 1.45 | ●     | ●     |
| Biwin    | U-DIMM    | 8200 | 8200 | BXL53282DW1-D38GW | Hynix A-Die | XMP/EXPO | 16GB | SS    | 38-48-48-126 | 1.45 | ●     | ●     |